

thm_2Ellist_2Ellist__Axiom__1
(TMSM2myDf1ZgWXDGbip1pAkQpPMxUPNoRar)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 4 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 5 We define $c_2Earithmic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 6 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 7 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 9 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B$

Definition 10 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (8)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (9)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)} \quad (10)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (11)$$

Definition 11 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (12)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (13)$$

Definition 13 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS_sum$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (14)$$

Definition 14 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap\ (c_2Eoption_2Eoption_ABS\ x))$

Definition 15 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E21\ 2))\ (\lambda V0t \in 2.V0t)$.

Definition 16 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (ap\ (c_2Ebool_2E21\ 2)\ t1\ t2))))$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_abs\ A_27a \in ((ty_2Ellist_2Ellist\ A_27a)^{(ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum}}) \quad (15)$$

Definition 17 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota. \lambda V0h \in A_27a. \lambda V1t \in (ty_2Ellist_2Ellist\ A_27a). (ap\ (c_2Ellist_2Ellist_abs\ h)\ t)$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (16)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (17)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (18)$$

Definition 18 We define $c_2Epair_2Epair_CASE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0p \in (ty_2Epair_2Eprod\ A_27a\ A_27b). (ap\ (c_2Epair_2EFST\ A_27a\ A_27b)\ p)$

Definition 19 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E40\ ty_2Eone_2Eone))\ (\lambda V0x \in ty_2Eone_2Eone.V0x)$

Definition 20 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2. (ap\ (ap\ (c_2Emin_2E3D_3D_3E\ V0t)\ c_2Ebool_2E21\ 2)\ t))$

Definition 21 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap\ (c_2Esum_2EABS\ A_27a\ A_27b)\ e)$

Definition 22 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ (c_2Eoption_2ENONE\ A_27a))$

Definition 23 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota. (ap\ (c_2Ellist_2Ellist_abs\ A_27a)\ (c_2Ellist_2ELNIL\ A_27a))$

Let $c_2Eoption_2Eoption_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2Eoption_CASE\ A_27a\ A_27b \in (((A_27b)^{(A_27b)^{A_27a}})^{A_27b})^{(ty_2Eoption_2Eoption\ A_27a)} \quad (19)$$

Definition 24 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x$

Definition 25 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g \in (A_27a^{A_27c}).$

Definition 26 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a})^{A_27b}).$

Let $c_2Eoption_2EOPTION_BIND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2EOPTION_BIND \\ & A_27a\ A_27b \in (((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Eoption_2Eoption\ A_27a)^{A_27b}})^{(ty_2Eoption_2Eoption\ A_27a)^{A_27b}}) \end{aligned} \quad (20)$$

Let $c_2Earithmetic_2EFUNPOW : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Earithmetic_2EFUNPOW\ A_27a \in \\ & (((A_27a^{A_27a})^{ty_2Enum_2Enum})^{(A_27a^{A_27a})}) \end{aligned} \quad (21)$$

Let $c_2Eoption_2EOPTION_MAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2EOPTION_MAP \\ & A_27a\ A_27b \in (((ty_2Eoption_2Eoption\ A_27b)^{(ty_2Eoption_2Eoption\ A_27a)^{A_27b}})^{(ty_2Eoption_2Eoption\ A_27a)^{A_27b}}) \end{aligned} \quad (22)$$

Definition 27 We define $c_2Ellist_2ELUNFOLD$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((ty_2Eoption_2Eoption$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A_27a \\ & A_27b)^{A_27a}).(\forall V1x \in A_27a.((ap\ (ap\ (c_2Ellist_2ELUNFOLD \\ & A_27b\ A_27a)\ V0f)\ V1x) = (ap\ (ap\ (ap\ (c_2Eoption_2Eoption_CASE \\ & (ty_2Epair_2Eprod\ A_27a\ A_27b)\ (ty_2Ellist_2Ellist\ A_27b))\ (\\ & ap\ V0f\ V1x))\ (c_2Ellist_2ELNIL\ A_27b))\ (\lambda V2v \in (ty_2Epair_2Eprod \\ & A_27a\ A_27b).(ap\ (ap\ (c_2Epair_2Epair_CASE\ (ty_2Ellist_2Ellist \\ & A_27b)\ A_27a\ A_27b)\ V2v)\ (\lambda V3v1 \in A_27a.(\lambda V4v2 \in A_27b.(ap \\ & (ap\ (c_2Ellist_2ELCONS\ A_27b)\ V4v2)\ (ap\ (ap\ (c_2Ellist_2ELUNFOLD \\ & A_27b\ A_27a)\ V0f)\ V3v1)))))))))) \end{aligned} \quad (23)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A_27a \\ & A_27b)^{A_27a}).(\exists V1g \in ((ty_2Ellist_2Ellist\ A_27b)^{A_27a}). \\ & (\forall V2x \in A_27a.((ap\ V1g\ V2x) = (ap\ (ap\ (ap\ (c_2Eoption_2Eoption_CASE \\ & (ty_2Epair_2Eprod\ A_27a\ A_27b)\ (ty_2Ellist_2Ellist\ A_27b))\ (\\ & ap\ V0f\ V2x))\ (c_2Ellist_2ELNIL\ A_27b))\ (\lambda V3v \in (ty_2Epair_2Eprod \\ & A_27a\ A_27b).(ap\ (ap\ (c_2Epair_2Epair_CASE\ (ty_2Ellist_2Ellist \\ & A_27b)\ A_27a\ A_27b)\ V3v)\ (\lambda V4a \in A_27a.(\lambda V5b \in A_27b.(ap\ (\\ & ap\ (c_2Ellist_2ELCONS\ A_27b)\ V5b)\ (ap\ V1g\ V4a)))))))))) \end{aligned}$$