

thm\_2Elist\_2Elnth\_\_fromList\_\_some  
(TMVZyz39sMTTDst2qzDs2hjZEHE3EoZ71kC)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x)) \text{ of type } \iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2E_3F` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P \text{ (ap (c_2Emin_2E_40 } A \ 27a))$

**Definition 4** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p \Rightarrow q)$  of type  $\iota$ .

**Definition 5** We define `c_2Ebool_2E_2T` to be  $(\text{ap (ap (c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

**Definition 6** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap (ap (c_2Emin_2E_3D } (2^{A-27a})$

**Definition 7** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap (c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. V2t))$

**Definition 8** We define `c_2Ebool_2E_2F` to be  $(\text{ap (c_2Ebool_2E_21 } 2) (\lambda V0t \in 2. V0t))$ .

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$\text{nonempty ty\_2Enum\_2Enum} \tag{1}$$

Let `ty_2Elist_2Elist` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty (ty\_2Elist\_2Elist } A0) \tag{2}$$

Let `c_2Elist_2ELENGTH` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow c\_2Elist\_2ELENGTH \ A. 27a \in (\text{ty\_2Enum\_2Enum}^{(\text{ty\_2Elist\_2Elist } A. 27a)}) \tag{3}$$

Let `c_2Elist_2EHD` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow c\_2Elist\_2EHD \ A. 27a \in (A. 27a^{(\text{ty\_2Elist\_2Elist } A. 27a)}) \tag{4}$$

Let  $c\_2Elist\_2EEL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EEL\ A\_27a \in ((A\_27a^{(ty\_2Elist\_2Elist\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (5)$$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (6)$$

Let  $ty\_2Ellist\_2Ellist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ellist\_2Ellist\ A0) \quad (7)$$

Let  $c\_2Ellist\_2ELNTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ellist\_2ELNTH\ A\_27a \in (((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Ellist\_2Ellist\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (8)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (9)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (10)$$

**Definition 9** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 10** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (11)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (12)$$

**Definition 11** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (13)$$

**Definition 12** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B\ n))\ c\_2Enum\_2E0)$

**Definition 13** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (14)$$

Let  $c\_2Ellist\_2Ellist\_rep : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ellist\_2Ellist\_rep\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Enum\_2Enum})^{(ty\_2Ellist\_2Ellist\ A\_27a)} \quad (15)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (16)$$

**Definition 14** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.))$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (17)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (18)$$

**Definition 15** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27a.(ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone}) \quad (19)$$

**Definition 16** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ V0x)$

**Definition 17** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.))$

Let  $c\_2Ellist\_2Ellist\_abs : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ellist\_2Ellist\_abs\ A\_27a \in ((ty\_2Ellist\_2Ellist\ A\_27a)^{(ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Enum\_2Enum}}) \quad (20)$$

**Definition 18** We define  $c\_2Ellist\_2ELCONS$  to be  $\lambda A\_27a : \iota. \lambda V0h \in A\_27a. \lambda V1t \in (ty\_2Ellist\_2Ellist\ A\_27a)$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{ty\_2Elist\_2Elist\ A\_27a})^{A\_27a}) \quad (21)$$

**Definition 19** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E\_40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone))$

**Definition 20** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_7E))$

**Definition 21** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap (c\_2Esum\_2EABS A\_27a) (ap c\_2Emin\_2E\_3D\_3D\_3E V0e))$

**Definition 22** We define  $c\_2Eoption\_2E\_NONE$  to be  $\lambda A\_27a : \iota.(ap (c\_2Eoption\_2Eoption\_ABS A\_27a) (ap c\_2Emin\_2E\_3D\_3D\_3E V0t))$

**Definition 23** We define  $c\_2Ellist\_2ELNIL$  to be  $\lambda A\_27a : \iota.(ap (c\_2Ellist\_2Ellist\_abs A\_27a) (\lambda V0n \in ty\_2Ellist\_2Ellist A\_27a))$

Let  $c\_2Ellist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ellist\_2ENIL A\_27a \in (ty\_2Ellist\_2Ellist A\_27a) \quad (22)$$

Let  $c\_2Ellist\_2EfromList : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ellist\_2EfromList A\_27a \in ((ty\_2Ellist\_2Ellist A\_27a)^{(ty\_2Ellist\_2Ellist A\_27a)}) \quad (23)$$

**Definition 24** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((V0m = c\_2Enum\_2E0) \vee (\exists V1n \in ty\_2Enum\_2Enum.(V0m = (ap c\_2Enum\_2ESUC V1n)))))) \quad (24)$$

Assume the following.

$$(p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap c\_2Enum\_2ESUC V0m)) (ap c\_2Enum\_2ESUC V1n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n))) \quad (25)$$

Assume the following.

$$True \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (28)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (29)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p\ V0t)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0h \in A.27a.(\forall V1t \in \\ & (ty\_2Elist\_2Elist\ A.27a).((ap\ (c.2Elist\_2EHD\ A.27a)\ (ap\ (ap\ ( \\ & c.2Elist\_2ECONS\ A.27a)\ V0h)\ V1t)) = V0h))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (((ap\ (c.2Elist\_2ELENGTH\ A.27a) \\ & (c.2Elist\_2ENIL\ A.27a)) = c.2Enum\_2E0) \wedge (\forall V0h \in A.27a.( \\ & \forall V1t \in (ty\_2Elist\_2Elist\ A.27a).((ap\ (c.2Elist\_2ELENGTH \\ & A.27a)\ (ap\ (ap\ (c.2Elist\_2ECONS\ A.27a)\ V0h)\ V1t)) = (ap\ c.2Enum\_2ESUC \\ & (ap\ (c.2Elist\_2ELENGTH\ A.27a)\ V1t)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A.27a)}). \\ & (((p\ (ap\ V0P\ (c.2Elist\_2ENIL\ A.27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\ & A.27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ ( \\ & c.2Elist\_2ECONS\ A.27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ & A.27a).(p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \forall V0n \in ty\_2Enum\_2Enum.(\forall V1l \in A.27b.(\forall V2ls \in \\ & (ty\_2Elist\_2Elist\ A.27b).(((ap\ (c.2Elist\_2EEL\ A.27a)\ c.2Enum\_2E0) = \\ & (c.2Elist\_2EHD\ A.27a)) \wedge ((ap\ (ap\ (c.2Elist\_2EEL\ A.27b)\ (ap\ c.2Enum\_2ESUC \\ & V0n))\ (ap\ (ap\ (c.2Elist\_2ECONS\ A.27b)\ V1l)\ V2ls)) = (ap\ (ap\ (c.2Elist\_2EEL \\ & A.27b)\ V0n)\ V2ls)))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow \forall A\_27c. \\
& \text{nonempty } A\_27c \Rightarrow ((\forall V0n \in \text{ty\_2Enum\_2Enum}.\text{((ap (ap (c\_2Ellist\_2ELNTH} \\
& \quad A\_27a) V0n) (c\_2Ellist\_2ELNIL A\_27a)) = (c\_2Eoption\_2ENONE A\_27a))) \wedge \\
& \quad ((\forall V1h \in A\_27b.\text{(}\forall V2t \in (\text{ty\_2Ellist\_2Ellist } A\_27b). \\
& \quad (\text{ap (ap (c\_2Ellist\_2ELNTH } A\_27b) c\_2Enum\_2E0) (ap (ap (c\_2Ellist\_2ELCONS} \\
& \quad A\_27b) V1h) V2t)) = (ap (c\_2Eoption\_2ESOME A\_27b) V1h)))) \wedge (\forall V3n \in \\
& \quad \text{ty\_2Enum\_2Enum}.\text{(}\forall V4h \in A\_27c.\text{(}\forall V5t \in (\text{ty\_2Ellist\_2Ellist} \\
& \quad A\_27c).\text{((ap (ap (c\_2Ellist\_2ELNTH } A\_27c) (ap c\_2Enum\_2ESUC V3n))} \\
& \quad (\text{ap (ap (c\_2Ellist\_2ELCONS } A\_27c) V4h) V5t)) = (ap (ap (c\_2Ellist\_2ELNTH} \\
& \quad A\_27c) V3n) V5t)))))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (((\text{ap (c\_2Ellist\_2EfromList } A\_27a) \\
& \quad (\text{c\_2Elist\_2ENIL } A\_27a)) = (\text{c\_2Ellist\_2ELNIL } A\_27a)) \wedge (\forall V0h \in \\
& \quad A\_27a.\text{(}\forall V1t \in (\text{ty\_2Elist\_2Elist } A\_27a).\text{((ap (c\_2Ellist\_2EfromList} \\
& \quad A\_27a) (ap (ap (c\_2Elist\_2ECONS } A\_27a) V0h) V1t)) = (ap (ap (c\_2Ellist\_2ELCONS} \\
& \quad A\_27a) V0h) (ap (c\_2Ellist\_2EfromList } A\_27a) V1t))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.\text{(}\forall V1y \in \\
& \quad A\_27a.\text{((ap (c\_2Eoption\_2ESOME } A\_27a) V0x) = (ap (c\_2Eoption\_2ESOME} \\
& \quad A\_27a) V1y)) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.\text{(}\neg((\text{c\_2Eoption\_2ENONE} \\
& \quad A\_27a) = (ap (c\_2Eoption\_2ESOME } A\_27a) V0x))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in \text{ty\_2Enum\_2Enum}.\text{(}\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V0n) c\_2Enum\_2E0))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in \text{ty\_2Enum\_2Enum}.\text{(p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) \\
& \quad (ap c\_2Enum\_2ESUC V0n))))))
\end{aligned} \tag{41}$$

### Theorem 1

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0n \in \text{ty\_2Enum\_2Enum}.\text{(} \\
& \quad \forall V1l \in (\text{ty\_2Elist\_2Elist } A\_27a).\text{((p (ap (ap c\_2Eprim\_rec\_2E\_3C} \\
& \quad V0n) (ap (c\_2Elist\_2ELENGTH } A\_27a) V1l)) \Leftrightarrow ((\text{ap (ap (c\_2Ellist\_2ELNTH} \\
& \quad A\_27a) V0n) (ap (c\_2Ellist\_2EfromList } A\_27a) V1l)) = (ap (c\_2Eoption\_2ESOME} \\
& \quad A\_27a) (ap (ap (c\_2Elist\_2EEL } A\_27a) V0n) V1l))))))
\end{aligned}$$