

thm\_2Ellist\_2Elrep\_\_ok\_\_FUNPOW\_\_BIND  
(TMUhLpL93Dpo38kL2iNeDPdy9VpAy4bgVMa)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Earithmetic\_2EFUNPOW : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.\_27a.nonempty\ A.\_27a \Rightarrow c\_2Earithmetic\_2EFUNPOW\ A.\_27a \in ((A.\_27a^{A.\_27a})^{ty\_2Enum\_2Enum})^{(A.\_27a^{A.\_27a})} \tag{2}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow P \Rightarrow Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\_27a : \iota.(\lambda V0P \in (2^{A.\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A.\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (omega^{ty\_2Enum\_2Enum}) \tag{3}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (omega^{omega}) \tag{4}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \tag{5}$$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{6}$$

**Definition 7** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 8** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{7}$$

**Definition 9** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n))$ .

**Definition 10** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{8}$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \tag{9}$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \tag{10}$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \tag{11}$$

**Definition 11** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_2Esum\_2EABS\_sum\ V0e\ A\_27a))$ .

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \tag{12}$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \tag{13}$$

**Definition 12** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap\ (c\_2Eoption\_2Eoption\_ABS\ V0x\ A\_27a))$ .

**Definition 13** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2))\ (\lambda V0t \in 2.V0t)$ .



Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in ((ty\_2Eoption\_2Eoption \\ A\_27a)^{ty\_2Enum\_2Enum}).((p\ (ap\ (c\_2Ellist\_2Elrep\_ok\ A\_27a) \\ V0f))) \Leftrightarrow (\forall V1n \in ty\_2Enum\_2Enum.((p\ (ap\ (c\_2Eoption\_2EIS\_SOME \\ A\_27a)\ (ap\ V0f\ (ap\ c\_2Enum\_2ESUC\ V1n)))))) \Rightarrow (p\ (ap\ (c\_2Eoption\_2EIS\_SOME \\ A\_27a)\ (ap\ V0f\ V1n)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0x \in (ty\_2Eoption\_2Eoption\ A\_27a).(\forall V1g \in ((ty\_2Eoption\_2Eoption \\ A\_27b)^{A\_27a}).((p\ (ap\ (c\_2Eoption\_2EIS\_SOME\ A\_27b)\ (ap\ (ap\ (c\_2Eoption\_2EOPTION\_BIND \\ A\_27b\ A\_27a)\ V0x)\ V1g)))))) \Rightarrow (p\ (ap\ (c\_2Eoption\_2EIS\_SOME\ A\_27a) \\ V0x)))) \end{aligned} \quad (21)$$

**Theorem 1**

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0g \in ((ty\_2Eoption\_2Eoption \\ A\_27a)^{A\_27a}).(\forall V1fz \in (ty\_2Eoption\_2Eoption\ A\_27a).( \\ p\ (ap\ (c\_2Ellist\_2Elrep\_ok\ A\_27a)\ (\lambda V2n \in ty\_2Enum\_2Enum. \\ (ap\ (ap\ (ap\ (c\_2Earithmetic\_2EFUNPOW\ (ty\_2Eoption\_2Eoption\ A\_27a)) \\ (\lambda V3m \in (ty\_2Eoption\_2Eoption\ A\_27a).(ap\ (ap\ (c\_2Eoption\_2EOPTION\_BIND \\ A\_27a\ A\_27a)\ V3m)\ V0g))))))\ V2n\ V1fz)))))) \end{aligned}$$