

thm_2Ellist_2EtoList__THM (TML1h1qXdsStmaxefZ5evq71SEB6dyuAaG3)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 6 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (2)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (3)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (4)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (5)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega^{\omega}}) \quad (6)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega^{\omega}}) \quad (7)$$

Definition 7 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (8)$$

Definition 8 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 9 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Definition 10 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ n))\ 0)$

Definition 11 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (11)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (12)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)} \quad (13)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (14)$$

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ t1)\ t2))$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (30)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (31)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (32)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1)\ V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V0t1)\ V1t2) = V1t2)))))) \quad (33)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. (\forall V5y_27 \in A_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27)\ V5y_27)))))))))) \quad (35)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1)\ V1t2) = V0t1))) \wedge (\forall V2t1 \in A_27a. (\forall V3t2 \in A_27a. ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V2t1)\ V3t2) = V3t2)))))) \quad (36)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow ((\forall V0l \in (ty_2Ellist_2Ellist\ A_27a).((\\
ap\ (ap\ (c_2Ellist_2ELTAK E\ A_27a)\ c_2Enum_2E0)\ V0l) = (ap\ (c_2Eoption_2ESOME \\
& \quad (ty_2Elist_2Elist\ A_27a))\ (c_2Elist_2ENIL\ A_27a)))) \wedge ((\forall V1n \in \\
ty_2Enum_2Enum.((ap\ (ap\ (c_2Ellist_2ELTAK E\ A_27b)\ (ap\ c_2Enum_2ESUC \\
& \quad V1n))\ (c_2Ellist_2ELNIL\ A_27b)) = (c_2Eoption_2ENONE\ (ty_2Elist_2Elist \\
& \quad A_27b)))) \wedge (\forall V2n \in ty_2Enum_2Enum.(\forall V3h \in A_27c. \\
& \quad (\forall V4t \in (ty_2Ellist_2Ellist\ A_27c).((ap\ (ap\ (c_2Ellist_2ELTAK E \\
& \quad A_27c)\ (ap\ c_2Enum_2ESUC\ V2n))\ (ap\ (ap\ (c_2Ellist_2ELCONS\ A_27c) \\
& \quad V3h)\ V4t)) = (ap\ (ap\ (c_2Eoption_2EOPTION_MAP\ (ty_2Elist_2Elist \\
& \quad A_27c)\ (ty_2Elist_2Elist\ A_27c))\ (ap\ (c_2Elist_2ECONS\ A_27c) \\
& \quad V3h))\ (ap\ (ap\ (c_2Ellist_2ELTAK E\ A_27c)\ V2n)\ V4t))))))))) \\
& \hspace{15em} (37)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad ((p\ (ap\ (c_2Ellist_2ELFINITE\ A_27a)\ (c_2Ellist_2ELNIL\ A_27a))) \Leftrightarrow \\
& \quad \quad True) \wedge (\forall V0h \in A_27b.(\forall V1t \in (ty_2Ellist_2Ellist \\
& \quad A_27b).((p\ (ap\ (c_2Ellist_2ELFINITE\ A_27b)\ (ap\ (ap\ (c_2Ellist_2ELCONS \\
& \quad A_27b)\ V0h)\ V1t))) \Leftrightarrow (p\ (ap\ (c_2Ellist_2ELFINITE\ A_27b)\ V1t)))))) \\
& \hspace{15em} (38)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad ((ap\ (c_2Ellist_2ELLENGTH\ A_27a)\ (c_2Ellist_2ELNIL\ A_27a)) = \\
& \quad (ap\ (c_2Eoption_2ESOME\ ty_2Enum_2Enum)\ c_2Enum_2E0)) \wedge (\forall V0h \in \\
& \quad A_27b.(\forall V1t \in (ty_2Ellist_2Ellist\ A_27b).((ap\ (c_2Ellist_2ELLENGTH \\
& \quad A_27b)\ (ap\ (ap\ (c_2Ellist_2ELCONS\ A_27b)\ V0h)\ V1t)) = (ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\
& \quad ty_2Enum_2Enum\ ty_2Enum_2Enum)\ c_2Enum_2ESUC)\ (ap\ (c_2Ellist_2ELLENGTH \\
& \quad A_27b)\ V1t)))))) \\
& \hspace{15em} (39)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0ll \in (ty_2Ellist_2Ellist \\
& \quad A_27a).((p\ (ap\ (c_2Ellist_2ELFINITE\ A_27a)\ V0ll)) \Rightarrow (\exists V1n \in \\
& \quad ty_2Enum_2Enum.((ap\ (c_2Ellist_2ELLENGTH\ A_27a)\ V0ll) = (ap\ (\\
& \quad \quad c_2Eoption_2ESOME\ ty_2Enum_2Enum)\ V1n)))))) \\
& \hspace{15em} (40)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\
& \quad A_27a.(((ap\ (c_2Eoption_2ESOME\ A_27a)\ V0x) = (ap\ (c_2Eoption_2ESOME \\
& \quad \quad A_27a)\ V1y)) \Leftrightarrow (V0x = V1y)))) \\
& \hspace{15em} (41)
\end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & (\forall V0f \in (A.27b^{A.27a}).(\forall V1x \in A.27a.((ap\ (ap\ (c.2Eoption.2EOPTION_MAP \\ & A.27a\ A.27b)\ V0f)\ (ap\ (c.2Eoption.2ESOME\ A.27a)\ V1x)) = (ap\ (c.2Eoption.2ESOME \\ & A.27b)\ (ap\ V0f\ V1x)))))) \wedge (\forall V2f \in (A.27b^{A.27a}).((ap\ (ap\ (c.2Eoption.2EOPTION_MAP \\ & A.27a\ A.27b)\ V2f)\ (c.2Eoption.2ENONE\ A.27a)) = (c.2Eoption.2ENONE \\ & A.27b)))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.((ap\ (c.2Eoption.2ETHE \\ & A.27a)\ (ap\ (c.2Eoption.2ESOME\ A.27a)\ V0x)) = V0x)) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1X \in (\\ & ty.2Eoption.2Eoption\ A.27a).(\forall V2x \in A.27a.((((ap\ (ap\ (\\ & ap\ (c.2Ebool.2ECOND\ (ty.2Eoption.2Eoption\ A.27a))\ V0P)\ V1X)\ (\\ & c.2Eoption.2ENONE\ A.27a)) = (c.2Eoption.2ENONE\ A.27a)) \Leftrightarrow ((p\ V0P) \Rightarrow \\ & (p\ (ap\ (c.2Eoption.2EIS_NONE\ A.27a)\ V1X)))))) \wedge (((ap\ (ap\ (ap\ (c.2Ebool.2ECOND \\ & (ty.2Eoption.2Eoption\ A.27a))\ V0P)\ (c.2Eoption.2ENONE\ A.27a)) \\ & V1X) = (c.2Eoption.2ENONE\ A.27a)) \Leftrightarrow ((p\ (ap\ (c.2Eoption.2EIS_SOME \\ & A.27a)\ V1X)) \Rightarrow (p\ V0P)))))) \wedge (((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ (ty.2Eoption.2Eoption \\ & A.27a))\ V0P)\ V1X)\ (c.2Eoption.2ENONE\ A.27a)) = (ap\ (c.2Eoption.2ESOME \\ & A.27a)\ V2x)) \Leftrightarrow ((p\ V0P) \wedge (V1X = (ap\ (c.2Eoption.2ESOME\ A.27a)\ V2x)))))) \wedge \\ & (((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ (ty.2Eoption.2Eoption\ A.27a)) \\ & V0P)\ (c.2Eoption.2ENONE\ A.27a))\ V1X) = (ap\ (c.2Eoption.2ESOME \\ & A.27a)\ V2x)) \Leftrightarrow ((\neg(p\ V0P)) \wedge (V1X = (ap\ (c.2Eoption.2ESOME\ A.27a) \\ & V2x))))))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0f \in (A.27a^{A.27b}).(\forall V1x \in (ty.2Eoption.2Eoption \\ & A.27b).((((ap\ (ap\ (c.2Eoption.2EOPTION_MAP\ A.27b\ A.27a)\ V0f) \\ & V1x) = (c.2Eoption.2ENONE\ A.27a)) \Leftrightarrow (V1x = (c.2Eoption.2ENONE\ A.27b)))) \wedge \\ & (((c.2Eoption.2ENONE\ A.27a) = (ap\ (ap\ (c.2Eoption.2EOPTION_MAP \\ & A.27b\ A.27a)\ V0f)\ V1x)) \Leftrightarrow (V1x = (c.2Eoption.2ENONE\ A.27b)))))) \end{aligned} \quad (45)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & ((ap\ (c_2Ellist_2EtoList\ A_27a)\ (c_2Ellist_2ELNIL\ A_27a)) = (\\ & ap\ (c_2Eoption_2ESOME\ (ty_2Elist_2Elist\ A_27a))\ (c_2Elist_2ENIL \\ & A_27a))) \wedge (\forall V0h \in A_27b. (\forall V1t \in (ty_2Ellist_2Ellist \\ & A_27b). ((ap\ (c_2Ellist_2EtoList\ A_27b)\ (ap\ (ap\ (c_2Ellist_2ELCONS \\ & A_27b)\ V0h)\ V1t)) = (ap\ (ap\ (c_2Eoption_2EOPTION_MAP\ (ty_2Elist_2Elist \\ & A_27b)\ (ty_2Elist_2Elist\ A_27b))\ (ap\ (c_2Elist_2ECONS\ A_27b) \\ & V0h))\ (ap\ (c_2Ellist_2EtoList\ A_27b)\ V1t)))))) \end{aligned}$$