

# thm\_2Ellist\_2Eto\_\_fromList (TMHuD- VfX5tws1eAfGPMJrqGUzTXLaPKCDvK)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_5C\_2E\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 7** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 8** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 9** We define  $c\_2Earithmic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 10** We define  $c\_Enum\_ESUC$  to be  $\lambda V0m \in ty\_Enum\_Enum.(ap\ c\_Enum\_EABS\_num$

Let  $c\_Earithmic\_E\_EB : \iota$  be given. Assume the following.

$$c\_Earithmic\_E\_EB \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (6)$$

**Definition 11** We define  $c\_Earithmic\_EBIT1$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap\ (ap\ c\_Earithmic$

**Definition 12** We define  $c\_Earithmic\_ENUMERAL$  to be  $\lambda V0x \in ty\_Enum\_Enum.V0x$ .

Let  $c\_Earithmic\_E\_ED : \iota$  be given. Assume the following.

$$c\_Earithmic\_E\_ED \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (7)$$

Let  $ty\_Eoption\_Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_Eoption\_Eoption\ A0) \quad (8)$$

Let  $ty\_Ellist\_Ellist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_Ellist\_Ellist\ A0) \quad (9)$$

Let  $c\_Ellist\_Ellist\_rep : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Ellist\_Ellist\_rep\ A\_27a \in ((ty\_Eoption\_Eoption\ A\_27a)^{ty\_Enum\_Enum})^{(ty\_Ellist\_Ellist\ A\_27a)} \quad (10)$$

Let  $ty\_Eone\_Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_Eone\_Eone \quad (11)$$

**Definition 13** We define  $c\_Ebool\_E\_E2F5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_Ebool\_E\_E21\ 2)\ (\lambda V2t \in$

Let  $ty\_Esum\_Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_Esum\_Esum\ A0\ A1) \quad (12)$$

Let  $c\_Esum\_EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_Esum\_EABS\_sum\ A\_27a\ A\_27b \in ((ty\_Esum\_Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (13)$$

**Definition 14** We define  $c\_Esum\_EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_Esum\_EABS$

Let  $c\_Eoption\_Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Eoption\_Eoption\_ABS\ A\_27a \in ((ty\_Eoption\_Eoption\ A\_27a)^{(ty\_Esum\_Esum\ A\_27a\ ty\_Eone\_Eone)}) \quad (14)$$





Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (30)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (31)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (32)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist A_{.27a}).((V0l = (c\_2Elist\_2ENIL A_{.27a})) \vee (\exists V1h \in A_{.27a}.(\exists V2t \in (ty\_2Elist\_2Elist A_{.27a}).(V0l = (ap (ap (c\_2Elist\_2ECONS A_{.27a}) V1h) V2t)))))) \quad (33)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0a1 \in (ty\_2Elist\_2Elist A_{.27a}).(\forall V1a0 \in A_{.27a}.(\neg((c\_2Elist\_2ENIL A_{.27a}) = (ap (ap (c\_2Elist\_2ECONS A_{.27a}) V1a0) V0a1)))))) \quad (34)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0h \in A_{.27a}.(\forall V1t \in (ty\_2Elist\_2Elist A_{.27a}).(\neg((ap (ap (c\_2Elist\_2ELCONS A_{.27a}) V0h) V1t) = (c\_2Elist\_2ELNIL A_{.27a}))) \wedge (\neg((c\_2Elist\_2ELNIL A_{.27a}) = (ap (ap (c\_2Elist\_2ELCONS A_{.27a}) V0h) V1t)))))) \quad (35)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0h1 \in A_{.27a}.(\forall V1t1 \in (ty\_2Elist\_2Elist A_{.27a}).(\forall V2h2 \in A_{.27a}.(\forall V3t2 \in (ty\_2Elist\_2Elist A_{.27a}).(((ap (ap (c\_2Elist\_2ELCONS A_{.27a}) V0h1) V1t1) = (ap (ap (c\_2Elist\_2ELCONS A_{.27a}) V2h2) V3t2)) \Leftrightarrow ((V0h1 = V2h2) \wedge (V1t1 = V3t2)))))) \quad (36)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist A_{.27a})}).(((p (ap V0P (c\_2Elist\_2ELNIL A_{.27a}))) \wedge (\forall V1h \in A_{.27a}.(\forall V2t \in (ty\_2Elist\_2Elist A_{.27a}).(((p (ap (c\_2Elist\_2ELFINITE A_{.27a}) V2t)) \wedge (p (ap V0P V2t))) \Rightarrow (p (ap V0P (ap (ap (c\_2Elist\_2ELCONS A_{.27a}) V1h) V2t)))))) \Rightarrow (\forall V3a0 \in (ty\_2Elist\_2Elist A_{.27a}).((p (ap (c\_2Elist\_2ELFINITE A_{.27a}) V3a0)) \Rightarrow (p (ap V0P V3a0)))))) \quad (37)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& ((ap\ (c.2Ellist.2EtoList\ A.27a)\ (c.2Ellist.2ELNIL\ A.27a)) = ( \\
& ap\ (c.2Eoption.2ESOME\ (ty.2Elist.2Elist\ A.27a))\ (c.2Ellist.2ENIL \\
& A.27a))) \wedge (\forall V0h \in A.27b. (\forall V1t \in (ty.2Ellist.2Ellist \\
& A.27b). ((ap\ (c.2Ellist.2EtoList\ A.27b)\ (ap\ (ap\ (c.2Ellist.2ELCONS \\
& A.27b)\ V0h)\ V1t)) = (ap\ (ap\ (c.2Eoption.2EOPTION\_MAP\ (ty.2Elist.2Elist \\
& A.27b)\ (ty.2Elist.2Elist\ A.27b))\ (ap\ (c.2Ellist.2ECONS\ A.27b) \\
& V0h))\ (ap\ (c.2Ellist.2EtoList\ A.27b)\ V1t)))))) \\
& \hspace{15em} (38)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (((ap\ (c.2Ellist.2EfromList\ A.27a) \\
& (c.2Ellist.2ENIL\ A.27a)) = (c.2Ellist.2ELNIL\ A.27a)) \wedge (\forall V0h \in \\
& A.27a. (\forall V1t \in (ty.2Elist.2Elist\ A.27a). ((ap\ (c.2Ellist.2EfromList \\
& A.27a)\ (ap\ (ap\ (c.2Ellist.2ECONS\ A.27a)\ V0h)\ V1t)) = (ap\ (ap\ (c.2Ellist.2ELCONS \\
& A.27a)\ V0h)\ (ap\ (c.2Ellist.2EfromList\ A.27a)\ V1t)))))) \\
& \hspace{15em} (39)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0ll \in (ty.2Ellist.2Ellist \\
& A.27a). ((p\ (ap\ (c.2Ellist.2ELFINITE\ A.27a)\ V0ll)) \Rightarrow (\exists V1l \in \\
& (ty.2Elist.2Elist\ A.27a). ((ap\ (c.2Ellist.2EtoList\ A.27a)\ V0ll) = \\
& (ap\ (c.2Eoption.2ESOME\ (ty.2Elist.2Elist\ A.27a)\ V1l)))))) \\
& \hspace{15em} (40)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& (\forall V0f \in (A.27b^{A.27a}). (\forall V1x \in A.27a. ((ap\ (ap\ (c.2Eoption.2EOPTION\_MAP \\
& A.27a\ A.27b)\ V0f)\ (ap\ (c.2Eoption.2ESOME\ A.27a)\ V1x)) = (ap\ (c.2Eoption.2ESOME \\
& A.27b)\ (ap\ V0f\ V1x)))))) \wedge (\forall V2f \in (A.27b^{A.27a}). ((ap\ (ap\ (c.2Eoption.2EOPTION\_MAP \\
& A.27a\ A.27b)\ V2f)\ (c.2Eoption.2ENONE\ A.27a)) = (c.2Eoption.2ENONE \\
& A.27b)))) \\
& \hspace{15em} (41)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. ((ap\ (c.2Eoption.2ETHE \\
& A.27a)\ (ap\ (c.2Eoption.2ESOME\ A.27a)\ V0x)) = V0x)) \\
& \hspace{15em} (42)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0ll \in (ty.2Ellist.2Ellist \\
& A.27a). ((p\ (ap\ (c.2Ellist.2ELFINITE\ A.27a)\ V0ll)) \Rightarrow ((ap\ (c.2Ellist.2EfromList \\
& A.27a)\ (ap\ (c.2Eoption.2ETHE\ (ty.2Elist.2Elist\ A.27a))\ (ap\ (c.2Ellist.2EtoList \\
& A.27a)\ V0ll))) = V0ll)))
\end{aligned}$$