

thm\_2Emachine\_ieee\_2Efloat\_fp16\_nchotomy  
 (TMHQsMSLuN-  
 nyJXDsyw3oZydoEWG54qy5CH)

October 26, 2020

Let  $ty\_2Efc\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efc\_2Ecart\ A0\ A1) \quad (1)$$

**Definition 1** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A.$ if  $(\exists x \in A.p\ (ap\ P\ x))$  then (the  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 2** We define  $c\_2Emin\_2E3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E40\ A\ P))$

**Definition 4** We define  $c\_2Ebool\_2E2T$  to be  $(ap\ (ap\ (c\_2Emin\_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (2)$$

Let  $ty\_2Efc\_2Ebit0 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Efc\_2Ebit0\ A0) \quad (3)$$

Let  $ty\_2Efc\_2Ebit1 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Efc\_2Ebit1\ A0) \quad (4)$$

Let  $ty\_2Ebinary\_ieee\_2Efloat : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Ebinary\_ieee\_2Efloat\ A0\ A1) \quad (5)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Significand : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Significand\ A\_27t\ A\_27w \in ((ty\_2Efc\_2Ecart\ 2\ A\_27t)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)}) \quad (6)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Exponent : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Exponent\ A\_27t\ A\_27w \in ((ty\_2Efc\_2Ecart\ 2\ A\_27w)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)}) \quad (7)$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (8)$$

Let  $ty\_2Efc\_2Efinite\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Efc\_2Efinite\_image\ A0) \quad (9)$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ebool\_2Eitself\ A0) \quad (10)$$

Let  $c\_2Ebool\_2Ethe\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebool\_2Ethe\_value\ A\_27a \in (ty\_2Ebool\_2Eitself\ A\_27a) \quad (11)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (12)$$

Let  $c\_2Efc\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Efc\_2Edimindex\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (13)$$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a})))$

**Definition 6** We define  $c\_2Ebool\_2E\_EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 7** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_EF))$

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (ap\ (c\_2Emin\_2E\_3D\_3D\_3E\ V2t)\ c\_2Ebool\_2E\_7E))))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (14)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (15)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (16)$$

**Definition 10** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2EABS\_num$

**Definition 11** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 12** We define  $c\_2Ebool\_2E\_3F\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ (ap\ c\_2Ebool\_2E\_2F\_5C$

**Definition 13** We define  $c\_2Efcp\_2Efinite\_index$  to be  $\lambda A\_27a : \iota. (ap\ (c\_2Emin\_2E\_40\ (A\_27a^{ty\_2Enum\_2Enum}$

Let  $c\_2Efcp\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Efcp\_2Edest\_cart \\ & A\_27a\ A\_27b \in ((A\_27a^{(ty\_2Efcp\_2Efinite\_image\ A\_27b)})^{(ty\_2Efcp\_2Ecart\ A\_27a\ A\_27b)}) \end{aligned} \quad (17)$$

**Definition 14** We define  $c\_2Efcp\_2Efcp\_index$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in (ty\_2Efcp\_2Ecart\ A\_27a$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (18)$$

**Definition 15** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 16** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (19)$$

**Definition 17** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap\ (ap\ c\_2Earithmetic$

**Definition 18** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

Let  $c\_2Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (20)$$

**Definition 19** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

**Definition 20** We define  $c\_Ebit\_ESBIT$  to be  $\lambda V0b \in 2.\lambda V1n \in ty\_Enum\_Enum.(ap (ap (ap (c\_Eboo$

Let  $c\_Esum\_num\_ESUM : \iota$  be given. Assume the following.

$$c\_Esum\_num\_ESUM \in ((ty\_Enum\_Enum^{(ty\_Enum\_Enum^{ty\_Enum\_Enum})})^{ty\_Enum\_Enum}) \quad (21)$$

**Definition 21** We define  $c\_Ewords\_Ew2n$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_Efc\_Ecart\ 2\ A\_27a).(ap (ap$

**Definition 22** We define  $c\_Earithmetic\_EBIT1$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap (ap\ c\_Earithmetic$

Let  $c\_Earithmetic\_EDIV : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EDIV \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (22)$$

**Definition 23** We define  $c\_Ebit\_EDIV\_EXP$  to be  $\lambda V0x \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum$

Let  $c\_Earithmetic\_E\_2D : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E\_2D \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (23)$$

Let  $c\_Earithmetic\_EMOD : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EMOD \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (24)$$

**Definition 24** We define  $c\_Ebit\_EMOD\_EXP$  to be  $\lambda V0x \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum$

**Definition 25** We define  $c\_Ebit\_EBITS$  to be  $\lambda V0h \in ty\_Enum\_Enum.\lambda V1l \in ty\_Enum\_Enum.\lambda V$

**Definition 26** We define  $c\_Ebit\_EBIT$  to be  $\lambda V0b \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum.(ap$

**Definition 27** We define  $c\_Efc\_EFCP$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0g \in (A\_27a^{ty\_Enum\_Enum}).(ap$

**Definition 28** We define  $c\_Ewords\_Ew2w$  to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_Enum\_Enum.(ap (c\_Efc\_EFC$

**Definition 29** We define  $c\_Ewords\_Ew2w$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0w \in (ty\_Efc\_Ecart\ 2\ A\_27a$

**Definition 30** We define  $c\_Ebool\_E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_E\_21\ 2) (\lambda V2t \in$

**Definition 31** We define  $c\_Earithmetic\_E\_3C\_3D$  to be  $\lambda V0m \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum$

**Definition 32** We define  $c\_Ewords\_Eword\_lsl$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_Efc\_Ecart\ 2\ A\_27a).\lambda V1$

**Definition 33** We define  $c\_Ewords\_Eword\_or$  to be  $\lambda A\_27a : \iota.\lambda V0v \in (ty\_Efc\_Ecart\ 2\ A\_27a).\lambda V1$

**Definition 34** We define  $c\_Ebool\_ELET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0f \in (A\_27b^{A\_27a}).(\lambda V1x \in A\_27$

**Definition 35** We define  $c\_Ewords\_Eword\_join$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0v \in (ty\_Efc\_Ecart\ 2\ A\_27a$

**Definition 36** We define `c_2Ewords_2Eword_concat` to be  $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0v \in (ty\_2Efloat\_2Efloat)$

Let `c_2Ebinary_ieee_2Efloat_Sign` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{gathered} \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Sign \\ A_27t\ A_27w \in ((ty\_2Efloat\_2Efloat\ A_27t\ A_27w)^{(ty\_2Ebinary\_ieee\_2Efloat\ A_27t\ A_27w)}) \end{gathered} \quad (25)$$

**Definition 37** We define `c_2Emachine_ieee_2Efloat_to_fp16` to be  $\lambda V0x \in (ty\_2Ebinary\_ieee\_2Efloat\_2Efloat)$

Let `c_2Ebool_2EARB` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c\_2Ebool\_2EARB\ A_27a \in A_27a \quad (26)$$

**Definition 38** We define `c_2Earithmetic_2EMIN` to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 39** We define `c_2Ewords_2Eword_bits` to be  $\lambda A_27a : \iota. \lambda V0h \in ty\_2Enum\_2Enum. \lambda V1l \in ty\_2Enum\_2Enum$

**Definition 40** We define `c_2Ecombin_2Eo` to be  $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in (A_27b^{A_27c}). \lambda V1g$

**Definition 41** We define `c_2Ewords_2Eword_extract` to be  $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0h \in ty\_2Enum\_2Enum$

**Definition 42** We define `c_2Ecombin_2EK` to be  $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x))$

Let `c_2Ebinary_ieee_2Efloat_Significand_fupd` :  $\iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{gathered} \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27u.nonempty\ A_27u \Rightarrow \forall A_27v \\ nonempty\ A_27v \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Significand\_fupd \\ A_27t\ A_27u\ A_27v \in (((ty\_2Ebinary\_ieee\_2Efloat\ A_27u\ A_27v)^{(ty\_2Ebinary\_ieee\_2Efloat\ A_27t\ A_27v)})^{(ty\_2Ebinary\_ieee\_2Efloat\ A_27t\ A_27v)}) \end{gathered} \quad (27)$$

Let `c_2Ebinary_ieee_2Efloat_Exponent_fupd` :  $\iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{gathered} \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow \forall A_27x \\ nonempty\ A_27x \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Exponent\_fupd\ A_27t \\ A_27w\ A_27x \in (((ty\_2Ebinary\_ieee\_2Efloat\ A_27t\ A_27x)^{(ty\_2Ebinary\_ieee\_2Efloat\ A_27t\ A_27w)})^{(ty\_2Ebinary\_ieee\_2Efloat\ A_27t\ A_27w)}) \end{gathered} \quad (28)$$

Let `c_2Ebinary_ieee_2Efloat_Sign_fupd` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{gathered} \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Sign\_fupd \\ A_27t\ A_27w \in (((ty\_2Ebinary\_ieee\_2Efloat\ A_27t\ A_27w)^{(ty\_2Ebinary\_ieee\_2Efloat\ A_27t\ A_27w)})^{(ty\_2Ebinary\_ieee\_2Efloat\ A_27t\ A_27w)}) \end{gathered} \quad (29)$$

**Definition 43** We define `c_2Emachine_ieee_2Efp16_to_float` to be  $\lambda V0w \in (ty\_2Efloat\_2Efloat)$

Assume the following.

$$True \quad (30)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in (ty\_2Ebinary\_ieee\_2Efloat\ (ty\_2Efc\_2Ebit0\ ( \\ & \quad ty\_2Efc\_2Ebit1\ (ty\_2Efc\_2Ebit0\ ty\_2Eone\_2Eone)))\ (ty\_2Efc\_2Ebit1 \\ & \quad ty\_2Efc\_2Ebit0\ ty\_2Eone\_2Eone))). ((ap\ c\_2Emachine\_ieee\_2Efp16\_to\_float \\ & \quad (ap\ c\_2Emachine\_ieee\_2Efloat\_to\_fp16\ V0x)) = V0x)) \end{aligned} \quad (32)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0x \in (ty\_2Ebinary\_ieee\_2Efloat\ (ty\_2Efc\_2Ebit0\ ( \\ & \quad ty\_2Efc\_2Ebit1\ (ty\_2Efc\_2Ebit0\ ty\_2Eone\_2Eone)))\ (ty\_2Efc\_2Ebit1 \\ & \quad ty\_2Efc\_2Ebit0\ ty\_2Eone\_2Eone))). (\exists V1y \in (ty\_2Efc\_2Ecart \\ & \quad 2\ (ty\_2Efc\_2Ebit0\ (ty\_2Efc\_2Ebit0\ (ty\_2Efc\_2Ebit0\ (ty\_2Efc\_2Ebit0 \\ & \quad ty\_2Eone\_2Eone)))))). (V0x = (ap\ c\_2Emachine\_ieee\_2Efp16\_to\_float \\ & \quad V1y)))) \end{aligned}$$