

thm\_2Emachine\_ieee\_2Efloat\_\_fp64\_\_nchotomy  
(TMbG7yYhop75kZqXmdn6T6ZKUc5cCLACg8d)

October 26, 2020

Let  $ty\_2EfcP\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2EfcP\_2Ecart\ A0\ A1) \quad (1)$$

**Definition 1** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A.$ if  $(\exists x \in A.p\ (ap\ P\ x))$  **then** (the  $(\lambda x.x \in A \wedge p)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 2** We define  $c\_2Emin\_2E3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A.\lambda P \in (2^A)^{2^A}.$ ( $ap\ V0P\ (ap\ (c\_2Emin\_2E40\ A\ P))$ )

**Definition 4** We define  $c\_2Ebool\_2E2T$  to be  $(ap\ (ap\ (c\_2Emin\_2E3D\ (2^2)))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x)$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (2)$$

Let  $ty\_2EfcP\_2Ebit0 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2EfcP\_2Ebit0\ A0) \quad (3)$$

Let  $ty\_2EfcP\_2Ebit1 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2EfcP\_2Ebit1\ A0) \quad (4)$$

Let  $ty\_2Ebinary\_ieee\_2Efloat : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Ebinary\_ieee\_2Efloat\ A0\ A1) \quad (5)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Significand : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.\lambda t.\lambda w \in ((ty\_2EfcP\_2Ecart\ 2\ A.\lambda t)\ (ty\_2Ebinary\_ieee\_2Efloat\ A.\lambda t\ A.\lambda w)) \quad (6)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Exponent : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Exponent\ A\_27t\ A\_27w \in ((ty\_2EfcP\_2Ecart\ 2\ A\_27w)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)}) \quad (7)$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (8)$$

Let  $ty\_2EfcP\_2Efinite\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2EfcP\_2Efinite\_image\ A0) \quad (9)$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ebool\_2Eitself\ A0) \quad (10)$$

Let  $c\_2Ebool\_2Ethe\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebool\_2Ethe\_value\ A\_27a \in (ty\_2Ebool\_2Eitself\ A\_27a) \quad (11)$$

Let  $ty\_2Eenum\_2Eenum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eenum\_2Eenum \quad (12)$$

Let  $c\_2EfcP\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2EfcP\_2Edimindex\ A\_27a \in (ty\_2Eenum\_2Eenum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (13)$$

**Definition 5** We define  $c\_2Ebool\_2E21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ (ap\ (c\_2Emin\_2E3D\ (2^{A\_27a})))$

**Definition 6** We define  $c\_2Ebool\_2E2F$  to be  $(ap\ (c\_2Ebool\_2E21\ 2))\ (\lambda V0t \in 2.V0t)$ .

**Definition 7** We define  $c\_2Emin\_2E3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E3D\_3D\_3E\ V0t))\ c\_2Ebool\_2E2F)$

**Definition 9** We define  $c\_2Ebool\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E21\ 2))\ (\lambda V2t \in 2. (ap\ (c\_2Emin\_2E3D\_3D\_3E\ V2t))\ (c\_2Ebool\_2E21\ V2t))))$

Let  $c\_2Eenum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Eenum\_2EREP\_num \in (\omega^{ty\_2Eenum\_2Eenum}) \quad (14)$$

Let  $c\_2Eenum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Eenum\_2ESUC\_REP \in (\omega^{\omega}) \quad (15)$$

Let  $c\_2Eenum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Eenum\_2EABS\_num \in (ty\_2Eenum\_2Eenum^{\omega}) \quad (16)$$

**Definition 10** We define  $c\_Enum\_ESUC$  to be  $\lambda V0m \in ty\_Enum\_Enum.(ap\ c\_Enum\_EABS\_num$

**Definition 11** We define  $c\_Eprim\_rec\_E3C$  to be  $\lambda V0m \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum$

**Definition 12** We define  $c\_Ebool\_E3F\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ c\_Ebool\_E2F\_5C$

**Definition 13** We define  $c\_Efcp\_Efinite\_index$  to be  $\lambda A\_27a : \iota.(ap\ (c\_Emin\_E40\ (A\_27a^{ty\_Enum\_Enum}$

Let  $c\_Efcp\_Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_Efcp\_Edest\_cart \\ & A\_27a\ A\_27b \in ((A\_27a^{(ty\_Efcp\_Efinite\_image\ A\_27b)})^{(ty\_Efcp\_Ecart\ A\_27a\ A\_27b)}) \end{aligned} \quad (17)$$

**Definition 14** We define  $c\_Efcp\_Efcp\_index$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in (ty\_Efcp\_Ecart\ A\_27a$

Let  $c\_Enum\_EZERO\_REP : \iota$  be given. Assume the following.

$$c\_Enum\_EZERO\_REP \in \omega \quad (18)$$

**Definition 15** We define  $c\_Enum\_E0$  to be  $(ap\ c\_Enum\_EABS\_num\ c\_Enum\_EZERO\_REP)$ .

**Definition 16** We define  $c\_Earithmetic\_EZERO$  to be  $c\_Enum\_E0$ .

Let  $c\_Earithmetic\_E2B : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E2B \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (19)$$

**Definition 17** We define  $c\_Earithmetic\_EBIT2$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap\ (ap\ c\_Earithmetic$

**Definition 18** We define  $c\_Earithmetic\_ENUMERAL$  to be  $\lambda V0x \in ty\_Enum\_Enum.V0x$ .

Let  $c\_Earithmetic\_EEXP : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EEXP \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (20)$$

**Definition 19** We define  $c\_Ebool\_ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 20** We define  $c\_Ebit\_ESBIT$  to be  $\lambda V0b \in 2.\lambda V1n \in ty\_Enum\_Enum.(ap\ (ap\ (ap\ (c\_Ebool$

Let  $c\_Esum\_num\_ESUM : \iota$  be given. Assume the following.

$$c\_Esum\_num\_ESUM \in ((ty\_Enum\_Enum^{(ty\_Enum\_Enum^{ty\_Enum\_Enum})})^{ty\_Enum\_Enum}) \quad (21)$$

**Definition 21** We define  $c\_Ewords\_Ew2n$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_Efcp\_Ecart\ 2\ A\_27a).(ap\ (ap\ c$

**Definition 22** We define  $c\_Earithmetic\_EBIT1$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap\ (ap\ c\_Earithmetic$

Let  $c\_Earithmetic\_EDIV : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EDIV \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (22)$$

**Definition 23** We define  $c\_Ebit\_EDIV\_EXP$  to be  $\lambda V0x \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum$

Let  $c\_Earithmetic\_E\_2D : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E\_2D \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (23)$$

Let  $c\_Earithmetic\_EMOD : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EMOD \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (24)$$

**Definition 24** We define  $c\_Ebit\_EMOD\_EXP$  to be  $\lambda V0x \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum$

**Definition 25** We define  $c\_Ebit\_EBITS$  to be  $\lambda V0h \in ty\_Enum\_Enum.\lambda V1l \in ty\_Enum\_Enum.\lambda V$

**Definition 26** We define  $c\_Ebit\_EBIT$  to be  $\lambda V0b \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum.(ap$

**Definition 27** We define  $c\_Efcp\_EFCP$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0g \in (A\_27a^{ty\_Enum\_Enum}).(ap$

**Definition 28** We define  $c\_Ewords\_En2w$  to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_Enum\_Enum.(ap (c\_Efcp\_EFCP$

**Definition 29** We define  $c\_Ewords\_Ew2w$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0w \in (ty\_Efcp\_Ecart 2 A\_27a$

**Definition 30** We define  $c\_Ebool\_E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_E\_21 2) (\lambda V2t \in$

**Definition 31** We define  $c\_Earithmetic\_E\_3C\_3D$  to be  $\lambda V0m \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum$

**Definition 32** We define  $c\_Ewords\_Eword\_lsl$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_Efcp\_Ecart 2 A\_27a).\lambda V1$

**Definition 33** We define  $c\_Ewords\_Eword\_or$  to be  $\lambda A\_27a : \iota.\lambda V0v \in (ty\_Efcp\_Ecart 2 A\_27a).\lambda V1$

**Definition 34** We define  $c\_Ebool\_ELET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0f \in (A\_27b^{A\_27a}).(\lambda V1x \in A\_27$

**Definition 35** We define  $c\_Ewords\_Eword\_join$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0v \in (ty\_Efcp\_Ecart 2 A\_27a$

**Definition 36** We define  $c\_Ewords\_Eword\_concat$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0v \in (ty\_Efcp\_Ecart 2 A\_27a$

Let  $c\_Ebinary\_ieee\_Efloat\_Sign : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27t.nonempty A\_27t \Rightarrow \forall A\_27w.nonempty A\_27w \Rightarrow c\_Ebinary\_ieee\_Efloat\_Sign \\ & A\_27t A\_27w \in ((ty\_Efcp\_Ecart 2 ty\_Eone\_Eone)^{(ty\_Ebinary\_ieee\_Efloat A\_27t A\_27w)}) \end{aligned} \quad (25)$$

**Definition 37** We define  $c\_Emachine\_ieee\_Efloat\_to\_fp64$  to be  $\lambda V0x \in (ty\_Ebinary\_ieee\_Efloat (t$



**Theorem 1**

$$(\forall V0x \in (ty\_2Ebinary\_ieee\_2Efloat (ty\_2Efc\_2Ebit0 (ty\_2Efc\_2Ebit0 (ty\_2Efc\_2Ebit1 (ty\_2Efc\_2Ebit0 (ty\_2Efc\_2Ebit1 ty\_2Eone\_2Eone)))))) (ty\_2Efc\_2Ebit1 (ty\_2Efc\_2Ebit1 (ty\_2Efc\_2Ebit0 ty\_2Eone\_2Eone))))).(\exists V1y \in (ty\_2Efc\_2Ecart\ 2 (ty\_2Efc\_2Ebit0 (ty\_2Efc\_2Ebit0 (ty\_2Efc\_2Ebit0 (ty\_2Efc\_2Ebit0 ty\_2Eone\_2Eone)))))).(V0x = (ap\ c\_2Emachine\_ieee\_2Efp64\_to\_float V1y)))$$