

thm_2Emachine_2ieee_2Efp16_2isInfinite (TMMjayJkvdhjyQzdjSfZ9BcbPjq43djiFGu)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define c_2Ebool_2E21 to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V1x \in 2.V1x))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let $c_2Earithmetic_2E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 7 We define $c_Earithmetic_EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_Earithmetic_2E$

Definition 8 We define $c_Earithmetic_ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 9 We define $c_Earithmetic_EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_Earithmetic_2E$

Let $c_Earithmetic_EEXP : \iota$ be given. Assume the following.

$$c_Earithmetic_EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_Earithmetic_EDIV : \iota$ be given. Assume the following.

$$c_Earithmetic_EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 10 We define $c_Ebit_EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_Earithmetic_E_2D : \iota$ be given. Assume the following.

$$c_Earithmetic_E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_Earithmetic_EMOD : \iota$ be given. Assume the following.

$$c_Earithmetic_EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Definition 11 We define $c_Ebit_EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define c_Ebit_EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V$

Definition 13 We define c_Ebit_EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap$

Let $ty_2EfcP_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2EfcP_2Efinite_image A0) \quad (11)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ebool_2Eitself A0) \quad (12)$$

Let $c_Ebool_2Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Ebool_2Ethe_value A_27a \in (ty_2Ebool_2Eitself A_27a) \quad (13)$$

Let $c_2EfcP_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2EfcP_2Edimindex A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_27a)}) \quad (14)$$

Definition 14 We define c_Ebool_2EF to be $(ap (c_Ebool_2E.21 2) (\lambda V0t \in 2.V0t))$.

Definition 15 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 16 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E$

Definition 17 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.$

Definition 18 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A.\lambda y.$

Definition 19 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 20 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 21 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap c_2Ebool_2E_2F_5C$

Definition 22 We define $c_2Efcp_2Efinite_index$ to be $\lambda A_27a : \iota.(ap (c_2Emin_2E_40 (A_27a^{ty_2Enum_2Enum}$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efcp_2Ecart A0 A1) \quad (15)$$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efcp_2Edest_cart A_27a A_27b \in ((A_27a^{(ty_2Efcp_2Efinite_image A_27b)})(ty_2Efcp_2Ecart A_27a A_27b)) \quad (16)$$

Definition 23 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efcp_2Ecart A_27a$

Definition 24 We define c_2Efcp_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap$

Definition 25 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap (c_2Efcp_2EFCP$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty ty_2Erealax_2Ereal \quad (17)$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (18)$$

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealax_2Ereal^{ty_2Enum_2Enum})^{ty_2Erealax_2Ereal}) \quad (19)$$

Let $ty_2Ebinary_ieee_2Efloat : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Ebinary_ieee_2Efloat A0 A1) \quad (20)$$

Let $c_2Ebinary_ieee_2Efloat_Significand : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_Significand\ A_27t\ A_27w \in ((ty_2Efc_2Ecart\ 2\ A_27t)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)}) \quad (21)$$

Definition 26 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 27 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2. \lambda V1n \in ty_2Enum_2Enum. (ap\ (ap\ (ap\ (c_2Ebool$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum)^{(ty_2Enum_2Enum)^{ty_2Enum_2Enum}})^{ty_2Enum_2Enum} \quad (22)$$

Definition 28 We define $c_2Ewords_2Ew2n$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a). (ap\ (ap\ c$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (23)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (24)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax}) \quad (25)$$

Definition 29 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal. (ap\ (c_2Emin_2E40\ ($

Let $c_2Erealax_2Etrealm_inv : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_inv \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (26)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (27)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (28)$$

Definition 30 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty$

Definition 31 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. (ap\ c_2Erealax_2Ereal_ABS$

Let $c_2Erealax_2Etreal_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}}_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)} \quad (29)$$

Definition 32 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 33 We define $c_2Ereal_2E_2F$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Let $c_2Erealax_2Etreal_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}}_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)} \quad (30)$$

Definition 34 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Let $c_2Ewords_2EINT_MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2EINT_MAX\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (31)$$

Let $c_2Ebinary_ieee_2Efloat_Exponent : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_Exponent\ A_27t\ A_27w \in ((ty_2Efc_2Ecart\ 2\ A_27w)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)}) \quad (32)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (33)$$

Let $c_2Ebinary_ieee_2Efloat_Sign : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_Sign\ A_27t\ A_27w \in ((ty_2Efc_2Ecart\ 2\ ty_2Eone_2Eone)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)}) \quad (34)$$

Let $c_2Erealax_2Etreal_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}}_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)} \quad (35)$$

Definition 35 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal.$

Definition 36 We define $c_2Ebinary_ieee_2Efloat_to_real$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebinary_ieee_2Efloat_value$

Let $ty_2Ebinary_ieee_2Efloat_value : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ebinary_ieee_2Efloat_value \quad (36)$$

Let $c_2Ebinary_ieee_2EFloat : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2EFloat \in (ty_2Ebinary_ieee_2Efloat_value^{ty_2Erealax_2Ereal}) \quad (37)$$

Let $c_2Ebinary_ieee_2ENaN : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2ENaN \in ty_2Ebinary_ieee_2Efloat_value \quad (38)$$

Let $c_2Ebinary_ieee_2EInfinity : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2EInfinity \in ty_2Ebinary_ieee_2Efloat_value \quad (39)$$

Let $c_2Ewords_2EUINT_MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2EUINT_MAX\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (40)$$

Definition 37 We define $c_2Ewords_2Eword_T$ to be $\lambda A_27a : \iota.(ap\ (c_2Ewords_2En2w\ A_27a)\ (ap\ (c_2Ew$

Definition 38 We define $c_2Ebinary_ieee_2Efloat_value$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebinary_$

Let $c_2Ebinary_ieee_2Efloat_value_CASE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebinary_ieee_2Efloat_value_CASE\ A_27a \in (((A_27a^{A_27a})^{A_27a})^{(A_27a^{ty_2Erealax_2Ereal})})_{ty_2Ebinary_ieee_2Efloat_value} \quad (41)$$

Definition 39 We define $c_2Ebinary_ieee_2Efloat_is_infinite$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebin$

Definition 40 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1$

Let $ty_2EfcP_2Ebit0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2EfcP_2Ebit0\ A0) \quad (42)$$

Let $ty_2EfcP_2Ebit1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2EfcP_2Ebit1\ A0) \quad (43)$$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebool_2EARB\ A_27a \in A_27a \quad (44)$$

Definition 41 We define $c_2Earithmetic_2EMIN$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2E$

Definition 42 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 43 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2$

Definition 44 We define $c_2Ewords_2Eword_bits$ to be $\lambda A_27a : \iota.\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2$

Definition 45 We define `c2Ewords.2Ew2w` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda V0w \in (ty.2Efcp.2Ecart\ 2\ A.27a)$

Definition 46 We define `c2Ewords.2Eword_extract` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda V0h \in ty.2Enum.2Enum$

Definition 47 We define `c2Ecombin.2EK` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. (\lambda V0x \in A.27a. (\lambda V1y \in A.27b. V0x))$

Let `c2Ebinary_ieee2Efloat_Significand_fupd` : $\iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A.27t.nonempty\ A.27t \Rightarrow \forall A.27u.nonempty\ A.27u \Rightarrow \forall A.27v.nonempty\ A.27v \Rightarrow \\ & \quad nonempty\ A.27w \Rightarrow c.2Ebinary_ieee.2Efloat_Significand_fupd\ A.27t\ A.27u\ A.27v \\ & A.27t\ A.27u\ A.27w \in (((ty.2Ebinary_ieee.2Efloat\ A.27u\ A.27w)^{(ty.2Ebinary_ieee.2Efloat\ A.27t\ A.27w)})) \end{aligned} \quad (45)$$

Let `c2Ebinary_ieee2Efloat_Exponent_fupd` : $\iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A.27t.nonempty\ A.27t \Rightarrow \forall A.27w.nonempty\ A.27w \Rightarrow \forall A.27x.nonempty\ A.27x \Rightarrow \\ & \quad nonempty\ A.27x \Rightarrow c.2Ebinary_ieee.2Efloat_Exponent_fupd\ A.27t\ A.27w\ A.27x \in \\ & \quad (((ty.2Ebinary_ieee.2Efloat\ A.27t\ A.27x)^{(ty.2Ebinary_ieee.2Efloat\ A.27t\ A.27w)})) \end{aligned} \quad (46)$$

Let `c2Ebinary_ieee2Efloat_Sign_fupd` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A.27t.nonempty\ A.27t \Rightarrow \forall A.27w.nonempty\ A.27w \Rightarrow c.2Ebinary_ieee.2Efloat_Sign_fupd\ A.27t\ A.27w \\ & A.27t\ A.27w \in (((ty.2Ebinary_ieee.2Efloat\ A.27t\ A.27w)^{(ty.2Ebinary_ieee.2Efloat\ A.27t\ A.27w)})) \end{aligned} \quad (47)$$

Definition 48 We define `c2Emachine_ieee2Efp16_to_float` to be $\lambda V0w \in (ty.2Efcp.2Ecart\ 2\ (ty.2Efcp.2Ecart\ 2\ (ty.2Efcp.2Ecart\ 2\ A.27a)))$

Definition 49 We define `c2Emachine_ieee2Efp16_isInfinite` to be $(ap\ (ap\ (c.2Ecombin.2Eo\ (ty.2Efcp.2Ecart\ 2\ A.27a)))$

Let `ty.2Esum.2Esum` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty.2Esum.2Esum\ A0\ A1) \end{aligned} \quad (48)$$

Definition 50 We define `c2Ewords.2Eword_lsl` to be $\lambda A.27a : \iota. \lambda V0w \in (ty.2Efcp.2Ecart\ 2\ A.27a). \lambda V1u$

Definition 51 We define `c2Ewords.2Eword_or` to be $\lambda A.27a : \iota. \lambda V0v \in (ty.2Efcp.2Ecart\ 2\ A.27a). \lambda V1u$

Definition 52 We define `c2Ebool_2ELET` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. (\lambda V0f \in (A.27b^{A.27a}). (\lambda V1x \in A.27b))$

Definition 53 We define `c2Ewords.2Eword_join` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda V0v \in (ty.2Efcp.2Ecart\ 2\ A.27a)$

Definition 54 We define `c2Ewords.2Eword_concat` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda A.27c : \iota. \lambda V0v \in (ty.2Efcp.2Ecart\ 2\ A.27a)$

Definition 55 We define `c2Emachine_ieee2Efloat_to_fp16` to be $\lambda V0x \in (ty.2Ebinary_ieee.2Efloat\ (ty.2Efcp.2Ecart\ 2\ A.27a))$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow \forall A_27c. \\
& \text{nonempty } A_27c \Rightarrow (\forall V0f \in (A_27b^{A_27a}).(\forall V1g \in (A_27a^{A_27c}). \\
& (\forall V2x \in A_27c.((\text{ap } (\text{ap } (\text{ap } (\text{c_2Ecombin_2Eo } A_27c } A_27b } A_27a) \\
& V0f) V1g) V2x) = (\text{ap } V0f (\text{ap } V1g V2x))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in (\text{ty_2Ebinary_ieee_2Efloat } (\text{ty_2Efc_2Ebit0 } (\\
& \text{ty_2Efc_2Ebit1 } (\text{ty_2Efc_2Ebit0 } \text{ty_2Eone_2Eone}))) (\text{ty_2Efc_2Ebit1 } \\
& (\text{ty_2Efc_2Ebit0 } \text{ty_2Eone_2Eone}))).((\text{ap } \text{c_2Emachine_ieee_2Efp16_to_float} \\
& (\text{ap } \text{c_2Emachine_ieee_2Efloat_to_fp16 } V0x)) = V0x))
\end{aligned} \tag{50}$$

Theorem 1

$$\begin{aligned}
& ((\forall V0a \in (\text{ty_2Ebinary_ieee_2Efloat } (\text{ty_2Efc_2Ebit0 } \\
& (\text{ty_2Efc_2Ebit1 } (\text{ty_2Efc_2Ebit0 } \text{ty_2Eone_2Eone}))) (\text{ty_2Efc_2Ebit1 } \\
& (\text{ty_2Efc_2Ebit0 } \text{ty_2Eone_2Eone}))).((\text{p } (\text{ap } \text{c_2Emachine_ieee_2Efp16_isInfinite} \\
& (\text{ap } \text{c_2Emachine_ieee_2Efloat_to_fp16 } V0a))) \Leftrightarrow (\text{p } (\text{ap } (\text{c_2Ebinary_ieee_2Efloat_is_infinite} \\
& (\text{ty_2Efc_2Ebit0 } (\text{ty_2Efc_2Ebit1 } (\text{ty_2Efc_2Ebit0 } \text{ty_2Eone_2Eone}))) \\
& (\text{ty_2Efc_2Ebit1 } (\text{ty_2Efc_2Ebit0 } \text{ty_2Eone_2Eone})))) V0a)))) \wedge \\
& (\forall V1a \in \text{ty_2Enum_2Enum}.((\text{p } (\text{ap } \text{c_2Emachine_ieee_2Efp16_isInfinite} \\
& (\text{ap } (\text{c_2Ewords_2En2w } (\text{ty_2Efc_2Ebit0 } (\text{ty_2Efc_2Ebit0 } (\text{ty_2Efc_2Ebit0 } \\
& (\text{ty_2Efc_2Ebit0 } \text{ty_2Eone_2Eone})))))) V1a))) \Leftrightarrow (\text{p } (\text{ap } (\text{c_2Ebinary_ieee_2Efloat_is_infinite} \\
& (\text{ty_2Efc_2Ebit0 } (\text{ty_2Efc_2Ebit1 } (\text{ty_2Efc_2Ebit0 } \text{ty_2Eone_2Eone}))) \\
& (\text{ty_2Efc_2Ebit1 } (\text{ty_2Efc_2Ebit0 } \text{ty_2Eone_2Eone})))) (\text{ap } \text{c_2Emachine_ieee_2Efp16_to_float} \\
& (\text{ap } (\text{c_2Ewords_2En2w } (\text{ty_2Efc_2Ebit0 } (\text{ty_2Efc_2Ebit0 } (\text{ty_2Efc_2Ebit0 } \\
& (\text{ty_2Efc_2Ebit0 } \text{ty_2Eone_2Eone})))))) V1a))))))
\end{aligned}$$