

thm\_2Emachine\_ieee\_2Efp16\_roundToIntegral  
(TMXV86xAAyFxxByL5wRh9AhahbWxjUrybpR)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 3** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 4** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))\ (\lambda V1P \in 2.V1P))\ (\lambda V2P \in 2.V2P))\ (\lambda V3P \in 2.V3P))$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x))\ (\lambda V3x \in 2.V3x))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{6}$$

**Definition 7** We define  $c\_Earithmetic\_EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_Earithmetic\_2E$

**Definition 8** We define  $c\_Earithmetic\_ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 9** We define  $c\_Earithmetic\_EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_Earithmetic\_2E$

Let  $c\_Earithmetic\_EEXP : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $c\_Earithmetic\_EDIV : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (8)$$

**Definition 10** We define  $c\_Ebit\_EDIV\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_Earithmetic\_E\_2D : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (9)$$

Let  $c\_Earithmetic\_EMOD : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (10)$$

**Definition 11** We define  $c\_Ebit\_EMOD\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 12** We define  $c\_Ebit\_EBITS$  to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.\lambda V$

**Definition 13** We define  $c\_Ebit\_EBIT$  to be  $\lambda V0b \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap$

Let  $ty\_2Efc\_2Efinite\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Efc\_2Efinite\_image A0) \quad (11)$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Ebool\_2Eitself A0) \quad (12)$$

Let  $c\_Ebool\_2Ethe\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_Ebool\_2Ethe\_value A\_27a \in (ty\_2Ebool\_2Eitself A\_27a) \quad (13)$$

Let  $c\_Efc\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_Efc\_2Edimindex A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself A\_27a)}) \quad (14)$$

**Definition 14** We define  $c\_Ebool\_2EF$  to be  $(ap (c\_Ebool\_2E.21 2)) (\lambda V0t \in 2.V0t)$ .

**Definition 15** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 16** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_7E))$

**Definition 17** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.(ap (c\_2Emin\_2E\_3D\_3D\_3E V2t) c\_2Ebool\_2E\_7E))))$

**Definition 18** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A.\lambda y.y \in A)$ ) of type  $\iota \Rightarrow \iota$ .

**Definition 19** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A\_27a) P)))$

**Definition 20** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap (c\_2Emin\_2E\_40 A\_27a) P)$

**Definition 21** We define  $c\_2Ebool\_2E\_3F\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap c\_2Ebool\_2E\_2F\_5C A\_27a) P))$

**Definition 22** We define  $c\_2Efcp\_2Efinite\_index$  to be  $\lambda A\_27a : \iota.(ap (c\_2Emin\_2E\_40 A\_27a) (ty\_2Enum\_2Enum A\_27a))$

Let  $ty\_2Efcp\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Efcp\_2Ecart A0 A1) \quad (15)$$

Let  $c\_2Efcp\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Efcp\_2Edest\_cart A\_27a A\_27b \in ((A\_27a)^{(ty\_2Efcp\_2Efinite\_image A\_27b)})^{(ty\_2Efcp\_2Ecart A\_27a A\_27b)} \quad (16)$$

**Definition 23** We define  $c\_2Efcp\_2Efcp\_index$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in (ty\_2Efcp\_2Ecart A\_27a A\_27b)$

**Definition 24** We define  $c\_2Efcp\_2EFCP$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0g \in (A\_27a)^{(ty\_2Enum\_2Enum)})^{(ap (c\_2Efcp\_2EFCP A\_27a) g)}$

**Definition 25** We define  $c\_2Ewords\_2En2w$  to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_2Enum\_2Enum.(ap (c\_2Efcp\_2EFCP A\_27a) n)$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (17)$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty ty\_2Erealax\_2Ereal \quad (18)$$

Let  $c\_2Ebinary\_ieee\_2Elargest : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty A\_27t \Rightarrow \forall A\_27w.nonempty A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Elargest A\_27t A\_27w \in (ty\_2Erealax\_2Ereal)^{(ty\_2Ebool\_2Eitself (ty\_2Epair\_2Eprod A\_27t A\_27w))} \quad (19)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (20)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax}) \quad (21)$$

**Definition 26** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E40\ (t$

Let  $c\_2Erealax\_2Etrealm\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal}) \quad (22)$$

Let  $c\_2Erealax\_2Etrealm\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal}) \quad (23)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})} \quad (24)$$

**Definition 27** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 28** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal)^{ty\_2Eenum\_2Eenum} \quad (25)$$

Let  $c\_2Erealax\_2Etrealm\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal}) \quad (26)$$

**Definition 29** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 30** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 31** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 32** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND$

Let  $c\_2Ereal\_2Epow : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Epow \in ((ty\_2Erealax\_2Ereal)^{ty\_2Eenum\_2Eenum})^{ty\_2Erealax\_2Ereal} \quad (27)$$

Let  $ty\_2Ebinary\_ieee\_2Efloat : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Ebinary\_ieee\_2Efloat\ A0\ A1)$$
(28)

Let  $c\_2Ebinary\_ieee\_2Efloat\_Significand : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Significand\ A\_27t\ A\_27w \in ((ty\_2Efc\_2Ecart\ 2\ A\_27t)\ (ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w))$$
(29)

**Definition 33** We define  $c\_2Ebit\_2ESBIT$  to be  $\lambda V0b \in 2.\lambda V1n \in ty\_2Enum\_2Enum.(ap\ (ap\ (ap\ (c\_2Ebo$

Let  $c\_2Esum\_num\_2ESUM : \iota$  be given. Assume the following.

$$c\_2Esum\_num\_2ESUM \in ((ty\_2Enum\_2Enum\ (ty\_2Enum\_2Enum\ (ty\_2Enum\_2Enum\ (ty\_2Enum\_2Enum\ (ty\_2Enum\_2Enum\ (ty\_2Enum\_2Enum))))))\ ty\_2Enum\_2Enum)$$
(30)

**Definition 34** We define  $c\_2Ewords\_2Ew2n$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Efc\_2Ecart\ 2\ A\_27a).(ap\ (ap\ c$

Let  $c\_2Erealax\_2Etreax\_inv : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreax\_inv \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)\ (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal))$$
(31)

**Definition 35** We define  $c\_2Erealax\_2Einv$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal\_ABS$

Let  $c\_2Erealax\_2Etreax\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreax\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)\ (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal))\ (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal))$$
(32)

**Definition 36** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax$

**Definition 37** We define  $c\_2Ereal\_2E2F$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.($

Let  $c\_2Erealax\_2Etreax\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreax\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)\ (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal))\ (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal))$$
(33)

**Definition 38** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax$

Let  $c\_2Ewords\_2EINT\_MAX : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewords\_2EINT\_MAX\ A\_27a \in (ty\_2Enum\_2Enum\ (ty\_2Ebool\_2Eitsel\ A\_27a))$$
(34)

Let  $c\_2Ebinary\_ieee\_2Efloat\_Exponent : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Exponent\ A\_27t\ A\_27w \in ((ty\_2EfcP\_2Ecart\ 2\ A\_27w)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)}) \quad (35)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (36)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Sign : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Sign\ A\_27t\ A\_27w \in ((ty\_2EfcP\_2Ecart\ 2\ ty\_2Eone\_2Eone)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)}) \quad (37)$$

**Definition 39** We define  $c\_2Ebinary\_ieee\_2Efloat\_to\_real$  to be  $\lambda A\_27t : \iota. \lambda A\_27w : \iota. \lambda V0x \in (ty\_2Ebinary\_$

**Definition 40** We define  $c\_2Ebinary\_ieee\_2Eis\_integral$  to be  $\lambda V0r \in ty\_2Erealx\_2Ereal.(ap\ (c\_2Ebool\_2$

Let  $ty\_2Ebinary\_ieee\_2Efloat\_value : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ebinary\_ieee\_2Efloat\_value \quad (38)$$

Let  $c\_2Ebinary\_ieee\_2Efloat : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2Efloat \in (ty\_2Ebinary\_ieee\_2Efloat\_value^{ty\_2Erealx\_2Ereal}) \quad (39)$$

Let  $c\_2Ebinary\_ieee\_2ENaN : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2ENaN \in ty\_2Ebinary\_ieee\_2Efloat\_value \quad (40)$$

Let  $c\_2Ebinary\_ieee\_2EInfinity : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2EInfinity \in ty\_2Ebinary\_ieee\_2Efloat\_value \quad (41)$$

Let  $c\_2Ewords\_2EUINT\_MAX : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewords\_2EUINT\_MAX\ A\_27a \in (ty\_2Eenum\_2Eenum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (42)$$

**Definition 41** We define  $c\_2Ewords\_2Eword\_T$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Ewords\_2En2w\ A\_27a)\ (ap\ (c\_2Ew$

**Definition 42** We define  $c\_2Ebinary\_ieee\_2Efloat\_value$  to be  $\lambda A\_27t : \iota. \lambda A\_27w : \iota. \lambda V0x \in (ty\_2Ebinary\_$

Let  $c\_2Ebinary\_ieee\_2Efloat\_value\_CASE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_value\_CASE\ A\_27a \in (((A\_27a^{A\_27a})^{A\_27a})^{(A\_27a^{ty\_2Erealx\_2Ereal})})^{ty\_2Ebinary\_ieee\_2Efloat\_value} \quad (43)$$

**Definition 43** We define  $c\_2Ebinary\_ieeee\_2Efloat\_is\_integral$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0x \in (ty\_2Ebinary\_ieeee\_2Efloat\_is\_integral\ A\_27t\ A\_27w)$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (44)$$

**Definition 44** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2E\_2C\ x\ y))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (45)$$

**Definition 45** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

**Definition 46** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.V0x - V1y$

**Definition 47** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$

**Definition 48** We define  $c\_2Ebinary\_ieeee\_2Eis\_closest$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0s \in (2^{(ty\_2Ebinary\_ieeee\_2Efloat\_is\_integral\ A\_27a\ A\_27b)})$

**Definition 49** We define  $c\_2Ebinary\_ieeee\_2Eclosest\_such$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0p \in (2^{(ty\_2Ebinary\_ieeee\_2Efloat\_is\_integral\ A\_27a\ A\_27b)})$

**Definition 50** We define  $c\_2Ebinary\_ieeee\_2Eclosest$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(ap\ (c\_2Ebinary\_ieeee\_2Eclosest\_such\ A\_27a\ A\_27b))$

Let  $c\_2Ebinary\_ieeee\_2Efloat\_top : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieeee\_2Efloat\_top \\ A\_27t\ A\_27w \in ((ty\_2Ebinary\_ieeee\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \end{aligned} \quad (46)$$

**Definition 51** We define  $c\_2Ereal\_2Ereal\_gt$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.V0x > V1y$

Let  $c\_2Ebinary\_ieeee\_2Efloat\_bottom : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieeee\_2Efloat\_bottom \\ A\_27t\ A\_27w \in ((ty\_2Ebinary\_ieeee\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \end{aligned} \quad (47)$$

**Definition 52** We define  $c\_2Ebool\_2ELET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0f \in (A\_27b)^{A\_27a}).(\lambda V1x \in A\_27a.V0f\ x)$

Let  $c\_2Ebinary\_ieeee\_2Efloat\_minus\_infinity : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieeee\_2Efloat\_minus\_infinity \\ A\_27t\ A\_27w \in ((ty\_2Ebinary\_ieeee\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \end{aligned} \quad (48)$$





**Definition 61** We define  $c\_2Ewords\_2Eword\_bits$  to be  $\lambda A\_27a : \iota.\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2$

**Definition 62** We define  $c\_2Ewords\_2Ew2w$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0w \in (ty\_2EfcP\_2Ecart\ 2\ A\_27a)$

**Definition 63** We define  $c\_2Ewords\_2Eword\_extract$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0h \in ty\_2Enum\_2Enum$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Significand\_fupd : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27u.nonempty\ A\_27u \Rightarrow \forall A\_27v. \\ & \quad nonempty\ A\_27v \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Significand\_fupd\ A\_27t\ A\_27u\ A\_27v \in \\ & \quad ((ty\_2Ebinary\_ieee\_2Efloat\ A\_27u\ A\_27v)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27v)}) \end{aligned} \quad (57)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Exponent\_fupd : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow \forall A\_27x. \\ & \quad nonempty\ A\_27x \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Exponent\_fupd\ A\_27t\ A\_27w\ A\_27x \in \\ & \quad (((ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27x)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)})^{(ty\_2EfcP\_2Ecart\ 2\ A\_27t)}) \end{aligned} \quad (58)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Sign\_fupd : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Sign\_fupd\ A\_27t\ A\_27w \in \\ & \quad (((ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)})^{(ty\_2EfcP\_2Ecart\ 2\ A\_27t)}) \end{aligned} \quad (59)$$

**Definition 64** We define  $c\_2Emachine\_ieee\_2Efp16\_to\_float$  to be  $\lambda V0w \in (ty\_2EfcP\_2Ecart\ 2\ (ty\_2EfcP\_2Ecart\ 2\ A\_27a))$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \end{aligned} \quad (60)$$

**Definition 65** We define  $c\_2Ewords\_2Eword\_lsl$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2EfcP\_2Ecart\ 2\ A\_27a).\lambda V1l \in ty\_2$

**Definition 66** We define  $c\_2Ewords\_2Eword\_or$  to be  $\lambda A\_27a : \iota.\lambda V0v \in (ty\_2EfcP\_2Ecart\ 2\ A\_27a).\lambda V1l \in ty\_2$

**Definition 67** We define  $c\_2Ewords\_2Eword\_join$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0v \in (ty\_2EfcP\_2Ecart\ 2\ A\_27a)$

**Definition 68** We define  $c\_2Ewords\_2Eword\_concat$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0v \in (ty\_2EfcP\_2Ecart\ 2\ A\_27a)$

**Definition 69** We define  $c\_2Emachine\_ieee\_2Efloat\_to\_fp16$  to be  $\lambda V0x \in (ty\_2Ebinary\_ieee\_2Efloat\ (ty\_2EfcP\_2Ecart\ 2\ A\_27a))$

**Definition 70** We define  $c\_2Emachine\_ieee\_2Efp16\_roundToIntegral$  to be  $\lambda V0mode \in ty\_2Ebinary\_ieee\_2Efloat\ (ty\_2EfcP\_2Ecart\ 2\ A\_27a)$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow \forall A\_27c. \\
& \text{nonempty } A\_27c \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}). (\forall V1g \in (A\_27a^{A\_27c}). \\
& (\forall V2x \in A\_27c. ((ap (ap (ap (c\_2Ecombin\_2Eo A\_27c A\_27b A\_27a) \\
& V0f) V1g) V2x) = (ap V0f (ap V1g V2x))))))
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in (ty\_2Ebinary\_iee\_2Efloat (ty\_2Efc\_2Ebit0 ( \\
& ty\_2Efc\_2Ebit1 (ty\_2Efc\_2Ebit0 ty\_2Eone\_2Eone))) (ty\_2Efc\_2Ebit1 \\
& (ty\_2Efc\_2Ebit0 ty\_2Eone\_2Eone))). ((ap c\_2Emachine\_iee\_2Efp16\_to\_float \\
& (ap c\_2Emachine\_iee\_2Efloat\_to\_fp16 V0x) = V0x))
\end{aligned} \tag{62}$$

**Theorem 1**

$$\begin{aligned}
& ((\forall V0mode \in ty\_2Ebinary\_iee\_2Errounding. (\forall V1a \in \\
& (ty\_2Ebinary\_iee\_2Efloat (ty\_2Efc\_2Ebit0 (ty\_2Efc\_2Ebit1 \\
& (ty\_2Efc\_2Ebit0 ty\_2Eone\_2Eone))) (ty\_2Efc\_2Ebit1 (ty\_2Efc\_2Ebit0 \\
& ty\_2Eone\_2Eone))). ((ap (ap c\_2Emachine\_iee\_2Efp16\_roundToIntegral \\
V0mode) (ap c\_2Emachine\_iee\_2Efloat\_to\_fp16 V1a) = (ap c\_2Emachine\_iee\_2Efloat\_to\_fp16 \\
& (ap (ap (c\_2Ebinary\_iee\_2Efloat\_round\_to\_integral (ty\_2Efc\_2Ebit0 \\
& (ty\_2Efc\_2Ebit1 (ty\_2Efc\_2Ebit0 ty\_2Eone\_2Eone))) (ty\_2Efc\_2Ebit1 \\
& (ty\_2Efc\_2Ebit0 ty\_2Eone\_2Eone))) V0mode) V1a)))))) \wedge (\forall V2mode \in \\
& ty\_2Ebinary\_iee\_2Errounding. (\forall V3a \in ty\_2Enum\_2Enum. \\
& ((ap (ap c\_2Emachine\_iee\_2Efp16\_roundToIntegral V2mode) \\
& (ap (c\_2Ewords\_2En2w (ty\_2Efc\_2Ebit0 (ty\_2Efc\_2Ebit0 (ty\_2Efc\_2Ebit0 \\
& (ty\_2Efc\_2Ebit0 ty\_2Eone\_2Eone)))))) V3a) = (ap c\_2Emachine\_iee\_2Efloat\_to\_fp16 \\
& (ap (ap (c\_2Ebinary\_iee\_2Efloat\_round\_to\_integral (ty\_2Efc\_2Ebit0 \\
& (ty\_2Efc\_2Ebit1 (ty\_2Efc\_2Ebit0 ty\_2Eone\_2Eone))) (ty\_2Efc\_2Ebit1 \\
& (ty\_2Efc\_2Ebit0 ty\_2Eone\_2Eone))) V2mode) (ap c\_2Emachine\_iee\_2Efp16\_to\_float \\
& (ap (c\_2Ewords\_2En2w (ty\_2Efc\_2Ebit0 (ty\_2Efc\_2Ebit0 (ty\_2Efc\_2Ebit0 \\
& (ty\_2Efc\_2Ebit0 ty\_2Eone\_2Eone)))))) V3a))))))
\end{aligned}$$