

thm_2Emachine_ieee_2Efp16_to_real
(TMZtAwr5weYhrB7QUuJAfToVX5vwyCyYTe8)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define c_2Ebool_2E21 to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ (ap\ (c_2Emin_2E3D\ (2^{A-27a}))\ (\lambda V1P \in 2.V1P))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num\ (c_2ESUC_REP\ m))$

Let $c_2Earithmetic_2E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 7 We define $c_Earithmetic_EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_Earithmetic_2EEXP$

Definition 8 We define $c_Earithmetic_ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 9 We define $c_Earithmetic_EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_Earithmetic_2EEXP$

Let $c_Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (7)$$

Let $c_Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (8)$$

Definition 10 We define $c_Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (9)$$

Let $c_Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (10)$$

Definition 11 We define $c_Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define c_Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V$

Definition 13 We define c_Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap$

Let $ty_2EfcP_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2EfcP_2Efinite_image A0) \quad (11)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ebool_2Eitself A0) \quad (12)$$

Let $c_Ebool_2Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Ebool_2Ethe_value A_27a \in (ty_2Ebool_2Eitself A_27a) \quad (13)$$

Let $c_2EfcP_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2EfcP_2Edimindex A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_27a)}) \quad (14)$$

Definition 14 We define c_Ebool_2EF to be $(ap (c_Ebool_2E.21 2) (\lambda V0t \in 2.V0t))$.

Definition 15 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow Q)$ of type ι .

Definition 16 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E$

Definition 17 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.$

Definition 18 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A.\lambda y.$

Definition 19 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 20 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 21 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap c_2Ebool_2E_2F_5C$

Definition 22 We define $c_2Efcp_2Efinite_index$ to be $\lambda A_27a : \iota.(ap (c_2Emin_2E_40 (A_27a^{ty_2Enum_2Enum}$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efcp_2Ecart A0 A1) \quad (15)$$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efcp_2Edest_cart A_27a A_27b \in ((A_27a^{(ty_2Efcp_2Efinite_image A_27b)})(ty_2Efcp_2Ecart A_27a A_27b)) \quad (16)$$

Definition 23 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efcp_2Ecart A_27a$

Definition 24 We define c_2Efcp_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap$

Definition 25 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap (c_2Efcp_2EFC$

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty ty_2Erealx_2Ereal \quad (17)$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}) \quad (18)$$

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealx_2Ereal^{ty_2Enum_2Enum})ty_2Erealx_2Ereal) \quad (19)$$

Let $ty_2Ebinary_ieee_2Efloat : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Ebinary_ieee_2Efloat A0 A1) \quad (20)$$

Let $c_2Ebinary_ieee_2Efloat_Significand : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_Significand\ A_27t\ A_27w \in ((ty_2Efc_2Ecart\ 2\ A_27t)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)}) \quad (21)$$

Definition 26 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 27 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2. \lambda V1n \in ty_2Enum_2Enum. (ap\ (ap\ (ap\ (c_2Ebool$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum)^{(ty_2Enum_2Enum)^{ty_2Enum_2Enum}})^{ty_2Enum_2Enum} \quad (22)$$

Definition 28 We define $c_2Ewords_2Ew2n$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a). (ap\ (ap\ c$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (23)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (24)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax}) \quad (25)$$

Definition 29 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal. (ap\ (c_2Emin_2E40\ ($

Let $c_2Erealax_2Etrealm_inv : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_inv \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (26)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (27)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (28)$$

Definition 30 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 31 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. (ap\ c_2Erealax_2Ereal_ABS$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (42)$$

Definition 47 We define $c_2Ewords_2Eword_lsl$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efcp_2Ecart\ 2\ A_27a).\lambda V1v \in (ty_2Efcp_2Ecart\ 2\ A_27a).\lambda V2x \in (ty_2Efcp_2Ecart\ 2\ A_27a).$

Definition 48 We define $c_2Ewords_2Eword_or$ to be $\lambda A_27a : \iota.\lambda V0v \in (ty_2Efcp_2Ecart\ 2\ A_27a).\lambda V1v \in (ty_2Efcp_2Ecart\ 2\ A_27a).$

Definition 49 We define c_2Ebool_2ELET to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in (A_27b^{A_27a}).(\lambda V1x \in A_27b.$

Definition 50 We define $c_2Ewords_2Eword_join$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0v \in (ty_2Efcp_2Ecart\ 2\ A_27a).$

Definition 51 We define $c_2Ewords_2Eword_concat$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0v \in (ty_2Efcp_2Ecart\ 2\ A_27a).$

Definition 52 We define $c_2Emachine_ieee_2Efloat_to_fp16$ to be $\lambda V0x \in (ty_2Ebinary_ieee_2Efloat\ (ty_2Eone_2Eone).$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow (\forall V0f \in (A_27b^{A_27a}).(\forall V1g \in (A_27a^{A_27c}). \\ & (\forall V2x \in A_27c.((ap\ (ap\ (ap\ (c_2Ecombin_2Eo\ A_27c\ A_27b\ A_27a)\ V0f)\ V1g)\ V2x) = (ap\ V0f\ (ap\ V1g\ V2x)))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in (ty_2Ebinary_ieee_2Efloat\ (ty_2Efcp_2Ebit0\ (\\ & ty_2Efcp_2Ebit1\ (ty_2Efcp_2Ebit0\ ty_2Eone_2Eone)))\ (ty_2Efcp_2Ebit1 \\ & (ty_2Efcp_2Ebit0\ ty_2Eone_2Eone))))).((ap\ c_2Emachine_ieee_2Efp16_to_float \\ & (ap\ c_2Emachine_ieee_2Efloat_to_fp16\ V0x)) = V0x) \end{aligned} \quad (44)$$

Theorem 1

$$\begin{aligned} & ((\forall V0a \in (ty_2Ebinary_ieee_2Efloat\ (ty_2Efcp_2Ebit0 \\ & (ty_2Efcp_2Ebit1\ (ty_2Efcp_2Ebit0\ ty_2Eone_2Eone)))\ (ty_2Efcp_2Ebit1 \\ & (ty_2Efcp_2Ebit0\ ty_2Eone_2Eone))))).((ap\ c_2Emachine_ieee_2Efp16_to_real \\ & (ap\ c_2Emachine_ieee_2Efloat_to_fp16\ V0a)) = (ap\ (c_2Ebinary_ieee_2Efloat_to_real \\ & (ty_2Efcp_2Ebit0\ (ty_2Efcp_2Ebit1\ (ty_2Efcp_2Ebit0\ ty_2Eone_2Eone))) \\ & (ty_2Efcp_2Ebit1\ (ty_2Efcp_2Ebit0\ ty_2Eone_2Eone))))\ V0a))) \wedge \\ & (\forall V1a \in ty_2Enum_2Enum.((ap\ c_2Emachine_ieee_2Efp16_to_real \\ & (ap\ (c_2Ewords_2En2w\ (ty_2Efcp_2Ebit0\ (ty_2Efcp_2Ebit0\ (ty_2Efcp_2Ebit0 \\ & (ty_2Efcp_2Ebit0\ ty_2Eone_2Eone))))))\ V1a)) = (ap\ (c_2Ebinary_ieee_2Efloat_to_real \\ & (ty_2Efcp_2Ebit0\ (ty_2Efcp_2Ebit1\ (ty_2Efcp_2Ebit0\ ty_2Eone_2Eone))) \\ & (ty_2Efcp_2Ebit1\ (ty_2Efcp_2Ebit0\ ty_2Eone_2Eone))))\ (ap\ c_2Emachine_ieee_2Efp16_to_float \\ & (ap\ (c_2Ewords_2En2w\ (ty_2Efcp_2Ebit0\ (ty_2Efcp_2Ebit0\ (ty_2Efcp_2Ebit0 \\ & (ty_2Efcp_2Ebit0\ ty_2Eone_2Eone))))))\ V1a)))))) \end{aligned}$$