

thm_2Emachine_1eee_2Efp32__isInfinite
(TMMRS-
DFE8DzSzpN2z7YJeNLgsEWntfThkM4)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ ($

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 7 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2B))$

Definition 8 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 9 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2B))$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 10 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Definition 11 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V$

Definition 13 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap$

Let $ty_2Efc_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Efc_2Efinite_image A0) \quad (11)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ebool_2Eitself A0) \quad (12)$$

Let $c_2Ebool_2Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ebool_2Ethe_value A_27a \in (ty_2Ebool_2Eitself A_27a) \quad (13)$$

Let $c_2Efc_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Efc_2Edimindex A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_27a)}) \quad (14)$$

Definition 14 We define c_Ebool_2EF to be $(ap (c_Ebool_2E_21\ 2) (\lambda V0t \in 2.V0t))$.

Definition 15 We define $c_Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 16 We define $c_Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_Emin_2E_3D_3D_3E V0t) c_Ebool_2E_21\ 2))$

Definition 17 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21\ 2) (\lambda V2t \in 2.V2t))))$

Definition 18 We define $c_Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then $(the (\lambda x.x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 19 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_Emin_2E_40 A_27a))))$

Definition 20 We define $c_Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 21 We define $c_Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap c_Ebool_2E_2F_5C A_27a) P))$

Definition 22 We define $c_Efcp_2Efinite_index$ to be $\lambda A_27a : \iota.(ap (c_Emin_2E_40 (A_27a^{ty_2Enum_2Enum})))$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efcp_2Ecart\ A0\ A1) \quad (15)$$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efcp_2Edest_cart\ A_27a\ A_27b \in ((A_27a^{(ty_2Efcp_2Efinite_image\ A_27b)})^{(ty_2Efcp_2Ecart\ A_27a\ A_27b)}) \quad (16)$$

Definition 23 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efcp_2Ecart\ A_27a\ A_27b)$

Definition 24 We define c_2Efcp_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap (c_2Efcp_2Efcp_index\ A_27a\ A_27b) g))$

Definition 25 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap (c_2Efcp_2EFCP\ A_27a) V0n)$

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealx_2Ereal \quad (17)$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}) \quad (18)$$

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealx_2Ereal^{ty_2Enum_2Enum})^{ty_2Erealx_2Ereal}) \quad (19)$$

Let $ty_2Ebinary_ieee_2Efloat : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Ebinary_ieee_2Efloat\ A0\ A1) \quad (20)$$

Let $c_2Ebinary_ieee_2Efloat_Significand : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_Significand\ A_27t\ A_27w \in ((ty_2Efc_2Ecart\ 2\ A_27t)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)}) \quad (21)$$

Definition 26 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 27 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2. \lambda V1n \in ty_2Enum_2Enum. (ap\ (ap\ (ap\ (c_2Ebool$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum)^{(ty_2Enum_2Enum)^{ty_2Enum_2Enum}})^{ty_2Enum_2Enum} \quad (22)$$

Definition 28 We define $c_2Ewords_2Ew2n$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a). (ap\ (ap\ c$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (23)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (24)$$

Let $c_2Erealx_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealx_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealx}) \quad (25)$$

Definition 29 We define $c_2Erealx_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealx_2Ereal. (ap\ (c_2Emin_2E40\ ($

Let $c_2Erealx_2Etreall_inv : \iota$ be given. Assume the following.

$$c_2Erealx_2Etreall_inv \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (26)$$

Let $c_2Erealx_2Etreall_eq : \iota$ be given. Assume the following.

$$c_2Erealx_2Etreall_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (27)$$

Let $c_2Erealx_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealx_2Ereal_ABS_CLASS \in (ty_2Erealx_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}} \quad (28)$$

Definition 30 We define $c_Erealax_Ereal_ABS$ to be $\lambda V0r \in (ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)$

Definition 31 We define $c_Erealax_Einv$ to be $\lambda V0T1 \in ty_Erealax_Ereal.(ap\ c_Erealax_Ereal_ABS)$

Let $c_Erealax_Etrealmul : \iota$ be given. Assume the following.

$$c_Erealax_Etrealmul \in (((ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal))^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)} \quad (29)$$

Definition 32 We define $c_Erealax_Ereal_mul$ to be $\lambda V0T1 \in ty_Erealax_Ereal.\lambda V1T2 \in ty_Erealax_Ereal.$

Definition 33 We define $c_Ereal_E_E2F$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal.$

Let $c_Erealax_Etrealmul : \iota$ be given. Assume the following.

$$c_Erealax_Etrealmul \in (((ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal))^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)} \quad (30)$$

Definition 34 We define $c_Erealax_Ereal_add$ to be $\lambda V0T1 \in ty_Erealax_Ereal.\lambda V1T2 \in ty_Erealax_Ereal.$

Let $c_Ewords_EINT_MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_Ewords_EINT_MAX\ A_27a \in (ty_Eenum_Eenum^{(ty_Ebool_Eitself\ A_27a)}) \quad (31)$$

Let $c_Ebinary_ieeefloat_Exponent : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_Ebinary_ieeefloat_Exponent\ A_27t\ A_27w \in ((ty_Efcpecart\ 2\ A_27w)^{(ty_Ebinary_ieeefloat\ A_27t\ A_27w)}) \quad (32)$$

Let $ty_Eone_Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_Eone_Eone \quad (33)$$

Let $c_Ebinary_ieeefloat_Sign : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_Ebinary_ieeefloat_Sign\ A_27t\ A_27w \in ((ty_Efcpecart\ 2\ ty_Eone_Eone)^{(ty_Ebinary_ieeefloat\ A_27t\ A_27w)}) \quad (34)$$

Let $c_Erealax_Etrealmul : \iota$ be given. Assume the following.

$$c_Erealax_Etrealmul \in ((ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal))^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)} \quad (35)$$

Definition 35 We define $c_Erealax_Ereal_neg$ to be $\lambda V0T1 \in ty_Erealax_Ereal.(ap\ c_Erealax_Ereal_mul)$

Definition 36 We define $c_Ebinary_ieeefloat_to_real$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_Ebinary_ieeefloat_to_real)$

Let $ty_2Ebinary_ieee_2Efloat_value : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ebinary_ieee_2Efloat_value \quad (36)$$

Let $c_2Ebinary_ieee_2Efloat : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2Efloat \in (ty_2Ebinary_ieee_2Efloat_value^{ty_2Erealax_2Ereal}) \quad (37)$$

Let $c_2Ebinary_ieee_2ENaN : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2ENaN \in ty_2Ebinary_ieee_2Efloat_value \quad (38)$$

Let $c_2Ebinary_ieee_2EInfinity : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2EInfinity \in ty_2Ebinary_ieee_2Efloat_value \quad (39)$$

Let $c_2Ewords_2EUINT_MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ewords_2EUINT_MAX\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (40)$$

Definition 37 We define $c_2Ewords_2Eword_T$ to be $\lambda A_27a : \iota. (ap\ (c_2Ewords_2En2w\ A_27a)\ (ap\ (c_2Ew$

Definition 38 We define $c_2Ebinary_ieee_2Efloat_value$ to be $\lambda A_27t : \iota. \lambda A_27w : \iota. \lambda V0x \in (ty_2Ebinary_$

Let $c_2Ebinary_ieee_2Efloat_value_CASE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ebinary_ieee_2Efloat_value_CASE\ A_27a \in (((A_27a^{A_27a})^{A_27a})^{(A_27a^{ty_2Erealax_2Ereal})})^{ty_2Ebinary_ieee_2Efloat_value}) \quad (41)$$

Definition 39 We define $c_2Ebinary_ieee_2Efloat_is_infinite$ to be $\lambda A_27t : \iota. \lambda A_27w : \iota. \lambda V0x \in (ty_2Ebin$

Definition 40 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in (A_27b^{A_27c}). \lambda V1$

Let $ty_2EfcP_2Ebit0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2EfcP_2Ebit0\ A0) \quad (42)$$

Let $ty_2EfcP_2Ebit1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2EfcP_2Ebit1\ A0) \quad (43)$$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ebool_2EARB\ A_27a \in A_27a \quad (44)$$

Definition 41 We define $c_2Earithmetic_2EMIN$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2E$

Definition 42 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 43 We define $c_2Earithmic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 44 We define $c_2Ewords_2Eword_bits$ to be $\lambda A_27a : \iota.\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum$

Definition 45 We define $c_2Ewords_2Ew2w$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0w \in (ty_2Efc_2Ecart_2_A_27a)$

Definition 46 We define $c_2Ewords_2Eword_extract$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0h \in ty_2Enum_2Enum$

Definition 47 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Let $c_2Ebinary_ieee_2Efloat_Significand_fupd : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27u.nonempty\ A_27u \Rightarrow \forall A_27v.nonempty\ A_27v \Rightarrow \\ & c_2Ebinary_ieee_2Efloat_Significand_fupd\ A_27t\ A_27u\ A_27v \in \\ & (((ty_2Ebinary_ieee_2Efloat\ A_27u\ A_27w)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)})^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)})^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)} \end{aligned} \quad (45)$$

Let $c_2Ebinary_ieee_2Efloat_Exponent_fupd : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow \forall A_27x.nonempty\ A_27x \Rightarrow \\ & c_2Ebinary_ieee_2Efloat_Exponent_fupd\ A_27t\ A_27w\ A_27x \in \\ & (((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27x)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)})^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)})^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)} \end{aligned} \quad (46)$$

Let $c_2Ebinary_ieee_2Efloat_Sign_fupd : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_Sign_fupd\ A_27t\ A_27w \in \\ & (((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)})^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)})^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)} \end{aligned} \quad (47)$$

Definition 48 We define $c_2Emachine_ieee_2Efp32_to_float$ to be $\lambda V0w \in (ty_2Efc_2Ecart_2_A_27a). \lambda V1l \in ty_2Enum_2Enum$

Definition 49 We define $c_2Emachine_ieee_2Efp32_isInfinite$ to be $(ap\ (ap\ (c_2Ecombin_2Eo\ (ty_2Efc_2Ecart_2_A_27a))))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \end{aligned} \quad (48)$$

Definition 50 We define $c_2Ewords_2Eword_lsl$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efc_2Ecart_2_A_27a).\lambda V1l \in ty_2Enum_2Enum$

Definition 51 We define $c_2Ewords_2Eword_or$ to be $\lambda A_27a : \iota.\lambda V0v \in (ty_2Efc_2Ecart_2_A_27a).\lambda V1l \in ty_2Enum_2Enum$

Definition 52 We define c_2Ebool_2ELET to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in (A_27b^{A_27a}).(\lambda V1x \in A_27a.V0f))$

Definition 53 We define $c_2Ewords_2Eword_join$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0v \in (ty_2Efc_2Ecart_2_A_27a)$

Definition 54 We define $c_2Ewords_2Eword_concat$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda A.27c : \iota.\lambda V0v \in (ty_2Efloat$

Definition 55 We define $c_2Emachine_ieee_2Efloat_to_fp32$ to be $\lambda V0x \in (ty_2Ebinary_ieee_2Efloat (t$

Assume the following.

$$\begin{aligned}
 & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
 & nonempty\ A.27c \Rightarrow (\forall V0f \in (A.27b^{A.27a}). (\forall V1g \in (A.27a^{A.27c}). \\
 & (\forall V2x \in A.27c. ((ap\ (ap\ (ap\ (c.2Ecombin_2Eo\ A.27c\ A.27b\ A.27a) \\
 & V0f)\ V1g)\ V2x) = (ap\ V0f\ (ap\ V1g\ V2x)))))) \quad (49)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in (ty_2Ebinary_ieee_2Efloat\ (ty_2Efc2Ebit1\ (\\
 & ty_2Efc2Ebit1\ (ty_2Efc2Ebit1\ (ty_2Efc2Ebit0\ ty_2Eone_2Eone)))) \\
 & (ty_2Efc2Ebit0\ (ty_2Efc2Ebit0\ (ty_2Efc2Ebit0\ ty_2Eone_2Eone))))). \\
 & ((ap\ c.2Emachine_ieee_2Efp32_to_float\ (ap\ c.2Emachine_ieee_2Efloat_to_fp32 \\
 & V0x)) = V0x) \quad (50)
 \end{aligned}$$

Theorem 1

$$\begin{aligned}
 & ((\forall V0a \in (ty_2Ebinary_ieee_2Efloat\ (ty_2Efc2Ebit1 \\
 & (ty_2Efc2Ebit1\ (ty_2Efc2Ebit1\ (ty_2Efc2Ebit0\ ty_2Eone_2Eone)))) \\
 & (ty_2Efc2Ebit0\ (ty_2Efc2Ebit0\ (ty_2Efc2Ebit0\ ty_2Eone_2Eone))))). \\
 & ((p\ (ap\ c.2Emachine_ieee_2Efp32_isInfinite\ (ap\ c.2Emachine_ieee_2Efloat_to_fp32 \\
 & V0a))) \Leftrightarrow (p\ (ap\ (c.2Ebinary_ieee_2Efloat_is_infinite\ (ty_2Efc2Ebit1 \\
 & (ty_2Efc2Ebit1\ (ty_2Efc2Ebit1\ (ty_2Efc2Ebit0\ ty_2Eone_2Eone)))) \\
 & (ty_2Efc2Ebit0\ (ty_2Efc2Ebit0\ (ty_2Efc2Ebit0\ ty_2Eone_2Eone)))) \\
 & V0a))) \wedge (\forall V1a \in ty_2Enum_2Enum. ((p\ (ap\ c.2Emachine_ieee_2Efp32_isInfinite \\
 & (ap\ (c.2Ewords_2En2w\ (ty_2Efc2Ebit0\ (ty_2Efc2Ebit0\ (ty_2Efc2Ebit0 \\
 & (ty_2Efc2Ebit0\ (ty_2Efc2Ebit0\ ty_2Eone_2Eone))))))\ V1a))) \Leftrightarrow \\
 & (p\ (ap\ (c.2Ebinary_ieee_2Efloat_is_infinite\ (ty_2Efc2Ebit1 \\
 & (ty_2Efc2Ebit1\ (ty_2Efc2Ebit1\ (ty_2Efc2Ebit0\ ty_2Eone_2Eone)))) \\
 & (ty_2Efc2Ebit0\ (ty_2Efc2Ebit0\ (ty_2Efc2Ebit0\ ty_2Eone_2Eone)))) \\
 & (ap\ c.2Emachine_ieee_2Efp32_to_float\ (ap\ (c.2Ewords_2En2w \\
 & (ty_2Efc2Ebit0\ (ty_2Efc2Ebit0\ (ty_2Efc2Ebit0\ (ty_2Efc2Ebit0 \\
 & (ty_2Efc2Ebit0\ ty_2Eone_2Eone))))))\ V1a))))))
 \end{aligned}$$