

thm_2Emachine_ieee_2Efp32_mul (TMT2CMo4VkHMXZonkYNgrcJE9M1VrBzGjLv)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define c_2Ebool_2E21 to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (c_2Enum_2ESUC_REP\ m))$

Let $c_2Earithmetic_2E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 7 We define $c_Earithmetic_EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_Earithmetic_EBIT1))$

Definition 8 We define $c_Earithmetic_ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 9 We define $c_Earithmetic_EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_Earithmetic_EBIT2))$

Let $c_Earithmetic_EEXP : \iota$ be given. Assume the following.

$$c_Earithmetic_EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_Earithmetic_EDIV : \iota$ be given. Assume the following.

$$c_Earithmetic_EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 10 We define $c_Ebit_EDIV_EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Let $c_Earithmetic_E_2D : \iota$ be given. Assume the following.

$$c_Earithmetic_E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_Earithmetic_EMOD : \iota$ be given. Assume the following.

$$c_Earithmetic_EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Definition 11 We define $c_Ebit_EMOD_EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 12 We define c_Ebit_EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V$

Definition 13 We define c_Ebit_EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap$

Let $ty_2Efc_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Efc_2Efinite_image A0) \quad (11)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ebool_2Eitself A0) \quad (12)$$

Let $c_2Ebool_2Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ebool_2Ethe_value A_27a \in (ty_2Ebool_2Eitself A_27a) \quad (13)$$

Let $c_2Efc_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Efc_2Edimindex A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_27a)}) \quad (14)$$

Definition 14 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2)) (\lambda V0t \in 2.V0t)$.

Definition 15 We define $c_Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \Rightarrow P \Rightarrow Q)$ of type ι .

Definition 16 We define $c_Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_Emin_2E_3D_3D_3E V0t) c_Ebool_2E_7E))$

Definition 17 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_Ebool_2E_21 2) (\lambda V2t \in 2. (ap (c_Emin_2E_3D_3D_3E V2t) c_Ebool_2E_7E)))))$

Definition 18 We define $c_Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A \wedge p (ap P x)))$ of type $\iota \Rightarrow \iota$.

Definition 19 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_Emin_2E_40 A_27a) c_Ebool_2E_7E))))$

Definition 20 We define $c_Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (ap (c_Emin_2E_40 A_27a) c_Ebool_2E_7E))$

Definition 21 We define $c_Ebool_2E_3F_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap c_Ebool_2E_2F_5C A_27a) c_Ebool_2E_7E))))$

Definition 22 We define $c_Efcp_2Efinite_index$ to be $\lambda A_27a : \iota. (ap (c_Emin_2E_40 A_27a) c_Ebool_2E_7E))$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty_2Efcp_2Ecart A0 A1) \quad (15)$$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Efcp_2Edest_cart A_27a A_27b \in ((A_27a^{(ty_2Efcp_2Efinite_image A_27b)})^{(ty_2Efcp_2Ecart A_27a A_27b)}) \quad (16)$$

Definition 23 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in (ty_2Efcp_2Ecart A_27a A_27b)$

Definition 24 We define c_2Efcp_2EFCP to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0g \in (A_27a^{ty_2Enum_2Enum}). (ap (c_Emin_2E_40 A_27a) c_Ebool_2E_7E))$

Definition 25 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota. \lambda V0n \in ty_2Enum_2Enum. (ap (c_2Efcp_2EFCP A_27a) c_Ebool_2E_7E))$

Let $ty_2Ebinary_ieee_2Efp_op : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty_2Ebinary_ieee_2Efp_op A0 A1) \quad (17)$$

Let $ty_2Ebinary_ieee_2Efloat : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty_2Ebinary_ieee_2Efloat A0 A1) \quad (18)$$

Let $ty_2Ebinary_ieee_2Errounding : \iota$ be given. Assume the following.

$$nonempty ty_2Ebinary_ieee_2Errounding \quad (19)$$

Let $c_2Ebinary_ieee_2EFP_Mul : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ \\ & A_27t\ A_27w \in (((ty_2Ebinary_ieee_2Efp_op\ A_27t\ A_27w)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)})^{(ty_2E \\ & \end{aligned} \quad (20)$$

Let $c_2Ebinary_ieee_2Efloat_Significand : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_Significand \\ & A_27t\ A_27w \in ((ty_2Efc_2Ecart\ 2\ A_27t)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)}) \\ & \end{aligned} \quad (21)$$

Definition 26 We define $c_2Ewords_2Eword_msb$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a). (ap$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (22)$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (23)$$

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealax_2Ereal^{ty_2Enum_2Enum})^{ty_2Erealax_2Ereal}) \quad (24)$$

Definition 27 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 28 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2. \lambda V1n \in ty_2Enum_2Enum. (ap\ (ap\ (ap\ (c_2Ebo$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Enum_2Enum}) \quad (25)$$

Definition 29 We define $c_2Ewords_2Ew2n$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a). (ap\ (ap\ c$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (26)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod \\ & A0\ A1) \\ & \end{aligned} \quad (27)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax}) \quad (28)$$

Definition 30 We define $c_Erealax_Ereal_REP$ to be $\lambda V0a \in ty_Erealax_Ereal.(ap\ (c_Emin_E40\ (t$

Let $c_Erealax_Etrealm_inv : \iota$ be given. Assume the following.

$$c_Erealax_Etrealm_inv \in ((ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)}) \quad (29)$$

Let $c_Erealax_Etrealm_eq : \iota$ be given. Assume the following.

$$c_Erealax_Etrealm_eq \in ((2^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)}) \quad (30)$$

Let $c_Erealax_Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_ABS_CLASS \in (ty_Erealax_Ereal)^{(2^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})} \quad (31)$$

Definition 31 We define $c_Erealax_Ereal_ABS$ to be $\lambda V0r \in (ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)$

Definition 32 We define $c_Erealax_Einv$ to be $\lambda V0T1 \in ty_Erealax_Ereal.(ap\ c_Erealax_Ereal_ABS$

Let $c_Erealax_Etrealm_mul : \iota$ be given. Assume the following.

$$c_Erealax_Etrealm_mul \in (((ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)}) \quad (32)$$

Definition 33 We define $c_Erealax_Ereal_mul$ to be $\lambda V0T1 \in ty_Erealax_Ereal.\lambda V1T2 \in ty_Erealax_Ereal.$

Definition 34 We define c_Ereal_E2F to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal.($

Let $c_Erealax_Etrealm_add : \iota$ be given. Assume the following.

$$c_Erealax_Etrealm_add \in (((ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)}) \quad (33)$$

Definition 35 We define $c_Erealax_Ereal_add$ to be $\lambda V0T1 \in ty_Erealax_Ereal.\lambda V1T2 \in ty_Erealax_Ereal.$

Let $c_Ewords_EINT_MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_Ewords_EINT_MAX\ A_27a \in (ty_Eenum_Eenum^{(ty_Ebool_Eitself\ A_27a)}) \quad (34)$$

Let $c_Ebinary_ieee_Efloat_Exponent : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_Ebinary_ieee_Efloat_Exponent\ A_27t\ A_27w \in ((ty_Efcp_Ecart\ 2\ A_27w)^{(ty_Ebinary_ieee_Efloat\ A_27t\ A_27w)}) \quad (35)$$

Let $ty_Eone_Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_Eone_Eone \quad (36)$$

Let $c_2Ebinary_ieee_2Efloat_Sign : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_Sign \\ & A_27t\ A_27w \in ((ty_2Efc_2Ecart\ 2\ ty_2Eone_2Eone)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)}) \end{aligned} \quad (37)$$

Let $c_2Erealax_2Etreax_neg : \iota$ be given. Assume the following.

$$\begin{aligned} & c_2Erealax_2Etreax_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal \\ & ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \end{aligned} \quad (38)$$

Definition 36 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal$

Definition 37 We define $c_2Ebinary_ieee_2Efloat_to_real$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebinary_$

Let $ty_2Ebinary_ieee_2Efloat_value : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ebinary_ieee_2Efloat_value \quad (39)$$

Let $c_2Ebinary_ieee_2Efloat : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2Efloat \in (ty_2Ebinary_ieee_2Efloat_value^{ty_2Erealax_2Ereal}) \quad (40)$$

Let $c_2Ebinary_ieee_2ENaN : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2ENaN \in ty_2Ebinary_ieee_2Efloat_value \quad (41)$$

Let $c_2Ebinary_ieee_2EInfinity : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2EInfinity \in ty_2Ebinary_ieee_2Efloat_value \quad (42)$$

Let $c_2Ewords_2EUINT_MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2EUINT_MAX\ A_27a \in (\\ & ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \end{aligned} \quad (43)$$

Definition 38 We define $c_2Ewords_2Eword_T$ to be $\lambda A_27a : \iota.(ap\ (c_2Ewords_2En2w\ A_27a)\ (ap\ (c_2E$

Definition 39 We define $c_2Ebinary_ieee_2Efloat_value$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebinary_$

Let $c_2Ebinary_ieee_2Efloat_value_CASE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebinary_ieee_2Efloat_value_CASE \\ & A_27a \in (((A_27a^{A_27a})^{A_27a})^{(A_27a^{ty_2Erealax_2Ereal})})^{ty_2Ebinary_ieee_2Efloat_value} \end{aligned} \quad (44)$$

Definition 40 We define $c_2Ebinary_ieee_2Efloat_is_nan$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebinary_$

Definition 41 We define $c_2Ebinary_ieee_2Efloat_is_signalling$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebinary_$

Definition 42 We define `c_2Ebool_2ELET` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. (\lambda V0f \in (A.27b^{A.27a}). (\lambda V1x \in A.27$

Definition 43 We define `c_2Ebinaary_2Efloat_2Esome_2Eqnan` to be $\lambda A.27t : \iota. \lambda A.27w : \iota. \lambda V0fp_op \in (ty$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (45)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a. nonempty\ A.27a \Rightarrow c_2Elist_2ENIL\ A.27a \in (ty_2Elist_2Elist\ A.27a) \quad (46)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a. nonempty\ A.27a \Rightarrow c_2Elist_2ECONS\ A.27a \in (((ty_2Elist_2Elist\ A.27a)^{(ty_2Elist_2Elist\ A.27a)})^{A.27a}) \quad (47)$$

Let $ty_2Ebinaary_2Efloat_2Eflags : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ebinaary_2Efloat_2Eflags \quad (48)$$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a. nonempty\ A.27a \Rightarrow c_2Ebool_2EARB\ A.27a \in A.27a \quad (49)$$

Definition 44 We define `c_2Ecombin_2EK` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. (\lambda V0x \in A.27a. (\lambda V1y \in A.27b. V0x)$

Let $c_2Ebinaary_2Efloat_2Eflags_2EUnderflow_2EAfterRounding_2Efuld : \iota$ be given. Assume the following.

$$c_2Ebinaary_2Efloat_2Eflags_2EUnderflow_2EAfterRounding_2Efuld \in ((ty_2Ebinaary_2Efloat_2Eflags^{ty_2Ebinaary_2Efloat_2Eflags})^{(2^2)}) \quad (50)$$

Let $c_2Ebinaary_2Efloat_2Eflags_2EUnderflow_2EBeforeRounding_2Efuld : \iota$ be given. Assume the following.

$$c_2Ebinaary_2Efloat_2Eflags_2EUnderflow_2EBeforeRounding_2Efuld \in ((ty_2Ebinaary_2Efloat_2Eflags^{ty_2Ebinaary_2Efloat_2Eflags})^{(2^2)}) \quad (51)$$

Let $c_2Ebinaary_2Efloat_2Eflags_2EPrecision_2Efuld : \iota$ be given. Assume the following.

$$c_2Ebinaary_2Efloat_2Eflags_2EPrecision_2Efuld \in ((ty_2Ebinaary_2Efloat_2Eflags^{ty_2Ebinaary_2Efloat_2Eflags})^{(2^2)}) \quad (52)$$

Let $c_2Ebinaary_2Efloat_2Eflags_2EOverflow_2Efuld : \iota$ be given. Assume the following.

$$c_2Ebinaary_2Efloat_2Eflags_2EOverflow_2Efuld \in ((ty_2Ebinaary_2Efloat_2Eflags^{ty_2Ebinaary_2Efloat_2Eflags})^{(2^2)}) \quad (53)$$

Let $c_Ebinary_ieee_Eflags_InvalidOp_fupd : \iota$ be given. Assume the following.

$$c_Ebinary_ieee_Eflags_InvalidOp_fupd \in ((ty_Ebinary_ieee_Eflags^{ty_Ebinary_ieee_Eflags})^{(2^2)}) \quad (54)$$

Let $c_Ebinary_ieee_Eflags_DivideByZero_fupd : \iota$ be given. Assume the following.

$$c_Ebinary_ieee_Eflags_DivideByZero_fupd \in ((ty_Ebinary_ieee_Eflags^{ty_Ebinary_ieee_Eflags})^{(2^2)}) \quad (55)$$

Definition 45 We define $c_Ebinary_ieee_Eclear_flags$ to be $(ap (ap c_Ebinary_ieee_Eflags_DivideByZero_fupd))$

Let $c_Elist_2EEXISTS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_Elist_2EEXISTS A_27a \in ((2^{(ty_Elist_2Elist A_27a)})^{(2^{A_27a})}) \quad (56)$$

Definition 46 We define $c_Ebinary_ieee_Echeck_for_signalling$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0l \in (ty_Elist_2EEXISTS A_27a) \rightarrow$

Let $c_Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_Epair_2EABS_prod \\ A_27a A_27b \in ((ty_Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (57)$$

Definition 47 We define c_Epair_2EC to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_Eclear_flags$

Let $c_Ebinary_ieee_Efloat_minus_infinity : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27t. nonempty A_27t \Rightarrow \forall A_27w. nonempty A_27w \Rightarrow c_Ebinary_ieee_Efloat_minus_infinity \\ A_27t A_27w \in ((ty_Ebinary_ieee_Efloat A_27t A_27w)^{(ty_Ebool_2Eitself (ty_Epair_2Eprod A_27t A_27w))}) \end{aligned} \quad (58)$$

Let $c_Ebinary_ieee_Efloat_plus_infinity : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27t. nonempty A_27t \Rightarrow \forall A_27w. nonempty A_27w \Rightarrow c_Ebinary_ieee_Efloat_plus_infinity \\ A_27t A_27w \in ((ty_Ebinary_ieee_Efloat A_27t A_27w)^{(ty_Ebool_2Eitself (ty_Epair_2Eprod A_27t A_27w))}) \end{aligned} \quad (59)$$

Definition 48 We define $c_Ebinary_ieee_Einvalidop_flags$ to be $(ap (ap c_Ebinary_ieee_Eflags_InvalidOp_fupd))$

Let $c_Erealax_2Ereal_lt : \iota$ be given. Assume the following.

$$c_Erealax_2Ereal_lt \in ((2^{(ty_Epair_2Eprod ty_Ehreal_2Ehreal ty_Ehreal_2Ehreal)})^{(ty_Epair_2Eprod ty_Ehreal_2Ehreal)}) \quad (60)$$

Definition 49 We define $c_Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_Erealax_2Ereal. \lambda V1T2 \in ty_Erealax_2Ereal.$

Definition 50 We define $c_Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_Erealax_2Ereal. \lambda V1y \in ty_Erealax_2Ereal.$

Definition 51 We define c_Ereal_Eabs to be $\lambda V0x \in ty_Erealax_Ereal.(ap (ap (ap (c_Ebool_ECON$

Let $c_Ebinary_ieee_Elargest : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_Ebinary_ieee_Elargest \\ A_27t\ A_27w \in (ty_Erealax_Ereal^{(ty_Ebool_Eitself\ (ty_Epair_Eprod\ A_27t\ A_27w))}) \end{aligned} \quad (61)$$

Definition 52 We define $c_Ebinary_ieee_Efloat_is_finite$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_Ebinary_iee$

Let $c_Epred_set_EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epred_set_EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{((ty_Epair_Eprod\ A_27a\ 2)^{A_27b})}) \end{aligned} \quad (62)$$

Definition 53 We define $c_Ereal_Ereal_sub$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal$

Definition 54 We define c_Ebool_EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$

Definition 55 We define $c_Ebinary_ieee_Eis_closest$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s \in (2^{(ty_Ebinary_iee$

Definition 56 We define $c_Ebinary_ieee_Eclosest_such$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (2^{(ty_Ebinary_iee$

Definition 57 We define $c_Ebinary_ieee_Eclosest$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(ap (c_Ebinary_ieee_Eclose$

Let $c_Ebinary_ieee_Efloat_top : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_Ebinary_ieee_Efloat_top \\ A_27t\ A_27w \in ((ty_Ebinary_ieee_Efloat\ A_27t\ A_27w)^{(ty_Ebool_Eitself\ (ty_Epair_Eprod\ A_27t\ A_27w))}) \end{aligned} \quad (63)$$

Definition 58 We define $c_Ereal_Ereal_gt$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal$

Let $c_Ebinary_ieee_Efloat_bottom : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_Ebinary_ieee_Efloat_bottom \\ A_27t\ A_27w \in ((ty_Ebinary_ieee_Efloat\ A_27t\ A_27w)^{(ty_Ebool_Eitself\ (ty_Epair_Eprod\ A_27t\ A_27w))}) \end{aligned} \quad (64)$$

Definition 59 We define $c_Ereal_Ereal_ge$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal$

Let $c_Ebinary_ieee_Ethreshold : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_Ebinary_ieee_Ethreshold \\ A_27t\ A_27w \in (ty_Erealax_Ereal^{(ty_Ebool_Eitself\ (ty_Epair_Eprod\ A_27t\ A_27w))}) \end{aligned} \quad (65)$$

Definition 60 We define $c_Ewords_Eword_lsb$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_Efc_Ecart\ 2\ A_27a).(ap$

Let $c_2Ebinary_ieee_2Errounding2num : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2Errounding2num \in (ty_2Enum_2Enum^{ty_2Ebinary_ieee_2Errounding}) \quad (66)$$

Definition 61 We define $c_2Ebinary_ieee_2Errounding_CASE$ to be $\lambda A_27a : \iota. \lambda V0x \in ty_2Ebinary_ieee_2Errounding_CASE$

Definition 62 We define $c_2Ebinary_ieee_2Erround$ to be $\lambda A_27t : \iota. \lambda A_27w : \iota. \lambda V0mode \in ty_2Ebinary_ieee_2Erround$

Let $c_2Ebinary_ieee_2Efloat_plus_zero : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_plus_zero \\ & A_27t\ A_27w \in ((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \end{aligned} \quad (67)$$

Let $c_2Ebinary_ieee_2Efloat_minus_zero : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_minus_zero \\ & A_27t\ A_27w \in ((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \end{aligned} \quad (68)$$

Definition 63 We define $c_2Ebinary_ieee_2Efloat_is_zero$ to be $\lambda A_27t : \iota. \lambda A_27w : \iota. \lambda V0x \in (ty_2Ebinary_ieee_2Efloat_is_zero)$

Definition 64 We define $c_2Ebinary_ieee_2Efloat_round$ to be $\lambda A_27t : \iota. \lambda A_27w : \iota. \lambda V0mode \in ty_2Ebinary_ieee_2Efloat_round$

Let $c_2Ewords_2EINT_MIN : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2EINT_MIN\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (69)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum \\ & A0\ A1) \end{aligned} \quad (70)$$

Let $c_2Ewords_2Edimword : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2Edimword\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (71)$$

Definition 65 We define $c_2Ewords_2Eword_2comp$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a).$

Definition 66 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. (c_2Ebool_2E_21\ 2)\ V2t))\ V1t2))\ V0t1)$

Definition 67 We define $c_2Ewords_2Enzc$ to be $\lambda A_27a : \iota. \lambda V0a \in (ty_2Efc_2Ecart\ 2\ A_27a). \lambda V1b \in (ty_2Efc_2Ecart\ 2\ A_27a).$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ & A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (72)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ & \quad A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (73)$$

Definition 68 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a})$

Definition 69 We define $c_2Ewords_2Eword_ls$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Efcp_2Ecart\ 2\ A_27a).\lambda V1b$

Definition 70 We define $c_2Ebinary_ieee_2Efloat_is_infinite$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebin$

Definition 71 We define $c_2Ebinary_ieee_2Efloat_round_with_flags$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0mode$

Definition 72 We define $c_2Epair_2Epair_CASE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0p \in (ty_2Epair$

Definition 73 We define $c_2Ebinary_ieee_2Efloat_mul$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0mode \in ty_2Ebin$

Let $ty_2Efcp_2Ebit0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Efcp_2Ebit0\ A0) \quad (74)$$

Let $ty_2Efcp_2Ebit1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Efcp_2Ebit1\ A0) \quad (75)$$

Definition 74 We define $c_2Earithmic_2EMIN$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2En$

Definition 75 We define $c_2Earithmic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2En$

Definition 76 We define $c_2Ewords_2Eword_bits$ to be $\lambda A_27a : \iota.\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2$

Definition 77 We define $c_2Ewords_2Ew2w$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0w \in (ty_2Efcp_2Ecart\ 2\ A_27a$

Definition 78 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1$

Definition 79 We define $c_2Ewords_2Eword_extract$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0h \in ty_2Enum_2Enum$

Let $c_2Ebinary_ieee_2Efloat_Significand_fupd : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27u.nonempty\ A_27u \Rightarrow \forall A_27v. \\ & \quad nonempty\ A_27v \Rightarrow c_2Ebinary_ieee_2Efloat_Significand_fupd \\ & \quad A_27t\ A_27u\ A_27v \in (((ty_2Ebinary_ieee_2Efloat\ A_27u\ A_27v)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27v)})^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27u)})^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27v)}) \end{aligned} \quad (76)$$

Let $c_2Ebinary_ieee_2Efloat_Exponent_fupd : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow \forall A_27x. \\ & \quad nonempty\ A_27x \Rightarrow c_2Ebinary_ieee_2Efloat_Exponent_fupd\ A_27t\ A_27w\ A_27x \in (((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27x)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)})^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)})^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27x)}) \end{aligned} \quad (77)$$

Let $c_2Ebinary_ieee_2Efloat_Sign_fupd : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee \\ & A_27t\ A_27w \in (((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)})^{(ty_2Efloat\ A_27t\ A_27w)})^{(ty_2Efloat\ A_27t\ A_27w)} \end{aligned} \quad (78)$$

Definition 80 We define `c2Emachine_ieee_Efp32_to_float` to be $\lambda V0w \in (ty_Efc_Ecart\ 2\ (ty_Efc\ ($

Definition 81 We define `c2Ewords_2Eword_lsl` to be $\lambda A_{-27a} : \iota. \lambda V0w \in (ty_2Efc p_2Ecart \ 2 \ A_{-27a}). \lambda V1$

Definition 82 We define `c2Ewords_2Eword_or` to be $\lambda A_27a : \iota. \lambda V0v \in (ty_2Efc_2Ecart\ 2\ A_27a). \lambda V1v$

Definition 83 We define `c2Ewords_2Eword_join` to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0v \in (ty_2Efc_2Ecart\ 2\ 2$

Definition 84 We define `c2Ewords_2Eword_concat` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0v \in (ty_2Ef$

Definition 85 We define `c2Emachine_ieee2Efloat_to_fp32` to be $\lambda V0x \in (ty_2Ebinary_ieee_2Efloat \ (t$

Definition 86 We define `c2Emachine__ieee_2Efp32__mul` to be $\lambda V0mode \in ty_2Ebinary_ieee_2Errounding$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in (ty_2Ebinary_ieee_2Efloat (ty_2Efc_2Ebit1 (\\
& ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))) \\
& (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))). \\
& ((ap \ c_2Emachine_ieee_2Efp32_to_float (ap \ c_2Emachine_ieee_2Efloat_to_fp32 \\
& V0x)) = V0x))
\end{aligned}
\tag{79}$$

Theorem 1

$$\begin{aligned}
& ((\forall V0mode \in ty_2Ebinary_ieee_2Errounding. (\forall V1b \in \\
& (ty_2Ebinary_ieee_2Efloat (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 \\
& (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))) (ty_2Efc_2Ebit0 \\
& (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 ty_2Eone_2Eone))))). (\forall V2a \in \\
& (ty_2Ebinary_ieee_2Efloat (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 \\
& (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))) (ty_2Efc_2Ebit0 \\
& (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 ty_2Eone_2Eone))))). ((ap \\
& (ap (ap c_2Emachine_ieee_2Efp32_mul V0mode) (ap c_2Emachine_ieee_2Efloat_to_fp32 \\
& V2a)) (ap c_2Emachine_ieee_2Efloat_to_fp32 V1b)) = (ap c_2Emachine_ieee_2Efloat_to_fp32 \\
& (ap (c_2Epair_2ESND ty_2Ebinary_ieee_2Eflags (ty_2Ebinary_ieee_2Efloat \\
& (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit0 \\
& ty_2Eone_2Eone)))) (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 \\
& ty_2Eone_2Eone)))) (ap (ap (ap (c_2Ebinary_ieee_2Efloat_mul \\
& (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit0 \\
& ty_2Eone_2Eone)))) (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 \\
& ty_2Eone_2Eone)))) V0mode) V2a) V1b)))))) \wedge ((\forall V3mode \in \\
& ty_2Ebinary_ieee_2Errounding. (\forall V4b \in ty_2Enum_2Enum. \\
& (\forall V5a \in (ty_2Ebinary_ieee_2Efloat (ty_2Efc_2Ebit1 (\\
& ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))) \\
& (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 ty_2Eone_2Eone))))). \\
& ((ap (ap (ap c_2Emachine_ieee_2Efp32_mul V3mode) (ap c_2Emachine_ieee_2Efloat_to_fp32 \\
& V5a)) (ap (c_2Ewords_2En2w (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 \\
& (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))))) \\
& V4b)) = (ap c_2Emachine_ieee_2Efloat_to_fp32 (ap (c_2Epair_2ESND \\
& ty_2Ebinary_ieee_2Eflags (ty_2Ebinary_ieee_2Efloat (ty_2Efc_2Ebit1 \\
& (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))) \\
& (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))))) \\
& (ap (ap (ap (c_2Ebinary_ieee_2Efloat_mul (ty_2Efc_2Ebit1 \\
& (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))) \\
& (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))) \\
& V3mode) V5a) (ap c_2Emachine_ieee_2Efp32_to_float (ap (c_2Ewords_2En2w \\
& (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 \\
& (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))))) V4b)))))) \wedge ((\forall V6mode \in \\
& ty_2Ebinary_ieee_2Errounding. (\forall V7b \in (ty_2Ebinary_ieee_2Efloat \\
& (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit0 \\
& ty_2Eone_2Eone)))) (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 \\
& ty_2Eone_2Eone))))). (\forall V8a \in ty_2Enum_2Enum. ((ap (ap (ap \\
& c_2Emachine_ieee_2Efp32_mul V6mode) (ap (c_2Ewords_2En2w \\
& (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 \\
& (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))))) V8a)) (ap c_2Emachine_ieee_2Efloat_to_fp32 \\
& V7b)) = (ap c_2Emachine_ieee_2Efloat_to_fp32 (ap (c_2Epair_2ESND \\
& ty_2Ebinary_ieee_2Eflags (ty_2Ebinary_ieee_2Efloat (ty_2Efc_2Ebit1 \\
& (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))) \\
& (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))))) \\
& (ap (ap (ap (c_2Ebinary_ieee_2Efloat_mul (ty_2Efc_2Ebit1 \\
& (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))) \\
& (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))) \\
& V6mode) (ap c_2Emachine_ieee_2Efp32_to_float (ap (c_2Ewords_2En2w \\
& (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 \\
& (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))))) V8a))) V7b)))))) \wedge ((\forall V9mode \in \\
& ty_2Ebinary_ieee_2Errounding. (\forall V10b \in ty_2Enum_2Enum. \\
& (\forall V11a \in ty_2Enum_2Enum. ((ap (ap (ap c_2Emachine_ieee_2Efp32_mul \\
& V9mode) (ap (c_2Ewords_2En2w (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 \\
& (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))))) \\
& V11a)) (ap (c_2Ewords_2En2w (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 \\
& (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))))) \\
& V10b)) = (ap c_2Emachine_ieee_2Efloat_to_fp32 (ap (c_2Epair_2ESND \\
& ty_2Ebinary_ieee_2Eflags (ty_2Ebinary_ieee_2Efloat (ty_2Efc_2Ebit1 \\
& (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit0 ty_2Eone_2Eone)))) \\
& (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit0 ty_2Eone_2Eone))))))
\end{aligned}$$