

thm_2Emachine_ieee_2Efp32_nchotomy
(TMcnoZJ7vxz4rF69QtXicvLRLj3bN5pc9uG)

October 26, 2020

Let $ty_2EfcP_2Ebit1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2EfcP_2Ebit1\ A0) \quad (1)$$

Let $ty_2Ebinary_ieee_2Efloat : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Ebinary_ieee_2Efloat\ A0\ A1) \quad (2)$$

Definition 1 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p\ (ap\ P\ x))$ **then** (the $(\lambda x.x \in A \wedge p)$ of type $\iota \Rightarrow \iota$).

Definition 2 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2E3F to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c_2Emin_2E40\ A\ 27a))))$

Definition 4 We define c_2Ebool_2E2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (3)$$

Let $ty_2EfcP_2Ebit0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2EfcP_2Ebit0\ A0) \quad (4)$$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.\lambda 27a.nonempty\ A.\lambda 27a \Rightarrow c_2Ebool_2EARB\ A.\lambda 27a \in A.\lambda 27a \quad (5)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (6)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (8)$$

Definition 5 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 6 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (10)$$

Definition 7 We define c_2Ebool_2E21 to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a}))$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num\ ($

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 9 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Earithmetic_2E_2B$

Definition 10 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Earithmetic_2E_2B$

Definition 11 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $ty_2EfcP_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2EfcP_2Efinite_image\ A0) \quad (12)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Ebool_2Eitself\ A0) \quad (13)$$

Let $c_2Ebool_2Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ebool_2Ethe_value\ A_27a \in (ty_2Ebool_2Eitself\ A_27a) \quad (14)$$

Let $c_2EfcP_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2EfcP_2Edimindex\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (15)$$

Definition 12 We define c_Ebool_2EF to be $(ap (c_Ebool_2E_21\ 2) (\lambda V0t \in 2.V0t))$.

Definition 13 We define $c_Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 14 We define $c_Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_Emin_2E_3D_3D_3E V0t) c_Ebool_2E_21\ 2))$

Definition 15 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21\ 2) (\lambda V2t \in 2.V2t))))$

Definition 16 We define $c_Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 17 We define $c_Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap c_Ebool_2E_2F_5C V0P)))$

Definition 18 We define $c_Efcp_2Efinite_index$ to be $\lambda A_27a : \iota.(ap (c_Emin_2E_40 (A_27a^{ty_2Enum_2Enum})))$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efcp_2Ecart\ A0\ A1) \quad (16)$$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efcp_2Edest_cart\ A_27a\ A_27b \in ((A_27a^{(ty_2Efcp_2Efinite_image\ A_27b)})^{(ty_2Efcp_2Ecart\ A_27a\ A_27b)}) \quad (17)$$

Definition 19 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efcp_2Ecart\ A_27a\ A_27b)$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (18)$$

Definition 20 We define c_Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_Ebool_2E_21\ 2) (V2t2 V1t1))))))$

Definition 21 We define $c_2Earithmetic_2EMIN$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 22 We define $c_Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21\ 2) (\lambda V2t \in 2.V2t))))$

Definition 23 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 24 We define c_2Efcp_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap (c_2Efcp_2Ecart\ A_27a\ A_27b\ g)))$

Definition 25 We define $c_2Ewords_2Eword_bits$ to be $\lambda A_27a : \iota.\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (19)$$

Definition 26 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2.\lambda V1n \in ty_2Enum_2Enum.(ap (ap (ap (c_Ebool_2E_21\ 2) (V1n V0b))))$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Enum_2Enum}) \quad (20)$$

Definition 27 We define $c_2Ewords_2Ew2n$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Efcf_2Ecart\ 2\ A_27a). (ap\ (ap\ c_2Esum_num_2ESUM\ w))\ V0w$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (21)$$

Definition 28 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. \lambda V2m \in ty_2Enum_2Enum. c_2Earithmetic_2EDIV\ V0x\ V1n\ V2m$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (22)$$

Definition 29 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. \lambda V2m \in ty_2Enum_2Enum. c_2Earithmetic_2EMOD\ V0x\ V1n\ V2m$

Definition 30 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum. \lambda V1l \in ty_2Enum_2Enum. \lambda V2m \in ty_2Enum_2Enum. c_2Ebit_2EMOD_2EXP\ V0h\ V1l\ V2m$

Definition 31 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (ap\ (c_2Efcf_2EFC\ V0b)\ V1n)$

Definition 32 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota. \lambda V0n \in ty_2Enum_2Enum. (ap\ (c_2Efcf_2EFC\ V0n)\ A_27a)$

Definition 33 We define $c_2Ewords_2Ew2w$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0w \in (ty_2Efcf_2Ecart\ 2\ A_27a). (ap\ (ap\ c_2Esum_num_2ESUM\ w))\ V0w$

Definition 34 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in (A_27b^{A_27c}). \lambda V1g \in (A_27c^{A_27d}). c_2Ecombin_2EK\ A_27a\ A_27b\ A_27c\ V0f\ V1g$

Definition 35 We define $c_2Ewords_2Eword_extract$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0h \in ty_2Enum_2Enum. (ap\ (c_2Efcf_2EFC\ V0h)\ A_27a)$

Definition 36 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x))$

Let $c_2Ebinary_ieee_2Efloat_Significand_fupd : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27t. nonempty\ A_27t \Rightarrow \forall A_27u. nonempty\ A_27u \Rightarrow \forall A_27v. nonempty\ A_27v \Rightarrow \\ & nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_Significand_fupd\ A_27t\ A_27u\ A_27v\ A_27w \in \\ & (((ty_2Ebinary_ieee_2Efloat\ A_27u\ A_27w)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)})^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27v)}) \end{aligned} \quad (23)$$

Let $c_2Ebinary_ieee_2Efloat_Exponent_fupd : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27t. nonempty\ A_27t \Rightarrow \forall A_27w. nonempty\ A_27w \Rightarrow \forall A_27x. nonempty\ A_27x \Rightarrow \\ & nonempty\ A_27y \Rightarrow c_2Ebinary_ieee_2Efloat_Exponent_fupd\ A_27t\ A_27w\ A_27x\ A_27y \in \\ & (((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27x)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)})^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27y)}) \end{aligned} \quad (24)$$

Let $c_2Ebinary_ieee_2Efloat_Sign_fupd : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27t. nonempty\ A_27t \Rightarrow \forall A_27w. nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_Sign_fupd\ A_27t\ A_27w \in \\ & (((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)})^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)}) \end{aligned} \quad (25)$$

Definition 37 We define `c_2Emachine_ieee_2Efp32_to_float` to be $\lambda V0w \in (ty_2EfcP_2Ecart\ 2\ (ty_2EfcP_2Ecart\ 2\ (ty_2EfcP_2Ecart\ 2\ A_27t\ A_27w \in ((ty_2EfcP_2Ecart\ 2\ A_27t)^{(ty_2EbinaRy_ieeE_2Efloat\ A_27t\ A_27w)}))$

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2EbinaRy_ieeE_2Efloat_Significand\ A_27t\ A_27w \in ((ty_2EfcP_2Ecart\ 2\ A_27t)^{(ty_2EbinaRy_ieeE_2Efloat\ A_27t\ A_27w)}) \quad (26)$$

Let `c_2EbinaRy_ieee_2Efloat_Exponent` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2EbinaRy_ieeE_2Efloat_Exponent\ A_27t\ A_27w \in ((ty_2EfcP_2Ecart\ 2\ A_27w)^{(ty_2EbinaRy_ieeE_2Efloat\ A_27t\ A_27w)}) \quad (27)$$

Let `ty_2Esum_2Esum` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (28)$$

Definition 38 We define `c_2Ewords_2Eword_lsl` to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2EfcP_2Ecart\ 2\ A_27a).\lambda V1x \in (ty_2EfcP_2Ecart\ 2\ A_27a).$

Definition 39 We define `c_2Ewords_2Eword_or` to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2EfcP_2Ecart\ 2\ A_27a).\lambda V1x \in (ty_2EfcP_2Ecart\ 2\ A_27a).$

Definition 40 We define `c_2Ebool_2ELET` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in (A_27b^{A_27a}).(\lambda V1x \in A_27b).$

Definition 41 We define `c_2Ewords_2Eword_join` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0v \in (ty_2EfcP_2Ecart\ 2\ A_27a).$

Definition 42 We define `c_2Ewords_2Eword_concat` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0v \in (ty_2EfcP_2Ecart\ 2\ A_27a).$

Let `c_2EbinaRy_ieee_2Efloat_Sign` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2EbinaRy_ieeE_2Efloat_Sign\ A_27t\ A_27w \in ((ty_2EfcP_2Ecart\ 2\ ty_2Eone_2Eone)^{(ty_2EbinaRy_ieeE_2Efloat\ A_27t\ A_27w)}) \quad (29)$$

Definition 43 We define `c_2Emachine_ieee_2Efloat_to_fp32` to be $\lambda V0x \in (ty_2EbinaRy_ieeE_2Efloat\ (ty_2EfcP_2Ecart\ 2\ A_27a)).$ Assume the following.

$$True \quad (30)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in (ty_2EfcP_2Ecart\ 2\ (ty_2EfcP_2Ebit0\ (ty_2EfcP_2Ebit0\ (ty_2EfcP_2Ebit0\ (ty_2EfcP_2Ebit0\ (ty_2EfcP_2Ebit0\ ty_2Eone_2Eone)))))). \\ & ((ap\ c_2Emachine_ieeE_2Efloat_to_fp32\ (ap\ c_2Emachine_ieeE_2Efp32_to_float\ V0x)) = V0x) \end{aligned} \quad (32)$$

Theorem 1

$$\begin{aligned} & (\forall V0x \in (ty_2Efc_2Ecart\ 2\ (ty_2Efc_2Ebit0\ (ty_2Efc_2Ebit0 \\ & (ty_2Efc_2Ebit0\ (ty_2Efc_2Ebit0\ (ty_2Efc_2Ebit0\ ty_2Eone_2Eone)))))). \\ & (\exists V1y \in (ty_2Ebinary_iee_2Efloat\ (ty_2Efc_2Ebit1\ (\\ & ty_2Efc_2Ebit1\ (ty_2Efc_2Ebit1\ (ty_2Efc_2Ebit0\ ty_2Eone_2Eone)))) \\ & (ty_2Efc_2Ebit0\ (ty_2Efc_2Ebit0\ (ty_2Efc_2Ebit0\ ty_2Eone_2Eone))))). \\ & (V0x = (ap\ c_2Emachine_iee_2Efloat_to_fp32\ V1y))) \end{aligned}$$