

thm_2Emeasure_2EBIGUNION__IMAGE__Q
(TMMNJ6k3T9FTBK9R1STFFpj5AzAaV19Swv)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{1}$$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eenum_2Eenum \tag{2}$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}) \tag{3}$$

Let $ty_2Eextreal_2Eextreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eextreal_2Eextreal \tag{4}$$

Let $c_2Eextreal_2ENormal : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENormal \in (ty_2Eextreal_2Eextreal^{ty_2Erealax_2Ereal}) \tag{5}$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Eextreal_2Eextreal_of_num$ to be $\lambda V0n \in ty_2Eenum_2Eenum.(ap\ c_2Eextreal_of_num)$

Let $c_2Eenum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Eenum_2EZERO_REP \in omega \tag{6}$$

Let $c_2Eenum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Eenum_2EABS_num \in (ty_2Eenum_2Eenum^{omega}) \tag{7}$$

Definition 5 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Eextreal_2Eextreal_le : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_le \in ((2^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (8)$$

Definition 6 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2EF))$

Definition 9 We define $c_2Eextreal_2Eextreal_lt$ to be $\lambda V0x \in ty_2Eextreal_2Eextreal.\lambda V1y \in ty_2Eextreal_2Eextreal$

Let $c_2Eextreal_2Eextreal_inv : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_inv \in (ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal}) \quad (9)$$

Let $c_2Eextreal_2Eextreal_mul : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_mul \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (10)$$

Definition 10 We define $c_2Eextreal_2Eextreal_div$ to be $\lambda V0x \in ty_2Eextreal_2Eextreal.\lambda V1y \in ty_2Eextreal_2Eextreal$

Let $c_2Eextreal_2Eextreal_ainv : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_ainv \in (ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal}) \quad (11)$$

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))))$

Definition 12 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if}\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A.\lambda y.p\ (ap\ P\ x)))$ of type $\iota \Rightarrow \iota$.

Definition 13 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ A\ 27a))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (12)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.\lambda 27a.nonempty\ A.\lambda 27b.nonempty\ A.\lambda 27c.c_2Epair_2EABS_prod\ A.\lambda 27a.\lambda 27b \in ((ty_2Epair_2Eprod\ A.\lambda 27a.\lambda 27b)^{(2^{A-27b})^{A-27a}}) \quad (13)$$

Definition 14 We define $c_2Epair_2E_2C$ to be $\lambda A.\lambda 27a : \iota.\lambda A.\lambda 27b : \iota.\lambda V0x \in A.\lambda V1y \in A.\lambda 27c.(ap\ (c_2Emin_2E_40\ A.\lambda 27a.\lambda 27b.\lambda V0x.\lambda V1y))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (14)$$

Definition 15 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Definition 16 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2))))$

Definition 17 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2))$

Definition 18 We define $c_2Eextreal_2EQ_set$ to be $(ap\ (ap\ (c_2Epred_set_2EUNION\ ty_2Eextreal_2Eextreal)))$

Definition 19 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{(2^{A_27a})}). (ap\ (c_2Epred_set_2EUNION\ ty_2Ebigunion))$

Definition 20 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2))$

Definition 21 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF)$.

Let $c_2Emeasure_2Esubsets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Esubsets\ A_27a \in (\\ (2^{(2^{A_27a})})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))}) \end{aligned} \quad (15)$$

Let $c_2Emeasure_2Espace : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Espace\ A_27a \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))}) \quad (16)$$

Definition 22 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2))$

Definition 23 We define $c_2Emeasure_2Esubset_class$ to be $\lambda A_27a : \iota. \lambda V0sp \in (2^{A_27a}). \lambda V1sts \in (2^{(2^{A_27a})})$

Definition 24 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EET)$.

Definition 25 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1s \in (2^{A_27a})$

Definition 26 We define $c_2Epred_set_2Ecountable$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap\ (c_2Ebool_2E_3F\ 2)\ (\lambda V2t \in 2))$

Definition 27 We define $c_2Emeasure_2Ealgebra$ to be $\lambda A_27a : \iota. \lambda V0a \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))$

Definition 28 We define $c_2Emeasure_2Esigma_algebra$ to be $\lambda A_27a : \iota. \lambda V0a \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))$

Definition 29 We define $c_2Epred_set_2EFUNSET$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0P \in (2^{A_27a}). \lambda V1Q \in (2^{A_27b})$

Definition 30 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1s \in (2^{A_27a})$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\ & A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p V0t)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in \\ & 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))) \Rightarrow \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \end{aligned} \quad (23)$$

Assume the following.

$$(p (ap (c_2Epred_set_2Ecountable ty_2Eextreal_2Eextreal) c_2Eextreal_2EQ_set)) \quad (24)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0p \in (ty_2Epair_2Eprod \\
& (2^{A_27a}) (2^{(2^{A_27a})})).((p (ap (c_2Emeasure_2Esigma_algebra \\
& A_27a) V0p)) \Leftrightarrow ((p (ap (ap (c_2Emeasure_2Esubset_class\ A_27a) \\
& (ap (c_2Emeasure_2Espace\ A_27a) V0p)) (ap (c_2Emeasure_2Esubsets \\
& A_27a) V0p))) \wedge ((p (ap (ap (c_2Ebool_2EIN (2^{A_27a}) (c_2Epred_set_2EEMPTY \\
& A_27a)) (ap (c_2Emeasure_2Esubsets\ A_27a) V0p))) \wedge ((\forall V1s \in \\
& (2^{A_27a}).((p (ap (ap (c_2Ebool_2EIN (2^{A_27a}) V1s) (ap (c_2Emeasure_2Esubsets \\
& A_27a) V0p)))) \Rightarrow (p (ap (ap (c_2Ebool_2EIN (2^{A_27a}) (ap (ap (c_2Epred_set_2EDIFF \\
& A_27a) (ap (c_2Emeasure_2Espace\ A_27a) V0p)) V1s)) (ap (c_2Emeasure_2Esubsets \\
& A_27a) V0p)))))) \wedge (\forall V2c \in (2^{(2^{A_27a})}).((p (ap (c_2Epred_set_2Ecountable \\
& (2^{A_27a}) V2c)) \wedge (p (ap (ap (c_2Epred_set_2ESUBSET (2^{A_27a}) \\
& V2c) (ap (c_2Emeasure_2Esubsets\ A_27a) V0p)))) \Rightarrow (p (ap (ap (c_2Ebool_2EIN \\
& (2^{A_27a}) (ap (c_2Epred_set_2EBIGUNION\ A_27a) V2c)) (ap (c_2Emeasure_2Esubsets \\
& A_27a) V0p))))))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0y \in A_27b. (\forall V1s \in (2^{A_27a}). (\forall V2f \in (A_27b^{A_27a}). \\
& ((p (ap (ap (c_2Ebool_2EIN\ A_27b) V0y) (ap (ap (c_2Epred_set_2EIMAGE \\
& A_27a\ A_27b) V2f) V1s)))) \Leftrightarrow (\exists V3x \in A_27a. ((V0y = (ap V2f V3x)) \wedge \\
& (p (ap (ap (c_2Ebool_2EIN\ A_27a) V3x) V1s))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0f \in (A_27b^{A_27a}). (\forall V1P \in (2^{A_27a}). (\forall V2Q \in \\
& (2^{A_27b}). ((p (ap (ap (c_2Ebool_2EIN (A_27b^{A_27a}) V0f) (ap (ap \\
& (c_2Epred_set_2EFUNSET\ A_27a\ A_27b) V1P) V2Q)))) \Leftrightarrow (\forall V3x \in \\
& A_27a. ((p (ap (ap (c_2Ebool_2EIN\ A_27a) V3x) V1P)) \Rightarrow (p (ap (ap (c_2Ebool_2EIN \\
& A_27b) (ap V0f V3x)) V2Q))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0f \in (A_27b^{A_27a}). (\forall V1s \in (2^{A_27a}). ((p (ap (c_2Epred_set_2Ecountable \\
& A_27a) V1s)) \Rightarrow (p (ap (c_2Epred_set_2Ecountable\ A_27b) (ap (ap \\
& (c_2Epred_set_2EIMAGE\ A_27a\ A_27b) V0f) V1s))))))
\end{aligned} \tag{28}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{29}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{30}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r))) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (38)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (39)$$

Theorem 1

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0a \in (ty_2Epair_2Eprod \\ & (2^{A_{.27a}}) (2^{(2^{A_{.27a}})})). (\forall V1f \in ((2^{A_{.27a}}) ty_2Eextreal_2Eextreal). \\ & (((p (ap (c_2Emeasure_2Esigma_algebra\ A_{.27a}) V0a)) \wedge (p (ap (ap \\ & (c_2Ebool_2EIN ((2^{A_{.27a}}) ty_2Eextreal_2Eextreal)) V1f) (ap \\ & (ap (c_2Epred_set_2EFUNSET\ ty_2Eextreal_2Eextreal\ (2^{A_{.27a}}) \\ & c_2Eextreal_2EQ_set) (ap (c_2Emeasure_2Esubsets\ A_{.27a}) V0a)))))) \Rightarrow \\ & (p (ap (ap (c_2Ebool_2EIN (2^{A_{.27a}})) (ap (c_2Epred_set_2EBIGUNION \\ & A_{.27a}) (ap (ap (c_2Epred_set_2EIMAGE\ ty_2Eextreal_2Eextreal \\ & (2^{A_{.27a}}) V1f) c_2Eextreal_2EQ_set))) (ap (c_2Emeasure_2Esubsets \\ & A_{.27a}) V0a)))))) \end{aligned}$$