



Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A-27b})^{A-27a}}) \end{aligned} \quad (2)$$

**Definition 14** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ x\ y))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A-27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A-27b}}) \end{aligned} \quad (3)$$

**Definition 15** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A-27a})}).(ap\ (c\_2Epred\_set\_2EGSPEC\ P))$

**Definition 16** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap\ (c\_2Epred\_set\_2EBIGUNION\ s\ t))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (4)$$

**Definition 17** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2ET)$ .

**Definition 18** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A-27a}).\lambda V1s \in (2^{A-27a}).(ap\ (c\_2Epred\_set\_2EBIGUNION\ s\ (f\ s)))$

**Definition 19** We define  $c\_2Epred\_set\_2Ecountable$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap\ (c\_2Ebool\_2E\_3F\ s))$

Let  $c\_2Emeasure\_2Esubsets : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Esubsets\ A\_27a \in ( \\ (2^{(2^{A-27a})})^{(ty\_2Epair\_2Eprod\ (2^{A-27a})\ (2^{(2^{A-27a})}))}) \end{aligned} \quad (5)$$

**Definition 20** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ t1\ t2)))$

**Definition 21** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap\ (c\_2Epred\_set\_2EBIGUNION\ s\ t))$

Let  $c\_2Emeasure\_2Espace : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Espace\ A\_27a \in ((2^{A-27a})^{(ty\_2Epair\_2Eprod\ (2^{A-27a})\ (2^{(2^{A-27a})}))}) \end{aligned} \quad (6)$$

**Definition 22** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 23** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E)))$

**Definition 24** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap\ (c\_2Epred\_set\_2EBIGUNION\ s\ t))$

**Definition 25** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 26** We define  $c\_2Emeasure\_2Esubset\_class$  to be  $\lambda A\_27a : \iota.\lambda V0sp \in (2^{A-27a}).\lambda V1sts \in (2^{(2^{A-27a})})$

**Definition 27** We define  $c\_2Emeasure\_2Ealgebra$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Epair\_2Eprod (2^{A-27a}) (2^{(2^{A-27a})}))$

**Definition 28** We define  $c\_2Emeasure\_2Esigma\_algebra$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Epair\_2Eprod (2^{A-27a}) (2^{(2^{A-27a})}))$

Let  $ty\_2Eextreal\_2Eextreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eextreal\_2Eextreal \quad (7)$$

Let  $c\_2Eextreal\_2Eextreal\_le : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_le \in ((2^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \quad (8)$$

**Definition 29** We define  $c\_2Eextreal\_2Eextreal\_lt$  to be  $\lambda V0x \in ty\_2Eextreal\_2Eextreal.\lambda V1y \in ty\_2Eextreal\_2Eextreal$

**Definition 30** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A-27a}).\lambda V1s \in (2^{A-27a})$

**Definition 31** We define  $c\_2Epred\_set\_2EBIGINTER$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A-27a})}).(ap (c\_2Epred\_set) P)$

**Definition 32** We define  $c\_2Emeasure\_2Esigma$  to be  $\lambda A\_27a : \iota.\lambda V0sp \in (2^{A-27a}).\lambda V1st \in (2^{(2^{A-27a})}).(ap (c\_2Emeasure\_2Esigma) sp)$

**Definition 33** We define  $c\_2Emeasure\_2EBorel$  to be  $(ap (ap (c\_2Emeasure\_2Esigma) ty\_2Eextreal\_2Eextreal) A\_27a)$

**Definition 34** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c\_2Epred\_set) s)$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (10)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \quad (12)$$

Assume the following.

$$((\forall V0t \in 2.((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (13)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (14)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A\_27a}). (((p\ V0P) \wedge (\forall V2x \in A\_27a. (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\forall V3x \in A\_27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V3x))))))) \quad (17)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A\_27a}). (((\forall V2x \in A\_27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \vee (\forall V3x \in A\_27a. (p\ (ap\ V1Q\ V3x))))))) \quad (18)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B) \wedge (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C)))))) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1a \in A\_27a. ((\exists V2x \in A\_27a. ((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (ap\ V0P\ V1a)))) \quad (20)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((ap\ (c.2Ecombin\_2EI\ A\_27a)\ V0x) = V0x)) \quad (21)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}). (((ap\ (ap\ (c.2Ecombin\_2Eo\ A\_27a\ A\_27b)\ (c.2Ecombin\_2EI\ A\_27b))\ V0f) = V0f) \wedge ((ap\ (ap\ (c.2Ecombin\_2Eo\ A\_27a\ A\_27b)\ (c.2Ecombin\_2EI\ A\_27a))\ V0f) = V0f))) \quad (22)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0a \in (ty\_2Epair\_2Eprod \\
& \quad (2^{A\_27a})\ (2^{(2^{A\_27a})})). (\forall V1s \in (2^{A\_27a}). (\forall V2t \in \\
& \quad (2^{A\_27a}). (((p\ (ap\ (c\_2Emeasure\_2Ealgebra\ A\_27a)\ V0a)) \wedge ((p\ ( \\
& \quad ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A\_27a})\ V1s)\ (ap\ (c\_2Emeasure\_2Esubsets \\
& \quad A\_27a)\ V0a))) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A\_27a})\ V2t)\ (ap\ (c\_2Emeasure\_2Esubsets \\
& \quad A\_27a)\ V0a)))))) \Rightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A\_27a})\ (ap\ (ap\ (c\_2Epred\_set\_2EINTER \\
& \quad A\_27a)\ V1s)\ V2t))\ (ap\ (c\_2Emeasure\_2Esubsets\ A\_27a)\ V0a))))))
\end{aligned} \tag{23}$$

Assume the following.

$$(p\ (ap\ (c\_2Emeasure\_2Esigma\_algebra\ ty\_2Eextreal\_2Eextreal)\ c\_2Emeasure\_2EBorel)) \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0c \in ty\_2Eextreal\_2Eextreal. (p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad (2^{ty\_2Eextreal\_2Eextreal}))\ (ap\ (c\_2Epred\_set\_2EGSPEC\ ty\_2Eextreal\_2Eextreal \\
& \quad ty\_2Eextreal\_2Eextreal)\ (\lambda V1x \in ty\_2Eextreal\_2Eextreal. \\
& \quad (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Eextreal\_2Eextreal\ 2)\ V1x)\ (ap\ (ap \\
& \quad c\_2Eextreal\_2Eextreal\_le\ V1x)\ V0c))))))\ (ap\ (c\_2Emeasure\_2Esubsets \\
& \quad ty\_2Eextreal\_2Eextreal)\ c\_2Emeasure\_2EBorel)))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0c \in ty\_2Eextreal\_2Eextreal. (p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad (2^{ty\_2Eextreal\_2Eextreal}))\ (ap\ (c\_2Epred\_set\_2EGSPEC\ ty\_2Eextreal\_2Eextreal \\
& \quad ty\_2Eextreal\_2Eextreal)\ (\lambda V1x \in ty\_2Eextreal\_2Eextreal. \\
& \quad (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Eextreal\_2Eextreal\ 2)\ V1x)\ (ap\ (ap \\
& \quad c\_2Eextreal\_2Eextreal\_lt\ V0c)\ V1x))))))\ (ap\ (c\_2Emeasure\_2Esubsets \\
& \quad ty\_2Eextreal\_2Eextreal)\ c\_2Emeasure\_2EBorel)))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0x \in A\_27a. (\forall V1y \in A\_27b. (\forall V2a \in A\_27a. (\forall V3b \in \\
& \quad A\_27b. (((ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x)\ V1y) = (ap\ (ap \\
& \quad (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\
& \quad (2^{A\_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad A\_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V1t))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0f \in ((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}).(\forall V1v \in \\ & A\_27a.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V1v)\ (ap\ (c\_2Epred\_set\_2EGSPEC \\ & \quad A\_27a\ A\_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A\_27b.((ap\ (ap\ (c\_2Epair\_2E\_2C \\ & \quad A\_27a\ 2)\ V1v)\ c\_2Ebool\_2ET) = (ap\ V0f\ V2x)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(\forall V1t \in \\ & (2^{A\_27a}).(\forall V2x \in A\_27a.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ \\ & V2x)\ (ap\ (ap\ (c\_2Epred\_set\_2EINTER\ A\_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap \\ & (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ & A\_27a)\ V2x)\ V1t)))))) \end{aligned} \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (34)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow ( \\ & (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\ & p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow ( \\ & (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\ & (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee \neg(p \ V1q)) \wedge (((p \ V0p) \vee \neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee \neg(p \ V2r))) \wedge (( \\
& \neg(p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow \neg(p \ V1q)) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge (\neg(p \ V1q) \vee \neg(p \ V0p))))))
\end{aligned} \tag{40}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{41}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow \neg(p \ V1q))) \tag{42}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow \neg(p \ V0p))) \tag{43}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow \neg(p \ V1q))) \tag{44}$$

Assume the following.

$$(\forall V0p \in 2. (\neg(\neg(p \ V0p))) \Rightarrow (p \ V0p)) \tag{45}$$

### Theorem 1

$$\begin{aligned}
& (\forall V0c \in ty\_2Eextreal\_2Eextreal. (\forall V1d \in ty\_2Eextreal\_2Eextreal. \\
& (p \ (ap \ (ap \ (c\_2Ebool\_2EIN \ (2^{ty\_2Eextreal\_2Eextreal})) \ (ap \ (c\_2Epred\_set\_2EGSPEC \\
& ty\_2Eextreal\_2Eextreal \ ty\_2Eextreal\_2Eextreal) \ (\lambda V2x \in ty\_2Eextreal\_2Eextreal. \\
& (ap \ (ap \ (c\_2Epair\_2E\_2C \ ty\_2Eextreal\_2Eextreal \ 2) \ V2x) \ (ap \ (ap \\
& c\_2Ebool\_2E\_2F\_5C \ (ap \ (ap \ c\_2Eextreal\_2Eextreal\_lt \ V0c) \ V2x)) \\
& (ap \ (ap \ c\_2Eextreal\_2Eextreal\_le \ V2x) \ V1d)))))) \ (ap \ (c\_2Emeasure\_2Esubsets \\
& ty\_2Eextreal\_2Eextreal) \ c\_2Emeasure\_2EBorel))))
\end{aligned}$$