

thm_2Emeasure_2EBOREL_MEASURABLE_SETS8 (TMUgFJzWLh6GMdNAWBKP5M8uscPVnD3axgD)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ecombin_2ES$ to be $\lambda A.\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 4 We define $c_2Ecombin_2EC$ to be $\lambda A.\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 5 We define $c_2Ecombin_2EK$ to be $\lambda A.\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 6 We define $c_2Ecombin_2EI$ to be $\lambda A.\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a})) A_27a))$

Definition 7 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 8 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) P P))$

Definition 9 We define $c_2Ecombin_2Eo$ to be $\lambda A.\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in (A_27b^{A_27c}).\lambda V1g \in (A_27c^{A_27a}).ap (ap (c_2Emin_2E_3D (2^{A_27a})) (V0f V1g)))$

Definition 10 We define c_2Ebool_2EIN to be $\lambda A.\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 11 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 13 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 P P)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (2)$$

Definition 14 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ x\ y))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (3)$$

Definition 15 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap\ (c_2Epred_set_2EGSPEC\ P))$

Definition 16 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EBIGUNION\ s\ t))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (4)$$

Definition 17 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Definition 18 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27b}).(ap\ (c_2Epred_set_2ESUBSET\ s\ (f\ s)))$

Definition 19 We define $c_2Epred_set_2Ecountable$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap\ (c_2Ebool_2E_3F\ s))$

Let $c_2Emeasure_2Esubsets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Esubsets\ A_27a \in (\\ (2^{(2^{A_27a})})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))}) \end{aligned} \quad (5)$$

Definition 20 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ t1\ t2)))$

Definition 21 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2ESUBSET\ s\ t))$

Let $c_2Emeasure_2Espace : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Espace\ A_27a \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))}) \end{aligned} \quad (6)$$

Definition 22 We define $c_2Ebool_2E_EF$ to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 23 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_21\ 2))$

Definition 24 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2ESUBSET\ s\ t))$

Definition 25 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2E_2F)$.

Definition 26 We define $c_2Emeasure_2Esubset_class$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A-27a}).\lambda V1sts \in (2^{(2^{A-27a})})$

Definition 27 We define $c_2Emeasure_2Ealgebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A-27a}) (2^{(2^{A-27a})}))$

Definition 28 We define $c_2Emeasure_2Esigma_algebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A-27a}) (2^{(2^{A-27a})}))$

Let $ty_2Eextreal_2Eextreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eextreal_2Eextreal \quad (7)$$

Let $c_2Eextreal_2Eextreal_le : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_le \in ((2^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (8)$$

Definition 29 We define $c_2Eextreal_2Eextreal_lt$ to be $\lambda V0x \in ty_2Eextreal_2Eextreal.\lambda V1y \in ty_2Eextreal_2Eextreal$

Definition 30 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A-27a}).\lambda V1s \in (2^{A-27a})$

Definition 31 We define $c_2Epred_set_2EBIGINTER$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A-27a})}).(ap (c_2Epred_set) P)$

Definition 32 We define $c_2Emeasure_2Esigma$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A-27a}).\lambda V1st \in (2^{(2^{A-27a})}).(ap (c_2Emeasure_2Esigma) sp)$

Definition 33 We define $c_2Emeasure_2EBorel$ to be $(ap (ap (c_2Emeasure_2Esigma) ty_2Eextreal_2Eextreal) (c_2Emeasure_2EBorel))$

Definition 34 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c_2Epred_set) s)$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (10)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \quad (12)$$

Assume the following.

$$((\forall V0t \in 2.((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A_27a}). (((p\ V0P) \wedge (\forall V2x \in A_27a. (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\forall V3x \in A_27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V3x))))))) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A_27a}). (((\forall V2x \in A_27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \vee (\forall V3x \in A_27a. (p\ (ap\ V1Q\ V3x))))))) \quad (18)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B) \wedge (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C)))))) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1a \in A_27a. ((\exists V2x \in A_27a. ((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (ap\ V0P\ V1a)))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c.2Ecombin_2EI\ A_27a)\ V0x) = V0x)) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (((ap\ (ap\ (c.2Ecombin_2Eo\ A_27a\ A_27b)\ (c.2Ecombin_2EI\ A_27b))\ V0f) = V0f) \wedge ((ap\ (ap\ (c.2Ecombin_2Eo\ A_27a\ A_27b)\ (c.2Ecombin_2EI\ A_27a))\ V0f) = V0f))) \quad (22)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a \in (ty_2Epair_2Eprod \\
& \quad (2^{A_27a})\ (2^{(2^{A_27a})})). (\forall V1s \in (2^{A_27a}). (\forall V2t \in \\
& \quad (2^{A_27a}). (((p\ (ap\ (c_2Emeasure_2Ealgebra\ A_27a)\ V0a)) \wedge ((p\ (\\
& \quad ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_27a})\ V1s)\ (ap\ (c_2Emeasure_2Esubsets \\
& \quad A_27a)\ V0a))) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_27a})\ V2t)\ (ap\ (c_2Emeasure_2Esubsets \\
& \quad A_27a)\ V0a)))))) \Rightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_27a})\ (ap\ (ap\ (c_2Epred_set_2EINTER \\
& \quad A_27a)\ V1s)\ V2t))\ (ap\ (c_2Emeasure_2Esubsets\ A_27a)\ V0a))))))
\end{aligned} \tag{23}$$

Assume the following.

$$(p\ (ap\ (c_2Emeasure_2Esigma_algebra\ ty_2Eextreal_2Eextreal)\ c_2Emeasure_2EBorel)) \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0c \in ty_2Eextreal_2Eextreal. (p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad (2^{ty_2Eextreal_2Eextreal}))\ (ap\ (c_2Epred_set_2EGSPEC\ ty_2Eextreal_2Eextreal \\
& \quad ty_2Eextreal_2Eextreal)\ (\lambda V1x \in ty_2Eextreal_2Eextreal. \\
& \quad (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Eextreal_2Eextreal\ 2)\ V1x)\ (ap\ (ap \\
& \quad c_2Eextreal_2Eextreal_lt\ V1x)\ V0c))))))\ (ap\ (c_2Emeasure_2Esubsets \\
& \quad ty_2Eextreal_2Eextreal)\ c_2Emeasure_2EBorel)))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0c \in ty_2Eextreal_2Eextreal. (p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad (2^{ty_2Eextreal_2Eextreal}))\ (ap\ (c_2Epred_set_2EGSPEC\ ty_2Eextreal_2Eextreal \\
& \quad ty_2Eextreal_2Eextreal)\ (\lambda V1x \in ty_2Eextreal_2Eextreal. \\
& \quad (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Eextreal_2Eextreal\ 2)\ V1x)\ (ap\ (ap \\
& \quad c_2Eextreal_2Eextreal_lt\ V0c)\ V1x))))))\ (ap\ (c_2Emeasure_2Esubsets \\
& \quad ty_2Eextreal_2Eextreal)\ c_2Emeasure_2EBorel)))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in \\
& \quad A_27b. (((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\
& \quad (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\
& \quad (2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1t))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}).(\forall V1v \in \\ & A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1v)\ (ap\ (c_2Epred_set_2EGSPEC \\ & \quad A_27a\ A_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A_27b.((ap\ (ap\ (c_2Epair_2E_2C \\ & \quad A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in \\ & (2^{A_27a}).(\forall V2x \in A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ \\ & V2x)\ (ap\ (ap\ (c_2Epred_set_2EINTER\ A_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap \\ & (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & A_27a)\ V2x)\ V1t)))))) \end{aligned} \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (34)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\ & p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\ & (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee \neg(p \ V1q)) \wedge (((p \ V0p) \vee \neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee \neg(p \ V2r))) \wedge ((\\
& \neg(p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow \neg(p \ V1q)) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge (\neg(p \ V1q) \vee \neg(p \ V0p))))))
\end{aligned} \tag{40}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q)) \Rightarrow (p \ V0p))) \tag{41}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q)) \Rightarrow \neg(p \ V1q))) \tag{42}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \vee (p \ V1q)) \Rightarrow \neg(p \ V0p))) \tag{43}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \vee (p \ V1q)) \Rightarrow \neg(p \ V1q))) \tag{44}$$

Assume the following.

$$(\forall V0p \in 2. (\neg(\neg(p \ V0p)) \Rightarrow (p \ V0p))) \tag{45}$$

Theorem 1

$$\begin{aligned}
& (\forall V0c \in ty_2Eextreal_2Eextreal. (\forall V1d \in ty_2Eextreal_2Eextreal. \\
& (p \ (ap \ (ap \ (c_2Ebool_2EIN \ (2^{ty_2Eextreal_2Eextreal})) \ (ap \ (c_2Epred_set_2EGSPEC \\
& ty_2Eextreal_2Eextreal \ ty_2Eextreal_2Eextreal) \ (\lambda V2x \in ty_2Eextreal_2Eextreal. \\
& (ap \ (ap \ (c_2Epair_2E_2C \ ty_2Eextreal_2Eextreal \ 2) \ V2x) \ (ap \ (ap \\
& c_2Ebool_2E_2F_5C \ (ap \ (ap \ c_2Eextreal_2Eextreal_lt \ V0c) \ V2x)) \\
& (ap \ (ap \ c_2Eextreal_2Eextreal_lt \ V2x) \ V1d)))))) \ (ap \ (c_2Emeasure_2Esubsets \\
& ty_2Eextreal_2Eextreal) \ c_2Emeasure_2EBorel))))
\end{aligned}$$