

thm_2Emeasure_2ECLOSED__CDI__DISJOINT
(TMaqW4E4ghzamcsNfcQLMR4Zw9eZ37H3SZW)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 6 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (2)$$

Definition 9 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Emin_2E_3D (2^2))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \quad (3)$$

Definition 10 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap (c_2E$

Definition 11 We define $c_2Epred_set_2EDISJOINT$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap (c_2E$

Definition 12 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap (c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E$

Definition 13 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A-27a}). \lambda V1s \in (2^{A-27a}). (ap (c_2E$

Definition 14 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P x) \text{ then } (the (\lambda x. x \in A) P)$ of type $\iota \Rightarrow \iota$.

Definition 15 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap V0P (ap (c_2Emin_2E_40$

Definition 16 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{(2^{A-27a})}). (ap (c_2Epred_set_2E$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (4)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \quad (5)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \quad (6)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (7)$$

Definition 17 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EABS_num m)$

Definition 18 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap (c_2E$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (8)$$

Definition 19 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 20 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2E_7E)$.

Definition 21 We define $c_2Epred_set_2EFUNSET$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0P \in (2^{A-27a}). \lambda V1Q \in (2^{A-27a}). (ap (c_2E$

Definition 22 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap (c_2E$

Let $c_2Emeasure_2Esubsets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Emeasure_2Esubsets\ A_27a \in ((2^{(2^{A-27a})})^{(ty_2Epair_2Eprod\ (2^{A-27a})\ (2^{(2^{A-27a})}))}) \quad (9)$$

Let $c_2Emeasure_2Espace : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Emeasure_2Espace\ A_27a \in ((2^{A-27a})^{(ty_2Epair_2Eprod\ (2^{A-27a})\ (2^{(2^{A-27a})}))}) \quad (10)$$

Definition 23 We define `c_2Emeasure_2Esubset_class` to be $\lambda A_{.27a} : \iota.\lambda V0sp \in (2^{A_{.27a}}).\lambda V1sts \in (2^{(2^{A_{.27a}})})$

Definition 24 We define `c_2Emeasure_2Eclosed_cdi` to be $\lambda A_{.27a} : \iota.\lambda V0p \in (ty_2Epair_2Eprod (2^{A_{.27a}}))$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (13)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_{.27a}.(p V0t)) \Leftrightarrow (p V0t))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (16)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (17)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a} . (\forall V1y \in A_{.27a} . ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (20)$$

Assume the following.

$$2.(((p \ V0x) \Leftrightarrow (p \ V1x_27)) \wedge ((p \ V1x_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y_27)))) \Rightarrow \quad (21)$$

$$(((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x_27) \Rightarrow (p \ V3y_27))))$$

Theorem 1

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0p \in (ty_2Epair_2Eprod$$

$$(2^{A_27a} \ 2^{(2^{A_27a})})).(\forall V1f \in ((2^{A_27a})^{ty_2Enum_2Enum}).$$

$$(((p \ (ap \ (c_2Emeasure_2Eclosed_cdi \ A_27a) \ V0p)) \wedge ((p \ (ap \ (ap \ ($$

$$c_2Ebool_2EIN \ ((2^{A_27a})^{ty_2Enum_2Enum})) \ V1f) \ (ap \ (ap \ (c_2Epred_set_2EFUNSET$$

$$ty_2Enum_2Enum \ (2^{A_27a})) \ (c_2Epred_set_2EUNIV \ ty_2Enum_2Enum))$$

$$(ap \ (c_2Emeasure_2Esubsets \ A_27a) \ V0p)))) \wedge (\forall V2m \in ty_2Enum_2Enum.$$

$$(\forall V3n \in ty_2Enum_2Enum.((\neg(V2m = V3n)) \Rightarrow (p \ (ap \ (ap \ (c_2Epred_set_2EDISJOINT$$

$$A_27a) \ (ap \ V1f \ V2m)) \ (ap \ V1f \ V3n)))))) \Rightarrow (p \ (ap \ (ap \ (c_2Ebool_2EIN$$

$$(2^{A_27a})) \ (ap \ (c_2Epred_set_2EBIGUNION \ A_27a) \ (ap \ (ap \ (c_2Epred_set_2EIMAGE$$

$$ty_2Enum_2Enum \ (2^{A_27a})) \ V1f) \ (c_2Epred_set_2EUNIV \ ty_2Enum_2Enum))))$$

$$(ap \ (c_2Emeasure_2Esubsets \ A_27a) \ V0p))))))$$