

thm\_2Emeasure\_2EIN\_MEASURABLE\_BOREL\_ALT5  
(TMdbLUCcZegtTkxP-  
JAcxUP3zWQdcTuhBNso)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$ if  $(\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p$   
of type  $\iota \Rightarrow \iota$ ).

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$   
of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a})$

**Definition 4** We define  $c\_2Ecombin\_2EC$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a})$

**Definition 5** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 6** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})$

**Definition 7** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.(\lambda V0f \in (A\_27b^{A\_27c}).\lambda V1g$

Let  $ty\_2Eextreal\_2Eextreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eextreal\_2Eextreal \tag{1}$$

Let  $c\_2Eextreal\_2EPosInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2EPosInf \in ty\_2Eextreal\_2Eextreal \tag{2}$$

Let  $c\_2Eextreal\_2ENegInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENegInf \in ty\_2Eextreal\_2Eextreal \tag{3}$$

**Definition 8** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A.\lambda a : \iota.(\lambda V0x \in A.\lambda a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 9** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$   
of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) 2) (\lambda V2t \in$

**Definition 11** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (4)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A-27b})^{A-27a}}) \quad (5)$$

**Definition 12** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A-27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A-27b}}) \quad (6)$$

**Definition 13** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A-27a})}).(ap (c\_2Epred\_set$

**Definition 14** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap ($

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (7)$$

**Definition 15** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2ET)$ .

**Definition 16** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A-27a}).\lambda V1s \in (2^{A-27a})$

**Definition 17** We define  $c\_2Epred\_set\_2Ecountable$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (c\_2Ebool\_2E\_3F$

Let  $c\_2Emeasure\_2Esubsets : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Emeasure\_2Esubsets A\_27a \in (2^{(2^{A-27a})})^{(ty\_2Epair\_2Eprod (2^{A-27a}) (2^{(2^{A-27a})}))} \quad (8)$$

**Definition 18** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) 2) (\lambda V2t \in$

**Definition 19** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c$

Let  $c\_2Emeasure\_2Espace : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Emeasure\_2Espace A\_27a \in ((2^{A-27a})^{(ty\_2Epair\_2Eprod (2^{A-27a}) (2^{(2^{A-27a})}))}) \quad (9)$$

**Definition 20** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V0t \in 2.V0t))$ .

**Definition 21** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E\ V0t) c\_2Ebool\_2E))$

**Definition 22** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2E))$

**Definition 23** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 24** We define  $c\_2Emeasure\_2Esubset\_class$  to be  $\lambda A\_27a : \iota.\lambda V0sp \in (2^{A\_27a}).\lambda V1sts \in (2^{(2^{A\_27a})})$

**Definition 25** We define  $c\_2Emeasure\_2Ealgebra$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Epair\_2Eprod (2^{A\_27a}) (2^{(2^{A\_27a})}))$

Let  $c\_2Eextreal\_2Eextreal\_le : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_le \in ((2^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \quad (10)$$

**Definition 26** We define  $c\_2Eextreal\_2Eextreal\_lt$  to be  $\lambda V0x \in ty\_2Eextreal\_2Eextreal.\lambda V1y \in ty\_2Eextreal$

**Definition 27** We define  $c\_2Epred\_set\_2EFUNSET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0P \in (2^{A\_27a}).\lambda V1Q \in (2^{A\_27b})$

**Definition 28** We define  $c\_2Emeasure\_2Esigma\_algebra$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Epair\_2Eprod (2^{A\_27a}) (2^{(2^{A\_27a})}))$

**Definition 29** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27b})$

**Definition 30** We define  $c\_2Epred\_set\_2EBIGINTER$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a})}).(ap (c\_2Epred\_set\_2E))$

**Definition 31** We define  $c\_2Emeasure\_2Esigma$  to be  $\lambda A\_27a : \iota.\lambda V0sp \in (2^{A\_27a}).\lambda V1st \in (2^{(2^{A\_27a})}).(ap (c\_2E))$

**Definition 32** We define  $c\_2Emeasure\_2EBorel$  to be  $(ap (ap (c\_2Emeasure\_2Esigma\ ty\_2Eextreal\_2Eextreal\_le)))$

**Definition 33** We define  $c\_2Epred\_set\_2EPREIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27b})$

**Definition 34** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2E))$

**Definition 35** We define  $c\_2Emeasure\_2Emeasurable$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0a \in (ty\_2Epair\_2Eprod (2^{A\_27a}) (2^{(2^{A\_27a})}))$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (13)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p\ V0t)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in ( \\ & 2^{A\_27a}). (((p\ V0P) \wedge (\forall V2x \in A\_27a. (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\forall V3x \in \\ & A\_27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in ( \\ & 2^{A\_27a}). ((\forall V2x \in A\_27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p \\ & V0P) \vee (\forall V3x \in A\_27a. (p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (23)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \wedge (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (24)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (25)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (26)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0P \in (2^{A_{27a}}).(\forall V1a \in A_{27a}.((\exists V2x \in A_{27a}.((V2x = V1a) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))))) \quad (27)$$

Assume the following.

$$\begin{aligned} & ((\forall V0x \in ty\_2Eextreal\_2Eextreal.((p (ap (ap c\_2Eextreal\_2Eextreal\_le \\ & c\_2Eextreal\_2ENegInf) V0x)) \wedge (p (ap (ap c\_2Eextreal\_2Eextreal\_le \\ & V0x) c\_2Eextreal\_2EPosInf)))) \wedge ((\forall V1x \in ty\_2Eextreal\_2Eextreal. \\ & ((p (ap (ap c\_2Eextreal\_2Eextreal\_le V1x) c\_2Eextreal\_2ENegInf)) \Leftrightarrow \\ & (V1x = c\_2Eextreal\_2ENegInf))) \wedge (\forall V2x \in ty\_2Eextreal\_2Eextreal. \\ & ((p (ap (ap c\_2Eextreal\_2Eextreal\_le c\_2Eextreal\_2EPosInf) \\ & V2x)) \Leftrightarrow (V2x = c\_2Eextreal\_2EPosInf)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0a \in (ty\_2Epair\_2Eprod \\ & (2^{A_{27a}}) (2^{(2^{A_{27a}})})).(\forall V1s \in (2^{A_{27a}}).(\forall V2t \in \\ & (2^{A_{27a}}).(((p (ap (c\_2Emeasure\_2Ealgebra A_{27a}) V0a)) \wedge ((p ( \\ & ap (ap (c\_2Ebool\_2EIN (2^{A_{27a}}) V1s) (ap (c\_2Emeasure\_2Esubsets \\ & A_{27a}) V0a))) \wedge (p (ap (ap (c\_2Ebool\_2EIN (2^{A_{27a}}) V2t) (ap (c\_2Emeasure\_2Esubsets \\ & A_{27a}) V0a)))))) \Rightarrow (p (ap (ap (c\_2Ebool\_2EIN (2^{A_{27a}}) (ap (ap (c\_2Epred\_set\_2EINTER \\ & A_{27a}) V1s) V2t)) (ap (c\_2Emeasure\_2Esubsets A_{27a}) V0a)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (ty\_2Eextreal\_2Eextreal^{A-27a}). \\
& \quad (\forall V1a \in (ty\_2Epair\_2Eprod\ (2^{A-27a})\ (2^{(2^{A-27a})}))). (( \\
& \quad \quad p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Eextreal\_2Eextreal^{A-27a}))\ V0f) \\
& \quad \quad (ap\ (ap\ (c\_2Emeasure\_2Emeasurable\ A\_27a\ ty\_2Eextreal\_2Eextreal) \\
& \quad \quad V1a)\ c\_2Emeasure\_2EBorel))) \Leftrightarrow ((p\ (ap\ (c\_2Emeasure\_2Esigma\_algebra \\
& \quad A\_27a)\ V1a)) \wedge ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Eextreal\_2Eextreal^{A-27a})) \\
& \quad V0f)\ (ap\ (ap\ (c\_2Epred\_set\_2EFUNSET\ A\_27a\ ty\_2Eextreal\_2Eextreal) \\
& \quad \quad (ap\ (c\_2Emeasure\_2Espace\ A\_27a)\ V1a))\ (c\_2Epred\_set\_2EUNIV \\
& \quad \quad ty\_2Eextreal\_2Eextreal)))) \wedge (\forall V2c \in ty\_2Eextreal\_2Eextreal. \\
& \quad (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A-27a}))\ (ap\ (ap\ (c\_2Epred\_set\_2EINTER \\
& \quad A\_27a)\ (ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27a)\ (\lambda V3x \in A\_27a. \\
& \quad (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ 2)\ V3x)\ (ap\ (ap\ c\_2Eextreal\_2Eextreal\_le \\
& \quad \quad (ap\ V0f\ V3x))\ V2c))))))\ (ap\ (c\_2Emeasure\_2Espace\ A\_27a)\ V1a)))\ ( \\
& \quad \quad ap\ (c\_2Emeasure\_2Esubsets\ A\_27a)\ V1a)))))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (ty\_2Eextreal\_2Eextreal^{A-27a}). \\
& \quad (\forall V1a \in (ty\_2Epair\_2Eprod\ (2^{A-27a})\ (2^{(2^{A-27a})}))). (( \\
& \quad \quad p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Eextreal\_2Eextreal^{A-27a}))\ V0f) \\
& \quad \quad (ap\ (ap\ (c\_2Emeasure\_2Emeasurable\ A\_27a\ ty\_2Eextreal\_2Eextreal) \\
& \quad \quad V1a)\ c\_2Emeasure\_2EBorel))) \Leftrightarrow ((p\ (ap\ (c\_2Emeasure\_2Esigma\_algebra \\
& \quad A\_27a)\ V1a)) \wedge ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Eextreal\_2Eextreal^{A-27a})) \\
& \quad V0f)\ (ap\ (ap\ (c\_2Epred\_set\_2EFUNSET\ A\_27a\ ty\_2Eextreal\_2Eextreal) \\
& \quad \quad (ap\ (c\_2Emeasure\_2Espace\ A\_27a)\ V1a))\ (c\_2Epred\_set\_2EUNIV \\
& \quad \quad ty\_2Eextreal\_2Eextreal)))) \wedge (\forall V2c \in ty\_2Eextreal\_2Eextreal. \\
& \quad (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A-27a}))\ (ap\ (ap\ (c\_2Epred\_set\_2EINTER \\
& \quad A\_27a)\ (ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27a)\ (\lambda V3x \in A\_27a. \\
& \quad (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ 2)\ V3x)\ (ap\ (ap\ c\_2Eextreal\_2Eextreal\_le \\
& \quad \quad (ap\ V0f\ V3x))\ V2c))))))\ (ap\ (c\_2Emeasure\_2Espace\ A\_27a)\ V1a)))\ ( \\
& \quad \quad ap\ (c\_2Emeasure\_2Esubsets\ A\_27a)\ V1a)))))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (ty\_2Eextreal\_2Eextreal^{A\_27a}). \\
& \quad (\forall V1a \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))). (( \\
& \quad \quad p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Eextreal\_2Eextreal^{A\_27a}))\ V0f) \\
& \quad \quad (ap\ (ap\ (c\_2Emeasure\_2E measurable\ A\_27a\ ty\_2Eextreal\_2Eextreal) \\
& \quad \quad V1a)\ c\_2Emeasure\_2EBorel))) \Leftrightarrow ((p\ (ap\ (c\_2Emeasure\_2Esigma\_algebra \\
& \quad A\_27a)\ V1a)) \wedge ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Eextreal\_2Eextreal^{A\_27a})) \\
& \quad V0f)\ (ap\ (ap\ (c\_2Epred\_set\_2EFUNSET\ A\_27a\ ty\_2Eextreal\_2Eextreal) \\
& \quad (ap\ (c\_2Emeasure\_2Espace\ A\_27a)\ V1a))\ (c\_2Epred\_set\_2EUNIV \\
& \quad ty\_2Eextreal\_2Eextreal)))) \wedge (\forall V2c \in ty\_2Eextreal\_2Eextreal. \\
& \quad (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A\_27a}))\ (ap\ (ap\ (c\_2Epred\_set\_2EINTER \\
& \quad A\_27a)\ (ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27a)\ (\lambda V3x \in A\_27a. \\
& \quad (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ 2)\ V3x)\ (ap\ (ap\ c\_2Eextreal\_2Eextreal\_lt \\
& \quad V2c)\ (ap\ V0f\ V3x))))))\ (ap\ (c\_2Emeasure\_2Espace\ A\_27a)\ V1a))\ ( \\
& \quad \quad ap\ (c\_2Emeasure\_2Esubsets\ A\_27a)\ V1a)))))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0x \in A\_27a. (\forall V1y \in A\_27b. (\forall V2a \in A\_27a. (\forall V3b \in \\
& \quad A\_27b. ((ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x)\ V1y) = (ap\ (ap \\
& \quad (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V2a)\ V3b))) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\
& \quad (2^{A\_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad A\_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V1t))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0f \in ((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}). (\forall V1v \in \\
& \quad A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V1v)\ (ap\ (c\_2Epred\_set\_2EGSPEC \\
& \quad A\_27a\ A\_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A\_27b. ((ap\ (ap\ (c\_2Epair\_2E\_2C \\
& \quad A\_27a\ 2)\ V1v)\ c\_2Ebool\_2ET) = (ap\ V0f\ V2x))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\
& \quad (2^{A\_27a}). (\forall V2x \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\
& \quad V2x)\ (ap\ (ap\ (c\_2Epred\_set\_2EINTER\ A\_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap \\
& \quad (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad A\_27a)\ V2x)\ V1t))))))
\end{aligned} \tag{36}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{37}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (47)$$



Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (49)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (50)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (51)$$

**Theorem 1**

$$\begin{aligned} & \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0f \in (ty\_2Eextreal\_2Eextreal^{A_{.27a}}). \\ & \quad (\forall V1a \in (ty\_2Epair\_2Eprod (2^{A_{.27a}}) (2^{(2^{A_{.27a}})}))). (( \\ & \quad p (ap (ap (c\_2Ebool\_2EIN (ty\_2Eextreal\_2Eextreal^{A_{.27a}})) V0f) \\ & \quad (ap (ap (c\_2Emeasure\_2Emeasurable A_{.27a} ty\_2Eextreal\_2Eextreal \\ & \quad V1a) c\_2Emeasure\_2EBorel))) \Leftrightarrow ((p (ap (c\_2Emeasure\_2Esigma\_algebra \\ & \quad A_{.27a} V1a)) \wedge ((p (ap (ap (c\_2Ebool\_2EIN (ty\_2Eextreal\_2Eextreal^{A_{.27a}})) \\ & \quad V0f) (ap (ap (c\_2Epred\_set\_2EFUNSET A_{.27a} ty\_2Eextreal\_2Eextreal) \\ & \quad (ap (c\_2Emeasure\_2Espace A_{.27a} V1a)) (c\_2Epred\_set\_2EUNIV \\ & \quad ty\_2Eextreal\_2Eextreal)))))) \wedge (\forall V2c \in ty\_2Eextreal\_2Eextreal. \\ & \quad (\forall V3d \in ty\_2Eextreal\_2Eextreal. (p (ap (ap (c\_2Ebool\_2EIN \\ & \quad (2^{A_{.27a}})) (ap (ap (c\_2Epred\_set\_2EINTER A_{.27a}) (ap (c\_2Epred\_set\_2EGSPEC \\ & \quad A_{.27a} A_{.27a}) (\lambda V4x \in A_{.27a}. (ap (ap (c\_2Epair\_2E\_2C A_{.27a} 2) \\ & \quad V4x) (ap (ap c\_2Ebool\_2E\_2F\_5C (ap (ap c\_2Eextreal\_2Eextreal\_lt \\ & \quad V2c) (ap V0f V4x))) (ap (ap c\_2Eextreal\_2Eextreal\_le (ap V0f V4x)) \\ & \quad V3d)))))) (ap (c\_2Emeasure\_2Espace A_{.27a} V1a))) (ap (c\_2Emeasure\_2Esubsets \\ & \quad A_{.27a} V1a)))))))))) \end{aligned}$$