

thm_2Emeasure_2EIN__MEASURABLE__BOREL__MUL__INDICA
(TMXJD-
sUb1X4Z8yhDKfY9sHc1jTU7GUnxR6x)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V 0x \in 2. V 0x)) (\lambda V 1x \in 2. V 1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota. (\lambda V 0P \in (2^{A_27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A_27a}))))$

Definition 4 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V 0t \in 2. V 0t))$.

Let `ty_2Eextreal_2Eextreal` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Eextreal_2Eextreal} \tag{1}$$

Let `c_2Eextreal_2Eextreal_mul` : ι be given. Assume the following.

$$\text{c_2Eextreal_2Eextreal_mul} \in ((\text{ty_2Eextreal_2Eextreal}^{\text{ty_2Eextreal_2Eextreal}})^{\text{ty_2Eextreal_2Eextreal}}) \tag{2}$$

Definition 5 We define `c_2Epred_set_2EEMPTY` to be $\lambda A_27a : \iota. (\lambda V 0x \in A_27a. \text{c_2Ebool_2EF})$.

Definition 6 We define `c_2Ebool_2EIN` to be $\lambda A_27a : \iota. (\lambda V 0x \in A_27a. (\lambda V 1f \in (2^{A_27a}). (\text{ap } V 1f V 0x)))$

Definition 7 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow P Q)$ of type ι .

Definition 8 We define `c_2Epred_set_2ESUBSET` to be $\lambda A_27a : \iota. \lambda V 0s \in (2^{A_27a}). \lambda V 1t \in (2^{A_27a}). (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } (V 0s) (V 1t)))$

Definition 9 We define `c_2Emeasure_2Esubset_class` to be $\lambda A_27a : \iota. \lambda V 0sp \in (2^{A_27a}). \lambda V 1sts \in (2^{(2^{A_27a})})$

Definition 10 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V 0t1 \in 2. (\lambda V 1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V 2t \in 2. V 2t))))$

Definition 11 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 12 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (3)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A-27b})^{A-27a}}) \quad (4)$$

Definition 13 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A-27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A-27b}}) \quad (5)$$

Definition 14 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{(2^{A-27a})}). (ap\ (c_2Epred_s$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (6)$$

Definition 15 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2ET)$.

Definition 16 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A-27a}). \lambda V1s \in (2^A$

Definition 17 We define $c_2Epred_set_2Ecountable$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A-27a}). (ap\ (c_2Ebool_2E_3F$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (8)$$

Definition 18 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 19 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (10)$$

Let $c_2Eextreal_2Eextreal_le : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_le \in ((2^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \quad (17)$$

Definition 31 We define $c_2Emeasure_2Esigma_algebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}))$

Definition 32 We define $c_2Eextreal_2Eextreal_lt$ to be $\lambda V0x \in ty_2Eextreal_2Eextreal.\lambda V1y \in ty_2Eextreal_2Eextreal$

Definition 33 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (A_27a)$

Definition 34 We define $c_2Epred_set_2EBIGINTER$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap (c_2Epred_set_2EIMAGE) P)$

Definition 35 We define $c_2Emeasure_2Esigma$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A_27a}).\lambda V1st \in (2^{(2^{A_27a})}).(ap (c_2Emeasure_2Esigma_algebra) sp st)$

Definition 36 We define $c_2Emeasure_2EBorel$ to be $(ap (ap (c_2Emeasure_2Esigma) ty_2Eextreal_2Eextreal_lt) ty_2Eextreal_2Eextreal_lt)$

Definition 37 We define $c_2Epred_set_2EPREIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (A_27a)$

Definition 38 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Epred_set_2EIMAGE) s t)$

Definition 39 We define $c_2Epred_set_2EFUNSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A_27a}).\lambda V1Q \in (2^{A_27b})$

Definition 40 We define $c_2Emeasure_2Emeasurable$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0a \in (ty_2Epair_2Eprod (2^{A_27a}))$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg (p V0t)))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t) \Leftrightarrow (p V0t)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (23)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\
& (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{26}$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \tag{27}$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p \ V0t))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow \\
& (p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\
& 2.(((p \ V0x) \Leftrightarrow (p \ V1x_27)) \wedge ((p \ V1x_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y_27)))) \Rightarrow \\
& (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x_27) \Rightarrow (p \ V3y_27))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\
& (\forall V2x \in A_27a.(\forall V3x_27 \in A_27a.(\forall V4y \in A_27a. \\
& (\forall V5y_27 \in A_27a.(((p \ V0P) \Leftrightarrow (p \ V1Q)) \wedge (((p \ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\
& ((\neg(p \ V1Q)) \Rightarrow (V4y = V5y_27)))) \Rightarrow ((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \\
& V0P) \ V2x) \ V4y) = (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ V1Q) \ V3x_27) \\
& V5y_27))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1a \in A_27a. ((\exists V2x \in A_27a. ((V2x = V1a) \wedge (p (ap\ V0P\ V2x)))) \Leftrightarrow (p (ap\ V0P\ V1a)))))) \quad (33)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. ((ap (ap (ap (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1)\ V1t2) = V0t1))) \wedge (\forall V2t1 \in A_27a. (\forall V3t2 \in A_27a. ((ap (ap (ap (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V2t1)\ V3t2) = V3t2)))))) \quad (34)$$

Assume the following.

$$(\forall V0x \in ty_2Eextreal_2Eextreal. ((ap (ap\ c_2Eextreal_2Eextreal_mul\ V0x) (ap\ c_2Eextreal_2Eextreal_of_num\ c_2Enum_2E0)) = (ap\ c_2Eextreal_2Eextreal_of_num\ c_2Enum_2E0)))) \quad (35)$$

Assume the following.

$$(\forall V0x \in ty_2Eextreal_2Eextreal. ((ap (ap\ c_2Eextreal_2Eextreal_mul\ V0x) (ap\ c_2Eextreal_2Eextreal_of_num\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))) = V0x)) \quad (36)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})})). (\forall V1s \in (2^{A_27a}). (\forall V2t \in (2^{A_27a}). (((p (ap (c_2Emeasure_2Ealgebra\ A_27a)\ V0a)) \wedge ((p (ap (ap (c_2Ebool_2EIN\ (2^{A_27a})\ V1s) (ap (c_2Emeasure_2Esubsets\ A_27a)\ V0a))) \wedge (p (ap (ap (c_2Ebool_2EIN\ (2^{A_27a})\ V2t) (ap (c_2Emeasure_2Esubsets\ A_27a)\ V0a)))))) \Rightarrow (p (ap (ap (c_2Ebool_2EIN\ (2^{A_27a})\ (ap (ap (c_2Epred_set_2EUNION\ A_27a)\ V1s)\ V2t)) (ap (c_2Emeasure_2Esubsets\ A_27a)\ V0a)))))))))) \quad (37)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})})). (\forall V1s \in (2^{A_27a}). (\forall V2t \in (2^{A_27a}). (((p (ap (c_2Emeasure_2Ealgebra\ A_27a)\ V0a)) \wedge ((p (ap (ap (c_2Ebool_2EIN\ (2^{A_27a})\ V1s) (ap (c_2Emeasure_2Esubsets\ A_27a)\ V0a))) \wedge (p (ap (ap (c_2Ebool_2EIN\ (2^{A_27a})\ V2t) (ap (c_2Emeasure_2Esubsets\ A_27a)\ V0a)))))) \Rightarrow (p (ap (ap (c_2Ebool_2EIN\ (2^{A_27a})\ (ap (ap (c_2Epred_set_2EINTER\ A_27a)\ V1s)\ V2t)) (ap (c_2Emeasure_2Esubsets\ A_27a)\ V0a)))))))))) \quad (38)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in (ty_2Eextreal_2Eextreal^{A_27a}). \\
& \quad (\forall V1a \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))). ((\\
& \quad \quad p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Eextreal_2Eextreal^{A_27a}))\ V0f) \\
& \quad \quad (ap\ (ap\ (c_2Emeasure_2E measurable\ A_27a\ ty_2Eextreal_2Eextreal) \\
& \quad \quad V1a)\ c_2Emeasure_2EBorel))) \Leftrightarrow ((p\ (ap\ (c_2Emeasure_2Esigma_algebra \\
& \quad A_27a)\ V1a)) \wedge ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Eextreal_2Eextreal^{A_27a})) \\
& \quad V0f)\ (ap\ (ap\ (c_2Epred_set_2EFUNSET\ A_27a\ ty_2Eextreal_2Eextreal) \\
& \quad (ap\ (c_2Emeasure_2Espace\ A_27a)\ V1a))\ (c_2Epred_set_2EUNIV \\
& \quad ty_2Eextreal_2Eextreal)))) \wedge (\forall V2c \in ty_2Eextreal_2Eextreal. \\
& \quad (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_27a}))\ (ap\ (ap\ (c_2Epred_set_2EINTER \\
& \quad A_27a)\ (ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ (\lambda V3x \in A_27a. \\
& \quad (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ 2)\ V3x)\ (ap\ (ap\ c_2Eextreal_2Eextreal_le \\
& \quad (ap\ V0f\ V3x))\ V2c))))))\ (ap\ (c_2Emeasure_2Espace\ A_27a)\ V1a))\ (\\
& \quad \quad ap\ (c_2Emeasure_2Esubsets\ A_27a)\ V1a)))))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in \\
& \quad A_27b. (((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\
& \quad (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b))) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\
& \quad (2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1t))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}). (\forall V1v \in \\
& \quad A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1v)\ (ap\ (c_2Epred_set_2EGSPEC \\
& \quad A_27a\ A_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A_27b. ((ap\ (ap\ (c_2Epair_2E_2C \\
& \quad A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A_27a)\ V0x)\ (c_2Epred_set_2EUNIV\ A_27a))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\
& \quad (2^{A_27a}). (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\
& \quad V2x)\ (ap\ (ap\ (c_2Epred_set_2EUNION\ A_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap \\
& \quad (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A_27a)\ V2x)\ V1t))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A-27a}). (\forall V1t \in \\ (2^{A-27a}). (\forall V2x \in A.27a. ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a) \\ V2x)\ (ap\ (ap\ (c.2Epred_set.2EINTER\ A.27a)\ V0s)\ V1t)))) \Leftrightarrow ((p\ (ap\ (45) \\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c.2Ebool.2EIN \\ A.27a)\ V2x)\ V1t)))))) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A-27a}). (\forall V1t \in \\ (2^{A-27a}). (\forall V2x \in A.27a. ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a) \\ V2x)\ (ap\ (ap\ (c.2Epred_set.2EDIFF\ A.27a)\ V0s)\ V1t)))) \Leftrightarrow ((p\ (ap\ (46) \\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V2x)\ V0s)) \wedge (\neg (p\ (ap\ (ap\ (c.2Ebool.2EIN \\ A.27a)\ V2x)\ V1t)))))) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0f \in (A.27b^{A-27a}). (\forall V1P \in (2^{A-27a}). (\forall V2Q \in \\ (2^{A-27b}). ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ (A.27b^{A-27a})\ V0f)\ (ap\ (ap \\ (c.2Epred_set.2EFUNSET\ A.27a\ A.27b)\ V1P)\ V2Q))) \Leftrightarrow (\forall V3x \in \\ A.27a. ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V3x)\ V1P)) \Rightarrow (p\ (ap\ (ap\ (c.2Ebool.2EIN \\ A.27b)\ (ap\ V0f\ V3x))\ V2Q)))))) \end{aligned} \quad (47)$$

Theorem 1

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a \in (ty_2Epair_2Eprod \\ (2^{A-27a})\ (2^{(2^{A-27a})})). (\forall V1f \in (ty_2Eextreal_2Eextreal^{A-27a}). \\ (\forall V2s \in (2^{A-27a}). (((p\ (ap\ (c.2Emeasure_2Esigma_algebra \\ A.27a)\ V0a)) \wedge ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ (ty_2Eextreal_2Eextreal^{A-27a}) \\ V1f)\ (ap\ (ap\ (c.2Emeasure_2Emeasurable\ A.27a\ ty_2Eextreal_2Eextreal) \\ V0a)\ c.2Emeasure_2EBorel)))) \wedge (p\ (ap\ (ap\ (c.2Ebool.2EIN\ (2^{A-27a}) \\ V2s)\ (ap\ (c.2Emeasure_2Esubsets\ A.27a)\ V0a)))))) \Rightarrow (p\ (ap\ (ap\ (c.2Ebool.2EIN \\ (ty_2Eextreal_2Eextreal^{A-27a})\ (\lambda V3x \in A.27a. (ap\ (ap\ c.2Eextreal_2Eextreal_mul \\ (ap\ V1f\ V3x))\ (ap\ (ap\ (c.2Emeasure_2Eindicator_fn\ A.27a)\ V2s) \\ V3x))))\ (ap\ (ap\ (c.2Emeasure_2Emeasurable\ A.27a\ ty_2Eextreal_2Eextreal) \\ V0a)\ c.2Emeasure_2EBorel)))))) \end{aligned}$$