

# thm\_2Emeasure\_2EIN\_\_MEASURABLE\_\_BOREL\_\_NEGINF (TMJzM9n4pETEKEWV29XMgFmnm07PZ4ZDSbj)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$ **if**  $(\exists x \in A.p (ap P x))$  **then** *(the*  $(\lambda x.x \in A \wedge p x)$  *of type*  $\iota \Rightarrow \iota$ .

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{1}$$

Let  $ty\_2Eenum\_2Eenum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eenum\_2Eenum \tag{2}$$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Eenum\_2Eenum}) \tag{3}$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{4}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{5}$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \tag{6}$$

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2EET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

**Definition 4** We define  $c\_Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_Emin\_2E\_3D (2^{A\_27a}$

**Definition 5** We define  $c\_Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal. (ap (c\_Emin\_2E\_40 (ty$

Let  $c\_2Erealax\_2Etrealm\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal) (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)) \quad (7)$$

Let  $c\_2Erealax\_2Etrealm\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)) \quad (8)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal (2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})) \quad (9)$$

**Definition 6** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 7** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal. (ap\ c\_2Erealax\_2Ereal\_neg$

Let  $ty\_2Eextreal\_2Eextreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eextreal\_2Eextreal \quad (10)$$

Let  $c\_2Eextreal\_2ENormal : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENormal \in (ty\_2Eextreal\_2Eextreal^{ty\_2Erealax\_2Ereal}) \quad (11)$$

Let  $c\_2Eextreal\_2ENegInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENegInf \in ty\_2Eextreal\_2Eextreal \quad (12)$$

Let  $c\_2Eextreal\_2Eextreal\_ainv : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_ainv \in (ty\_2Eextreal\_2Eextreal^{ty\_2Eextreal\_2Eextreal}) \quad (13)$$

**Definition 8** We define  $c\_2Eextreal\_2Eextreal\_of\_num$  to be  $\lambda V0n \in ty\_2Eenum\_2Eenum. (ap\ c\_2Eextreal\_2Eextreal\_of\_num$

Let  $c\_2Eextreal\_2Eextreal\_le : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_le \in ((2^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \quad (14)$$

Let  $c\_2Eextreal\_2EPosInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2EPosInf \in ty\_2Eextreal\_2Eextreal \quad (15)$$

**Definition 9** We define  $c\_Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

**Definition 10** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V0t \in 2.V0t))$ .

**Definition 11** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 12** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_21\ 2))$

**Definition 13** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V2t \in 2.V2t))))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b}})^{A\_27a}) \end{aligned} \quad (16)$$

**Definition 14** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Emin\_2E\_3D\_3D\_3E V0x V1y))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (17)$$

**Definition 15** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2Emin\_2E\_3D\_3D\_3E V0s V1t))$

**Definition 16** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 17** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2Emin\_2E\_3D\_3D\_3E V0s V1t))$

**Definition 18** We define  $c\_2Emeasure\_2Esubset\_class$  to be  $\lambda A\_27a : \iota.\lambda V0sp \in (2^{A\_27a}).\lambda V1sts \in (2^{(2^{A\_27a}})^{A\_27a}})$

Let  $c\_2Emeasure\_2Esubsets : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Esubsets\ A\_27a \in ( \\ (2^{(2^{A\_27a})})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a}}))})) \end{aligned} \quad (18)$$

**Definition 19** We define  $c\_2Eextreal\_2Eextreal\_lt$  to be  $\lambda V0x \in ty\_2Eextreal\_2Eextreal.\lambda V1y \in ty\_2Eextreal\_2Eextreal.(ap (c\_2Emin\_2E\_3D\_3D\_3E V0x V1y))$

Let  $c\_2Emeasure\_2Espace : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Espace\ A\_27a \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a}}))})) \quad (19)$$

**Definition 20** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_3D\_3D\_3E V0P V0P))))$

**Definition 21** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a}})^{A\_27a}).(ap (c\_2Emin\_2E\_3D\_3D\_3E V0P V0P))$

**Definition 22** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 23** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b)^{A\_27a}.\lambda V1s \in (2^{A\_27b})^{A\_27a}.$

**Definition 24** We define  $c\_2Epred\_set\_2Ecountable$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap (c\_2Ebool\_2E\_3F$

**Definition 25** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 26** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c$

**Definition 27** We define  $c\_2Emeasure\_2Ealgebra$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Epair\_2Eprod (2^{A\_27a}) (2^{2$

**Definition 28** We define  $c\_2Emeasure\_2Esigma\_algebra$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Epair\_2Eprod (2^{A\_2$

**Definition 29** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in$

**Definition 30** We define  $c\_2Epred\_set\_2EBIGINTER$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a})}).(ap (c\_2Epred\_s$

**Definition 31** We define  $c\_2Emeasure\_2Esigma$  to be  $\lambda A\_27a : \iota.\lambda V0sp \in (2^{A\_27a}).\lambda V1st \in (2^{(2^{A\_27a})}).(ap$

**Definition 32** We define  $c\_2Emeasure\_2EBorel$  to be  $(ap (ap (c\_2Emeasure\_2Esigma ty\_2Eextreal\_2Eextreal$

**Definition 33** We define  $c\_2Epred\_set\_2EPREIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V$

**Definition 34** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c$

**Definition 35** We define  $c\_2Epred\_set\_2EFUNSET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0P \in (2^{A\_27a}).\lambda V1Q \in ($

**Definition 36** We define  $c\_2Emeasure\_2Emeasurable$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0a \in (ty\_2Epair\_2Epro$

Assume the following.

$$True \tag{20}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{21}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{22}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \tag{23}$$

Assume the following.

$$(\forall V0t \in 2.((\neg (p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \tag{24}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \tag{25}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (26)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (27)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (29)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2^{A.27a}.(((p V0P) \wedge (\forall V2x \in A.27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A.27a.((p V0P) \wedge (p (ap V1Q V3x))))))) \quad (30)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (31)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (32)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1a \in A.27a.((\exists V2x \in A.27a.((V2x = V1a) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))))) \quad (33)$$

Assume the following.

$$(((ap \ c.2Eextreal\_2Eextreal\_ainv \ c.2Eextreal\_2ENegInf) = c.2Eextreal\_2EPosInf) \wedge (((ap \ c.2Eextreal\_2Eextreal\_ainv \ c.2Eextreal\_2EPosInf) = c.2Eextreal\_2ENegInf) \wedge (\forall V0x \in ty\_2Erealax\_2Ereal.((ap \ c.2Eextreal\_2Eextreal\_ainv (ap \ c.2Eextreal\_2ENormal \ V0x)) = (ap \ c.2Eextreal\_2ENormal (ap \ c.2Erealax\_2Ereal\_neg \ V0x)))))) \quad (34)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Eextreal\_2Eextreal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& \quad ((p (ap (ap c\_2Eextreal\_2Eextreal\_lt c\_2Eextreal\_2ENegInf) \\
& \quad (ap c\_2Eextreal\_2ENormal V1y))) \wedge ((p (ap (ap c\_2Eextreal\_2Eextreal\_lt \\
& \quad (ap c\_2Eextreal\_2ENormal V1y)) c\_2Eextreal\_2EPosInf)) \wedge ((p ( \\
ap (ap c\_2Eextreal\_2Eextreal\_lt c\_2Eextreal\_2ENegInf) c\_2Eextreal\_2EPosInf))) \wedge \\
& \quad ((\neg(p (ap (ap c\_2Eextreal\_2Eextreal\_lt V0x) c\_2Eextreal\_2ENegInf))) \wedge \\
& \quad ((\neg(p (ap (ap c\_2Eextreal\_2Eextreal\_lt c\_2Eextreal\_2EPosInf) \\
V0x))) \wedge (((\neg(V0x = c\_2Eextreal\_2EPosInf)) \Leftrightarrow (p (ap (ap c\_2Eextreal\_2Eextreal\_lt \\
V0x) c\_2Eextreal\_2EPosInf))) \wedge ((\neg(V0x = c\_2Eextreal\_2ENegInf)) \Leftrightarrow \\
(p (ap (ap c\_2Eextreal\_2Eextreal\_lt c\_2Eextreal\_2ENegInf) V0x)))))))))) \\
& \hspace{15em} (35)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Eextreal\_2Eextreal. (\forall V1y \in ty\_2Eextreal\_2Eextreal. \\
& \quad ((p (ap (ap c\_2Eextreal\_2Eextreal\_lt (ap c\_2Eextreal\_2Eextreal\_ainv \\
V0x)) (ap c\_2Eextreal\_2Eextreal\_ainv V1y))) \Leftrightarrow (p (ap (ap c\_2Eextreal\_2Eextreal\_lt \\
V1y) V0x)))) \\
& \hspace{15em} (36)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Eextreal\_2Eextreal. ((ap c\_2Eextreal\_2Eextreal\_ainv \\
& \quad (ap c\_2Eextreal\_2Eextreal\_ainv V0x)) = V0x)) \\
& \hspace{15em} (37)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Eextreal\_2Eextreal. ((\neg(V0x = c\_2Eextreal\_2EPosInf)) \Rightarrow \\
& \quad (\exists V1n \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Eextreal\_2Eextreal\_le \\
V0x) (ap c\_2Eextreal\_2Eextreal\_of\_num V1n)))))) \\
& \hspace{15em} (38)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0a \in (\text{ty\_2Epair\_2Eprod} \\
& \quad (2^{A_{27a}}) (2^{(2^{A_{27a}})})). ((p \text{ (ap (c\_2Emeasure\_2Esigma\_algebra} \\
& \quad A_{27a}) V0a)) \Rightarrow ((p \text{ (ap (ap (c\_2Emeasure\_2Esubset\_class } A_{27a}) \\
& \quad (\text{ap (c\_2Emeasure\_2Espace } A_{27a}) V0a)) \text{ (ap (c\_2Emeasure\_2Esubsets} \\
& \quad A_{27a}) V0a))) \wedge ((p \text{ (ap (ap (c\_2Ebool\_2EIN } (2^{A_{27a}})) \text{ (c\_2Epred\_set\_2EEMPTY} \\
& \quad A_{27a})) \text{ (ap (c\_2Emeasure\_2Esubsets } A_{27a}) V0a))) \wedge ((\forall V1s \in \\
& \quad (2^{A_{27a}}). ((p \text{ (ap (ap (c\_2Ebool\_2EIN } (2^{A_{27a}})) V1s) \text{ (ap (c\_2Emeasure\_2Esubsets} \\
& \quad A_{27a}) V0a))) \Rightarrow (p \text{ (ap (ap (c\_2Ebool\_2EIN } (2^{A_{27a}})) \text{ (ap (ap (c\_2Epred\_set\_2EDIFF} \\
& \quad A_{27a}) \text{ (ap (c\_2Emeasure\_2Espace } A_{27a}) V0a)) V1s)) \text{ (ap (c\_2Emeasure\_2Esubsets} \\
& \quad A_{27a}) V0a)))))) \wedge (\forall V2f \in ((2^{A_{27a}})^{\text{ty\_2Enum\_2Enum}}). (( \\
& \quad p \text{ (ap (ap (c\_2Ebool\_2EIN } ((2^{A_{27a}})^{\text{ty\_2Enum\_2Enum}})) V2f) \text{ (ap (} \\
& \quad \text{ap (c\_2Epred\_set\_2EFUNSET } \text{ty\_2Enum\_2Enum } (2^{A_{27a}})) \text{ (c\_2Epred\_set\_2EUNIV} \\
& \quad \text{ty\_2Enum\_2Enum)) \text{ (ap (c\_2Emeasure\_2Esubsets } A_{27a}) V0a)))))) \Rightarrow \\
& \quad (p \text{ (ap (ap (c\_2Ebool\_2EIN } (2^{A_{27a}})) \text{ (ap (c\_2Epred\_set\_2EBIGINTER} \\
& \quad A_{27a}) \text{ (ap (ap (c\_2Epred\_set\_2EIMAGE } \text{ty\_2Enum\_2Enum } (2^{A_{27a}})) \\
& \quad V2f) \text{ (c\_2Epred\_set\_2EUNIV } \text{ty\_2Enum\_2Enum)))))) \text{ (ap (c\_2Emeasure\_2Esubsets} \\
& \quad A_{27a}) V0a)))))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0f \in (\text{ty\_2Eextreal\_2Eextreal}^{A_{27a}}). \\
& \quad (\forall V1a \in (\text{ty\_2Epair\_2Eprod } (2^{A_{27a}}) (2^{(2^{A_{27a}})})). (( \\
& \quad p \text{ (ap (ap (c\_2Ebool\_2EIN } (\text{ty\_2Eextreal\_2Eextreal}^{A_{27a}})) V0f) \\
& \quad (\text{ap (ap (c\_2Emeasure\_2Emeasurable } A_{27a} \text{ ty\_2Eextreal\_2Eextreal} \\
& \quad V1a) \text{ c\_2Emeasure\_2EBorel})) \Leftrightarrow ((p \text{ (ap (c\_2Emeasure\_2Esigma\_algebra} \\
& \quad A_{27a}) V1a)) \wedge ((p \text{ (ap (ap (c\_2Ebool\_2EIN } (\text{ty\_2Eextreal\_2Eextreal}^{A_{27a}})) \\
& \quad V0f) \text{ (ap (ap (c\_2Epred\_set\_2EFUNSET } A_{27a} \text{ ty\_2Eextreal\_2Eextreal} \\
& \quad (\text{ap (c\_2Emeasure\_2Espace } A_{27a}) V1a)) \text{ (c\_2Epred\_set\_2EUNIV} \\
& \quad \text{ty\_2Eextreal\_2Eextreal)))))) \wedge (\forall V2c \in \text{ty\_2Eextreal\_2Eextreal}. \\
& \quad (p \text{ (ap (ap (c\_2Ebool\_2EIN } (2^{A_{27a}})) \text{ (ap (ap (c\_2Epred\_set\_2EINTER} \\
& \quad A_{27a}) \text{ (ap (c\_2Epred\_set\_2EGSPEC } A_{27a} A_{27a}) (\lambda V3x \in A_{27a}. \\
& \quad (\text{ap (ap (c\_2Epair\_2E\_2C } A_{27a} 2) V3x) \text{ (ap (ap c\_2Eextreal\_2Eextreal\_lt} \\
& \quad (\text{ap } V0f \text{ } V3x)) \text{ } V2c)))))) \text{ (ap (c\_2Emeasure\_2Espace } A_{27a}) V1a)) \text{ (} \\
& \quad \text{ap (c\_2Emeasure\_2Esubsets } A_{27a}) V1a)))))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow ( \\
& \quad \forall V0x \in A_{27a}. (\forall V1y \in A_{27b}. (\forall V2a \in A_{27a}. (\forall V3b \in \\
& \quad A_{27b}. (((\text{ap (ap (c\_2Epair\_2E\_2C } A_{27a} A_{27b}) V0x) V1y) = (\text{ap (ap} \\
& \quad (\text{c\_2Epair\_2E\_2C } A_{27a} A_{27b}) V2a) V3b))) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\ & (2^{A\_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN \\ & A\_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c\_2Ebool\_2EIN A\_27a) V2x) V1t))))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0f \in ((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}). (\forall V1v \in \\ & A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN A\_27a) V1v) (ap (c\_2Epred\_set\_2EGSPEC \\ & A\_27a\ A\_27b) V0f))) \Leftrightarrow (\exists V2x \in A\_27b. ((ap (ap (c\_2Epair\_2E\_2C \\ & A\_27a\ 2) V1v) c\_2Ebool\_2ET) = (ap V0f V2x)))))) \end{aligned} \quad (43)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (p (ap (ap (c\_2Ebool\_2EIN A\_27a) V0x) (c\_2Epred\_set\_2EUNIV A\_27a)))) \quad (44)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\ & (2^{A\_27a}). (\forall V2x \in A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN A\_27a) \\ & V2x) (ap (ap (c\_2Epred\_set\_2EINTER A\_27a) V0s) V1t))) \Leftrightarrow ((p (ap \\ & (ap (c\_2Ebool\_2EIN A\_27a) V2x) V0s)) \wedge (p (ap (ap (c\_2Ebool\_2EIN \\ & A\_27a) V2x) V1t)))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0f \in (A\_27b^{A\_27a}). (\forall V1P \in (2^{A\_27a}). (\forall V2Q \in \\ & (2^{A\_27b}). ((p (ap (ap (c\_2Ebool\_2EIN (A\_27b^{A\_27a}) V0f) (ap (ap \\ & (c\_2Epred\_set\_2EFUNSET A\_27a\ A\_27b) V1P) V2Q))) \Leftrightarrow (\forall V3x \in \\ & A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN A\_27a) V3x) V1P)) \Rightarrow (p (ap (ap (c\_2Ebool\_2EIN \\ & A\_27b) (ap V0f V3x) V2Q)))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0x \in A\_27a. (\forall V1f \in ((2^{A\_27a})^{A\_27b}). (\forall V2s \in \\ & (2^{A\_27b}). ((p (ap (ap (c\_2Ebool\_2EIN A\_27a) V0x) (ap (c\_2Epred\_set\_2EBIGINTER \\ & A\_27a) (ap (ap (c\_2Epred\_set\_2EIMAGE A\_27b (2^{A\_27a}) V1f) V2s)))) \Leftrightarrow \\ & (\forall V3y \in A\_27b. ((p (ap (ap (c\_2Ebool\_2EIN A\_27b) V3y) V2s)) \Rightarrow \\ & (p (ap (ap (c\_2Ebool\_2EIN A\_27a) V0x) (ap V1f V3y)))))) \end{aligned} \quad (47)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (48)$$



Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (49)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (50)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (51)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (52)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (53)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (54)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (55)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (56)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (57)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (58)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (59)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (60)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (61)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (62)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a. \text{nonempty } A\_27a \Rightarrow (\forall V0f \in (\text{ty\_2Eextreal\_2Eextreal}^{A\_27a}). \\ & \quad (\forall V1a \in (\text{ty\_2Epair\_2Eprod } (2^{A\_27a}) (2^{(2^{A\_27a})}))). (( \\ & \quad \quad p (\text{ap } (\text{ap } (\text{c\_2Ebool\_2EIN } (\text{ty\_2Eextreal\_2Eextreal}^{A\_27a})) V0f) \\ & \quad \quad (\text{ap } (\text{ap } (\text{c\_2Emeasure\_2Emeasurable } A\_27a \text{ ty\_2Eextreal\_2Eextreal} \\ & \quad \quad V1a) \text{ c\_2Emeasure\_2EBorel}))) \Rightarrow (p (\text{ap } (\text{ap } (\text{c\_2Ebool\_2EIN } (2^{A\_27a}) \\ & \quad \quad (\text{ap } (\text{ap } (\text{c\_2Epred\_set\_2EINTER } A\_27a) (\text{ap } (\text{c\_2Epred\_set\_2EGSPEC} \\ & \quad \quad A\_27a A\_27a) (\lambda V2x \in A\_27a. (\text{ap } (\text{ap } (\text{c\_2Epair\_2E\_2C } A\_27a 2) \\ & \quad \quad V2x) (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } \text{ty\_2Eextreal\_2Eextreal}) (\text{ap } V0f V2x)) \\ & \quad \quad \text{c\_2Eextreal\_2ENegInf})))))) (\text{ap } (\text{c\_2Emeasure\_2Espace } A\_27a V1a))) \\ & \quad \quad (\text{ap } (\text{c\_2Emeasure\_2Esubsets } A\_27a V1a)))))) \end{aligned}$$