

thm_2Emeasure_2EMEASURABLE_BIGUNION_PROPERTY (TMHz3ESiyPhTXxwkRjsBAQd5VT57vdxLpxP)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2EF$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2EF$

Definition 7 We define $c_2Ebool_2E_2IN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 8 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Definition 9 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2E_2ET)$.

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 11 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A$

Definition 12 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) then (the (\lambda x.x \in A \wedge$ of type $\iota \Rightarrow \iota$.

Definition 13 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 14 We define $c_2Epred_set_2Ecountable$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_3F$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (2)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (3)$$

Definition 15 We define c_2Epair_2E2C to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ x\ y)$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2^{A_27b})}) \quad (4)$$

Definition 16 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EGSPEC\ A_27a\ 2^{A_27a})\ s\ t)$

Definition 17 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Let $c_2Emeasure_2Esubsets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Esubsets\ A_27a \in (2^{(2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})})})}) \quad (5)$$

Let $c_2Emeasure_2Espace : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Espace\ A_27a \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})})})) \quad (6)$$

Definition 18 We define $c_2Emeasure_2Esubset_class$ to be $\lambda A_27a : \iota.\lambda V0sp \in (2^{A_27a}).\lambda V1sts \in (2^{(2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})})})})$

Definition 19 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})})})})$

Definition 20 We define $c_2Ebool_2E5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ t1\ t2)))$

Definition 21 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EBIGUNION\ A_27a)\ s\ t)$

Definition 22 We define $c_2Emeasure_2Ealgebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})})})}))$

Definition 23 We define $c_2Emeasure_2Esigma_algebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})^{(ty_2Epair_2Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})})})}))$

Definition 24 We define $c_2Epred_set_2EFUNSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A_27a}).\lambda V1Q \in (2^{A_27b})$

Definition 25 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27b})$

Definition 26 We define $c_2Epred_set_2EPREIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27b})$

Assume the following.

$$True \quad (7)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (8)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (9) \end{aligned}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (10)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (12) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \quad (13) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0p \in (ty_2Epair_2Eprod \\ & (2^{A_27a}) (2^{(2^{A_27a})})). ((p\ (ap\ (c_2Emeasure_2Esigma_algebra \\ & A_27a)\ V0p)) \Leftrightarrow ((p\ (ap\ (ap\ (c_2Emeasure_2Esubset_class\ A_27a) \\ & (ap\ (c_2Emeasure_2Espace\ A_27a)\ V0p))\ (ap\ (c_2Emeasure_2Esubsets \\ & A_27a)\ V0p))) \wedge ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_27a})\ (c_2Epred_set_2EEMPTY \\ & A_27a))\ (ap\ (c_2Emeasure_2Esubsets\ A_27a)\ V0p))) \wedge ((\forall V1s \in \\ & (2^{A_27a}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_27a})\ V1s)\ (ap\ (c_2Emeasure_2Esubsets \\ & A_27a)\ V0p))) \Rightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_27a})\ (ap\ (ap\ (c_2Epred_set_2EDIFF \\ & A_27a)\ (ap\ (c_2Emeasure_2Espace\ A_27a)\ V0p))\ V1s)\ (ap\ (c_2Emeasure_2Esubsets \\ & A_27a)\ V0p)))))) \wedge (\forall V2c \in (2^{(2^{A_27a})}). ((p\ (ap\ (c_2Epred_set_2Ecountable \\ & (2^{A_27a})\ V2c)) \wedge (p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET\ (2^{A_27a}) \\ & V2c)\ (ap\ (c_2Emeasure_2Esubsets\ A_27a)\ V0p)))) \Rightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & (2^{A_27a})\ (ap\ (c_2Epred_set_2EBIGUNION\ A_27a)\ V2c))\ (ap\ (c_2Emeasure_2Esubsets \\ & A_27a)\ V0p)))))) \quad (14) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0f \in (A.27b^{A.27a}). (\forall V1P \in (2^{A.27a}). (\forall V2Q \in \\
& \quad (2^{A.27b}). ((p (ap (ap (c.2Ebool.2EIN (A.27b^{A.27a}) V0f) (ap (ap \\
& \quad (c.2Epred_set.2EFUNSET A.27a A.27b) V1P) V2Q))) \Leftrightarrow (\forall V3x \in \\
& \quad A.27a. ((p (ap (ap (c.2Ebool.2EIN A.27a) V3x) V1P)) \Rightarrow (p (ap (ap (c.2Ebool.2EIN \\
& \quad A.27b) (ap V0f V3x)) V2Q))))))))) \\
& \hspace{15em} (15)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0f \in (A.27b^{A.27a}). (\forall V1s \in (2^{(2^{A.27b})}). ((ap (\\
& \quad ap (c.2Epred_set.2EPREIMAGE A.27a A.27b) V0f) (ap (c.2Epred_set.2EBIGUNION \\
& \quad A.27b) V1s)) = (ap (c.2Epred_set.2EBIGUNION A.27a) (ap (ap (c.2Epred_set.2EIMAGE \\
& \quad (2^{A.27b}) (2^{A.27a})) (ap (c.2Epred_set.2EPREIMAGE A.27a A.27b) \\
& \quad V0f)) V1s)))))) \\
& \hspace{15em} (16)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0a \in (ty_2Epair_2Eprod (2^{A.27a}) (2^{(2^{A.27a})})). (\forall V1b \in \\
& \quad (ty_2Epair_2Eprod (2^{A.27b}) (2^{(2^{A.27b})})). (\forall V2f \in (A.27b^{A.27a}). \\
& \quad (((p (ap (c.2Emeasure.2Esigma_algebra A.27a) V0a)) \wedge ((p (ap (\\
& \quad c.2Emeasure.2Esigma_algebra A.27b) V1b)) \wedge ((p (ap (ap (c.2Ebool.2EIN \\
& \quad (A.27b^{A.27a}) V2f) (ap (ap (c.2Epred_set.2EFUNSET A.27a A.27b) \\
& \quad (ap (c.2Emeasure.2Espace A.27a) V0a)) (ap (c.2Emeasure.2Espace \\
& \quad A.27b) V1b)))))) \wedge (\forall V3s \in (2^{A.27b}). ((p (ap (ap (c.2Ebool.2EIN \\
& \quad (2^{A.27b}) V3s) (ap (c.2Emeasure.2Esubsets A.27b) V1b))) \Rightarrow (p (\\
& \quad ap (ap (c.2Ebool.2EIN (2^{A.27a}) (ap (ap (c.2Epred_set.2EPREIMAGE \\
& \quad A.27a A.27b) V2f) V3s)) (ap (c.2Emeasure.2Esubsets A.27a) V0a)))))) \Rightarrow \\
& \quad (\forall V4c \in (2^{(2^{A.27b})}). ((p (ap (ap (c.2Epred_set.2ESUBSET \\
& \quad (2^{A.27b}) V4c) (ap (c.2Emeasure.2Esubsets A.27b) V1b))) \Rightarrow ((ap \\
& \quad (ap (c.2Epred_set.2EPREIMAGE A.27a A.27b) V2f) (ap (c.2Epred_set.2EBIGUNION \\
& \quad A.27b) V4c)) = (ap (c.2Epred_set.2EBIGUNION A.27a) (ap (ap (c.2Epred_set.2EIMAGE \\
& \quad (2^{A.27b}) (2^{A.27a})) (ap (c.2Epred_set.2EPREIMAGE A.27a A.27b) \\
& \quad V2f)) V4c))))))))) \\
& \hspace{15em}
\end{aligned}$$