

thm_2Emeasure_2EMEASURE_COUNTABLE_INCREASING (TMXAc7pXt3Hr6W8oJ3s6RwKnqiwDMuRB7Fs)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ecombin_2EK$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.(\lambda V0x \in A.\lambda V1y \in A.\lambda V0x)$

Definition 3 We define $c_2Ecombin_2ES$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.(\lambda V0f \in ((A.\lambda c^{A-27b})^{A-27a}))$

Definition 4 We define $c_2Ecombin_2EI$ to be $\lambda A.\lambda a : \iota.(ap (ap (c_2Ecombin_2ES A.\lambda a (A.\lambda a^{A-27a})) A.\lambda a))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $c_2Emeasure_2Espace : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.\lambda a.nonempty A.\lambda a \Rightarrow c_2Emeasure_2Espace A.\lambda a \in ((2^{A-27a})^{(ty_2Epair_2Eprod (2^{A-27a}) (2^{2^{A-27a}}))}) \quad (2)$$

Definition 5 We define c_2Ebool_2EIN to be $\lambda A.\lambda a : \iota.(\lambda V0x \in A.\lambda V1f \in (2^{A-27a}).(ap V1f V0x))$

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 7 We define c_2Ebool_2EET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 8 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 9 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A.\lambda a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 10 We define $c_2Emeasure_2Esubset_class$ to be $\lambda A.\lambda a : \iota.\lambda V0sp \in (2^{A-27a}).\lambda V1sts \in (2^{2^{A-27a}})$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (3)$$

Let $c_2Emeasure_2Emeasure : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emeasure_2Emeasure\ A_27a \in (ty_2Erealax_2Ereal^{(2^{A_27a})})(ty_2Epair_2Eprod\ (2^{A_27a})\ (ty_2Epair_2Eprod\ (2^{(2^{A_27a})}))\ (ty_2Erealax_2Ereal^{(2^{A_27a})})) \quad (4)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (5)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (6)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (7)$$

Definition 11 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (8)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (9)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal_REP_CLASS}) \quad (10)$$

Definition 12 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge P\ x)) \text{ of type } \iota \Rightarrow \iota$.

Definition 13 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ (ty_2Erealax_2Ereal_REP_CLASS\ a)))$

Let $c_2Erealax_2Etreall_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (11)$$

Definition 14 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.(ap\ (c_2Erealax_2Etreall_lt\ T1\ T2))$

Definition 15 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 16 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E3D_3D_3E\ V0t)\ c_2Ebool_2E21))$

Definition 17 We define $c_Ereal_Ereal_lte$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal$

Let $c_Emeasure_Emeasurable_sets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_Emeasure_Emeasurable_sets \\ A_27a \in & ((2^{(2^{A_27a})})(ty_Epair_Eprod\ (2^{A_27a})\ (ty_Epair_Eprod\ (2^{(2^{A_27a})})\ (ty_Erealax_Ereal^{(2^{A_27a})})))) \end{aligned} \quad (12)$$

Definition 18 We define $c_Epred_set_EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_Ebool_EF)$.

Definition 19 We define $c_Ebool_E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_Ebool_E_21\ 2)\ (\lambda V2t \in 2$

Definition 20 We define $c_Emeasure_Epositive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_Epair_Eprod\ (2^{A_27a})\ (ty_Erealax_Ereal^{(2^{A_27a})}))$

Let $c_Emeasure_Em_space : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_Emeasure_Em_space\ A_27a \in \\ ((2^{A_27a})(ty_Epair_Eprod\ (2^{A_27a})\ (ty_Epair_Eprod\ (2^{(2^{A_27a})})\ (ty_Erealax_Ereal^{(2^{A_27a})})))) \end{aligned} \quad (13)$$

Let $c_Emeasure_Esubsets : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_Emeasure_Esubsets\ A_27a \in (\\ & (2^{(2^{A_27a})})(ty_Epair_Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))) \end{aligned} \quad (14)$$

Definition 21 We define $c_Ebool_E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_Ebool_E_21\ 2)\ (\lambda V2t \in 2$

Let $c_Epair_EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epair_EABS_prod \\ & A_27a\ A_27b \in ((ty_Epair_Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (15)$$

Definition 22 We define $c_Epair_E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2$

Let $c_Epred_set_EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epred_set_EGSPEC \\ & A_27a\ A_27b \in ((2^{A_27a})^{((ty_Epair_Eprod\ A_27a\ 2)^{A_27b})}) \end{aligned} \quad (16)$$

Definition 23 We define $c_Epred_set_EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2$

Definition 24 We define $c_Epred_set_EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2$

Definition 25 We define $c_Emeasure_Ealgebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_Epair_Eprod\ (2^{A_27a})\ (2^{(2^{A_27a})}))$

Definition 26 We define $c_Ecombin_Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g \in (A_27c^{A_27b})$

Definition 27 We define $c_Epred_set_EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_Ebool_E2ET)$.

Definition 28 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A-27a}).\lambda V1s \in$

Definition 29 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 30 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A-27a})}).(ap (c_2Epred_set_2E$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum})})^{(ty_2Epair_2Eprod ty_2Eenum_2Eenum)}) \quad (17)$$

Let $c_2Eenum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Eenum_2EREP_num \in (\omega^{ty_2Eenum_2Eenum}) \quad (18)$$

Let $c_2Eenum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Eenum_2ESUC_REP \in (\omega^{\omega}) \quad (19)$$

Definition 31 We define c_2Eenum_2ESUC to be $\lambda V0m \in ty_2Eenum_2Eenum.(ap c_2Eenum_2EABS_num$

Definition 32 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Definition 33 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Definition 34 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Let $c_2Erealax_2Etreal_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_neg \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}) \quad (20)$$

Let $c_2Erealax_2Etreal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_eq \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}) \quad (21)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal^{(2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})}) \quad (22)$$

Definition 35 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)$

Definition 36 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap c_2Erealax_2Ereal$

Let $c_2Erealax_2Etreal_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_add \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}) \quad (23)$$

Definition 37 We define $c_2Erealx_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealx_2Ereal.\lambda V1T2 \in ty_2Erealx_2Ereal$

Definition 38 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealx_2Ereal.\lambda V1y \in ty_2Erealx_2Ereal$

Definition 39 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 40 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealx_2Ereal.(ap (ap (ap (c_2Ebool_2ECOND$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \end{aligned} \quad (24)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \end{aligned} \quad (25)$$

Definition 41 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27a}$

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Emetric_2Emetric\ A0) \quad (26)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Emetric\ A_27a \in ((ty_2Emetric_2Emetric \\ A_27a)^{(ty_2Erealx_2Ereal)^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}}) \end{aligned} \quad (27)$$

Definition 42 We define $c_2Emetric_2Emr1$ to be $(ap (c_2Emetric_2Emetric\ ty_2Erealx_2Ereal) (ap (c$

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Edist\ A_27a \in ((ty_2Erealx_2Ereal)^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}) \quad (28)$$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (29)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Etopology_2Etopology\ A_27a \in \\ ((ty_2Etopology_2Etopology\ A_27a)^{(2^{(2^{A_27a})})}) \end{aligned} \quad (30)$$

Definition 43 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric\ A_27a).(ap$

Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Enets_2Etends \\ & A_27a\ A_27b \in (((2^{ty_2Epair_2Eprod\ (ty_2Etopology_2Etopology\ A_27a)\ (2^{A_27b})^{A_27b}}))_{A_27a})_{(A_27a)^{A_27b}}) \end{aligned} \quad (31)$$

Definition 44 We define $c_2Eseq_2E_2D_2D_3E$ to be $\lambda V0x \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).\lambda V1x$

Definition 45 We define c_2Eseq_2Esums to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).\lambda V1s \in ty_2E$

Definition 46 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2E$

Definition 47 We define $c_2Epred_set_2EDISJOINT$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2E$

Definition 48 We define $c_2Epred_set_2EFUNSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A_27a}).\lambda V1Q \in (2^{A_27b})$

Definition 49 We define $c_2Emeasure_2Ecountably_additive$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A_27a})^{2^{A_27a}})$

Definition 50 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b)^{A_27a}.\lambda V1s \in (2^{A_27a})$

Definition 51 We define $c_2Epred_set_2Ecountable$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap\ (c_2Ebool_2E3F$

Definition 52 We define $c_2Emeasure_2Esigma_algebra$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Epair_2Eprod\ (2^{A_27a})^{2^{A_27a}})$

Definition 53 We define $c_2Emeasure_2Emeasure_space$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Epair_2Eprod\ (2^{A_27a})^{2^{A_27a}})$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (32)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.((ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ c_2Enum_2E0) = V0m)) \quad (33)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ & (ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V1n)\ V0m)))) \end{aligned} \quad (34)$$

Assume the following.

$$True \quad (35)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (37)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (38)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (39)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \wedge (p V1t2) \wedge (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \quad (40)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (41)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (42)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (43)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (44)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (45)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (46)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (47)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0f \in (A_27b^{A_27a}).(\forall V1g \in (A_27b^{A_27a}).((V0f = \\ V1g) \Leftrightarrow (\forall V2x \in A_27a.((ap\ V0f\ V2x) = (ap\ V1g\ V2x)))))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ p\ V0t)))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\neg(\forall V1x \in \\ A_27a.(p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\exists V2x \in A_27a.(\neg(p\ (ap\ V0P\ V2x)))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\neg(\exists V1x \in \\ A_27a.(p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\forall V2x \in A_27a.(\neg(p\ (ap\ V0P\ V2x)))))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in \\ (2^{A_27a}).((\exists V2x \in A_27a.((p\ (ap\ V0P\ V2x)) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow \\ ((\exists V3x \in A_27a.(p\ (ap\ V0P\ V3x))) \vee (\exists V4x \in A_27a.(p\ (\\ ap\ V1Q\ V4x))))))) \end{aligned} \quad (52)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (\\ 2^{A_27a}).(((p\ V0P) \vee (\exists V2x \in A_27a.(p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\exists V3x \in \\ A_27a.((p\ V0P) \vee (p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (53)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (\\ 2^{A_27a}).((\exists V2x \in A_27a.((p\ V0P) \wedge (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p \\ V0P) \wedge (\exists V3x \in A_27a.(p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (\\ 2^{A_27a}).((\forall V2x \in A_27a.((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p \\ V0P) \vee (\forall V3x \in A_27a.(p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (55)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee (\\ (p\ V1B) \vee (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \end{aligned} \quad (56)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (57)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee \neg(p V1B)))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge \neg(p V1B)))))))) \quad (58)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (59)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (60)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0P \in (2^{A_{27a}}).(\forall V1a \in A_{27a}.((\exists V2x \in A_{27a}.((V2x = V1a) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))))) \quad (61)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow (\forall V0P \in ((2^{A_{27b}})^{A_{27a}}).((\forall V1x \in A_{27a}.(\exists V2y \in A_{27b}.(p (ap (ap V0P V1x) V2y)))) \Leftrightarrow (\exists V3f \in (A_{27b}^{A_{27a}}).(\forall V4x \in A_{27a}.(p (ap (ap V0P V4x) (ap V3f V4x)))))))) \quad (62)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \forall A_{27c}.nonempty A_{27c} \Rightarrow (\forall V0f \in (A_{27b}^{A_{27a}}).(\forall V1g \in (A_{27a}^{A_{27c}}).(\forall V2x \in A_{27c}.((ap (ap (ap (c.2Ecombin_2Eo A_{27c} A_{27b} A_{27a}) V0f) V1g) V2x) = (ap V0f (ap V1g V2x)))))) \quad (63)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in A_{27a}.((ap (c.2Ecombin_2EI A_{27a}) V0x) = V0x)) \quad (64)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in (2^{A_{27a}}).(\forall V1y \in (2^{(2^{A_{27a}})}).((ap (c.2Emeasure_2Espace A_{27a}) (ap (ap (c.2Epair_2E_2C (2^{A_{27a}}) (2^{(2^{A_{27a}})})) V0x) V1y)) = V0x))) \quad (65)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in (2^{A.27a}).(\forall V1y \in \\ (2^{(2^{A.27a})}).((ap\ (c.2Emeasure.2Esubsets\ A.27a)\ (ap\ (ap\ (c.2Epair.2E.2C \\ (2^{A.27a})\ (2^{(2^{A.27a})}))\ V0x)\ V1y)) = V1y))) \end{aligned} \quad (66)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a \in (ty.2Epair.2Eprod \\ (2^{A.27a})\ (2^{(2^{A.27a})})).(\forall V1s \in (2^{A.27a}).(\forall V2t \in \\ (2^{A.27a}).(((p\ (ap\ (c.2Emeasure.2Ealgebra\ A.27a)\ V0a)) \wedge (p\ (\\ ap\ (ap\ (c.2Ebool.2EIN\ (2^{A.27a})\ V1s)\ (ap\ (c.2Emeasure.2Esubsets \\ A.27a)\ V0a))) \wedge (p\ (ap\ (ap\ (c.2Ebool.2EIN\ (2^{A.27a})\ V2t)\ (ap\ (c.2Emeasure.2Esubsets \\ A.27a)\ V0a)))))) \Rightarrow (p\ (ap\ (ap\ (c.2Ebool.2EIN\ (2^{A.27a})\ (ap\ (ap\ (c.2Epred_set.2EDIFF \\ A.27a)\ V1s)\ V2t))\ (ap\ (c.2Emeasure.2Esubsets\ A.27a)\ V0a)))))) \end{aligned} \quad (67)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0m \in (ty.2Epair.2Eprod \\ (2^{A.27a})\ (ty.2Epair.2Eprod\ (2^{(2^{A.27a})})\ (ty.2Erealax.2Ereal^{(2^{A.27a})}))). \\ (\forall V1s \in (2^{A.27a}).(\forall V2f \in ((2^{A.27a})\ ty.2Enum.2Enum). \\ (((p\ (ap\ (c.2Emeasure.2Ecountably_additive\ A.27a)\ V0m)) \wedge ((\\ p\ (ap\ (ap\ (c.2Ebool.2EIN\ ((2^{A.27a})\ ty.2Enum.2Enum))\ V2f)\ (ap\ (\\ ap\ (c.2Epred_set.2EFUNSET\ ty.2Enum.2Enum\ (2^{A.27a})\ (c.2Epred_set.2EUNIV \\ ty.2Enum.2Enum))\ (ap\ (c.2Emeasure.2Emeasurable_sets\ A.27a) \\ V0m)))))) \wedge ((\forall V3m \in ty.2Enum.2Enum.(\forall V4n \in ty.2Enum.2Enum. \\ ((\neg(V3m = V4n)) \Rightarrow (p\ (ap\ (ap\ (c.2Epred_set.2EDISJOINT\ A.27a)\ (ap \\ V2f\ V3m))\ (ap\ V2f\ V4n)))))) \wedge ((V1s = (ap\ (c.2Epred_set.2EBIGUNION \\ A.27a)\ (ap\ (ap\ (c.2Epred_set.2EIMAGE\ ty.2Enum.2Enum\ (2^{A.27a}) \\ V2f)\ (c.2Epred_set.2EUNIV\ ty.2Enum.2Enum)))))) \wedge (p\ (ap\ (ap\ (c.2Ebool.2EIN \\ (2^{A.27a})\ V1s)\ (ap\ (c.2Emeasure.2Emeasurable_sets\ A.27a)\ V0m)))))) \Rightarrow \\ (p\ (ap\ (ap\ c.2Eseq.2Esums\ (ap\ (ap\ (c.2Ecombin.2Eo\ ty.2Enum.2Enum \\ ty.2Erealax.2Ereal\ (2^{A.27a})\ (ap\ (c.2Emeasure.2Emeasure\ A.27a) \\ V0m))\ V2f))\ (ap\ (ap\ (c.2Emeasure.2Emeasure\ A.27a)\ V0m)\ V1s)))))) \end{aligned} \quad (68)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a \in (ty.2Epair.2Eprod \\ (2^{A.27a})\ (2^{(2^{A.27a})})).(\forall V1c \in (2^{(2^{A.27a})}).(((p\ (\\ ap\ (c.2Emeasure.2Esigma_algebra\ A.27a)\ V0a)) \wedge ((p\ (ap\ (c.2Epred_set.2Ecountable \\ (2^{A.27a})\ V1c)) \wedge (p\ (ap\ (ap\ (c.2Epred_set.2ESUBSET\ (2^{A.27a}) \\ V1c)\ (ap\ (c.2Emeasure.2Esubsets\ A.27a)\ V0a)))))) \Rightarrow (p\ (ap\ (ap\ (c.2Ebool.2EIN \\ (2^{A.27a})\ (ap\ (c.2Epred_set.2EBIGUNION\ A.27a)\ V1c))\ (ap\ (c.2Emeasure.2Esubsets \\ A.27a)\ V0a)))))) \end{aligned} \quad (69)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A-27a}) (ty_2Epair_2Eprod (2^{(2^{A-27a})}) (ty_2Erealax_2Ereal(2^{A-27a}))))). \\
& ((p (ap (c_2Emeasure_2Emeasure_space\ A.27a)\ V0m)) \Rightarrow ((ap (ap (\\
& c_2Emeasure_2Emeasure\ A.27a)\ V0m) (c_2Epred_set_2EEMPTY\ A.27a)) = \\
& (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)))) \\
\end{aligned} \tag{70}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A-27a}) (ty_2Epair_2Eprod (2^{(2^{A-27a})}) (ty_2Erealax_2Ereal(2^{A-27a}))))). \\
& (\forall V1s \in (2^{A-27a}). (\forall V2t \in (2^{A-27a}). (\forall V3u \in \\
& (2^{A-27a}). (((p (ap (c_2Emeasure_2Emeasure_space\ A.27a)\ V0m)) \wedge \\
& ((p (ap (ap (c_2Ebool_2EIN (2^{A-27a})\ V1s) (ap (c_2Emeasure_2Emeasurable_sets \\
& A.27a)\ V0m))) \wedge ((p (ap (ap (c_2Ebool_2EIN (2^{A-27a})\ V2t) (ap (c_2Emeasure_2Emeasurable_sets \\
& A.27a)\ V0m))) \wedge ((p (ap (ap (c_2Epred_set_2EDISJOINT\ A.27a)\ V1s) \\
& V2t)) \wedge (V3u = (ap (ap (c_2Epred_set_2EUNION\ A.27a)\ V1s)\ V2t)))))) \Rightarrow \\
& ((ap (ap (c_2Emeasure_2Emeasure\ A.27a)\ V0m)\ V3u) = (ap (ap\ c_2Erealax_2Ereal_add \\
& (ap (ap (c_2Emeasure_2Emeasure\ A.27a)\ V0m)\ V1s) (ap (ap (c_2Emeasure_2Emeasure \\
& A.27a)\ V0m)\ V2t))))))))) \\
\end{aligned} \tag{71}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty_2Enum_2Enum}). (((p (ap\ V0P\ c_2Enum_2E0)) \wedge \\
& (\forall V1n \in ty_2Enum_2Enum. ((p (ap\ V0P\ V1n)) \Rightarrow (p (ap\ V0P\ (ap\ c_2Enum_2ESUC \\
& V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum. (p (ap\ V0P\ V2n)))))) \\
\end{aligned} \tag{72}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \forall V0x \in A.27a. (\forall V1y \in A.27b. (\forall V2a \in A.27a. (\forall V3b \in \\
& A.27b. (((ap (ap (c_2Epair_2E_2C\ A.27a\ A.27b)\ V0x)\ V1y) = (ap (ap \\
& (c_2Epair_2E_2C\ A.27a\ A.27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \\
\end{aligned} \tag{73}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A-27a}). (\forall V1t \in \\
& (2^{A-27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A.27a. ((p (ap (ap (c_2Ebool_2EIN \\
& A.27a)\ V2x)\ V0s)) \Leftrightarrow (p (ap (ap (c_2Ebool_2EIN\ A.27a)\ V2x)\ V1t)))))) \\
\end{aligned} \tag{74}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \forall V0f \in ((ty_2Epair_2Eprod\ A.27a\ 2)^{A-27b}). (\forall V1v \in \\
& A.27a. ((p (ap (ap (c_2Ebool_2EIN\ A.27a)\ V1v) (ap (c_2Epred_set_2EGSPEC \\
& A.27a\ A.27b)\ V0f))) \Leftrightarrow (\exists V2x \in A.27b. ((ap (ap (c_2Epair_2E_2C \\
& A.27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x)))))) \\
\end{aligned} \tag{75}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\neg (p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V0x) (c_2Epred_set_2EEMPTY\ A_27a)))))) \quad (76)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V0x) (c_2Epred_set_2EUNIV\ A_27a)))) \quad (77)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ (2^{A_27a}). (\forall V2x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V2x) (ap (ap (c_2Epred_set_2EUNION\ A_27a)\ V0s)\ V1t)))) \Leftrightarrow ((p (ap \\ (ap (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \vee (p (ap (ap (c_2Ebool_2EIN \\ A_27a)\ V2x)\ V1t))))))))) \quad (78) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ (2^{A_27a}). (\forall V2x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V2x) (ap (ap (c_2Epred_set_2EINTER\ A_27a)\ V0s)\ V1t)))) \Leftrightarrow ((p (ap \\ (ap (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \wedge (p (ap (ap (c_2Ebool_2EIN \\ A_27a)\ V2x)\ V1t))))))))) \quad (79) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ (2^{A_27a}). (\forall V2x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V2x) (ap (ap (c_2Epred_set_2EDIFF\ A_27a)\ V0s)\ V1t)))) \Leftrightarrow ((p (ap (\\ (ap (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \wedge (\neg (p (ap (ap (c_2Ebool_2EIN \\ A_27a)\ V2x)\ V1t))))))))) \quad (80) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0g \in ((2^{A_27a})^{ty_2Enum_2Enum}). \\ (\forall V1f \in ((2^{A_27a})^{ty_2Enum_2Enum}). (\forall V2m \in ty_2Enum_2Enum. \\ (\forall V3n \in ty_2Enum_2Enum. ((\forall V4n \in ty_2Enum_2Enum. \\ (p (ap (ap (c_2Epred_set_2ESUBSET\ A_27a)\ (ap\ V1f\ V4n)) (ap\ V1f\ (\\ ap\ c_2Enum_2ESUC\ V4n)))))) \wedge ((\forall V5n \in ty_2Enum_2Enum. ((ap \\ V0g\ V5n) = (ap (ap (c_2Epred_set_2EDIFF\ A_27a)\ (ap\ V1f\ (ap\ c_2Enum_2ESUC \\ V5n))) (ap\ V1f\ V5n)))))) \wedge (\neg (V2m = V3n)))) \Rightarrow (p (ap (ap (c_2Epred_set_2EDISJOINT \\ A_27a)\ (ap\ V0g\ V2m)) (ap\ V0g\ V3n)))))) \quad (81) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0y \in A_27b. (\forall V1s \in (2^{A_27a}). (\forall V2f \in (A_27b^{A_27a}). \\ ((p (ap (ap (c_2Ebool_2EIN\ A_27b)\ V0y) (ap (ap (c_2Epred_set_2EIMAGE \\ A_27a\ A_27b)\ V2f)\ V1s)))) \Leftrightarrow (\exists V3x \in A_27a. ((V0y = (ap\ V2f\ V3x)) \wedge \\ (p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V3x)\ V1s)))))) \quad (82) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in (A_27b^{A_27a}).(\forall V1P \in (2^{A_27a}).(\forall V2Q \in \\ & \quad (2^{A_27b}).((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (A_27b^{A_27a})\ V0f)\ (ap\ (ap \\ & \quad (c_2Epred_set_2EFUNSET\ A_27a\ A_27b)\ V1P)\ V2Q))) \Leftrightarrow (\forall V3x \in \\ & \quad A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V3x)\ V1P)) \Rightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & \quad A_27b)\ (ap\ V0f\ V3x))\ V2Q))))))))) \end{aligned} \quad (83)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1sos \in \\ & \quad (2^{(2^{A_27a})}).((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ (ap\ (c_2Epred_set_2EBIGUNION \\ & \quad A_27a)\ V1sos))) \Leftrightarrow (\exists V2s \in (2^{A_27a}).((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & \quad A_27a)\ V0x)\ V2s)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_27a})\ V2s)\ V1sos))))))))) \end{aligned} \quad (84)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in (A_27a^{ty_2Enum_2Enum}). \\ & \quad (\forall V1s \in (2^{ty_2Enum_2Enum}).(p\ (ap\ (c_2Epred_set_2Ecountable \\ & \quad A_27a)\ (ap\ (ap\ (c_2Epred_set_2EIMAGE\ ty_2Enum_2Enum\ A_27a)\ V0f) \\ & \quad V1s)))))) \end{aligned} \quad (85)$$

Assume the following.

$$\begin{aligned} & ((\forall V0n \in ty_2Enum_2Enum.(\forall V1f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). \\ & \quad ((ap\ (ap\ c_2Ereal_2Esum\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum \\ & \quad ty_2Enum_2Enum)\ V0n)\ c_2Enum_2E0))\ V1f) = (ap\ c_2Ereal_2Ereal_of_num \\ & \quad c_2Enum_2E0)))) \wedge (\forall V2n \in ty_2Enum_2Enum.(\forall V3m \in \\ & \quad ty_2Enum_2Enum.(\forall V4f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). \\ & \quad ((ap\ (ap\ c_2Ereal_2Esum\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum \\ & \quad ty_2Enum_2Enum)\ V2n)\ (ap\ c_2Enum_2ESUC\ V3m)))\ V4f) = (ap\ (ap\ c_2Erealax_2Ereal_add \\ & \quad (ap\ (ap\ c_2Ereal_2Esum\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum \\ & \quad ty_2Enum_2Enum)\ V2n)\ V3m))\ V4f))\ (ap\ V4f\ (ap\ (ap\ c_2Earithmetric_2E_2B \\ & \quad V2n)\ V3m))))))))) \end{aligned} \quad (86)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (87)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (88)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (89)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (90)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (91)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (92)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (93)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (94)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (95)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (96)$$

Theorem 1

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0m \in (ty_2Epair_2Eprod \\
& (2^{A_{.27a}}) (ty_2Epair_2Eprod (2^{(2^{A_{.27a}})}) (ty_2Erealax_2Ereal(2^{A_{.27a}}))))). \\
& (\forall V1s \in (2^{A_{.27a}}).(\forall V2f \in ((2^{A_{.27a}})^{ty_2Enum_2Enum}). \\
& (((p (ap (c_2Emeasure_2Emeasure_space\ A_{.27a})\ V0m)) \wedge (p (ap (\\
& ap (c_2Ebool_2EIN ((2^{A_{.27a}})^{ty_2Enum_2Enum}))\ V2f) (ap (ap (c_2Epred_set_2EFUNSET \\
& ty_2Enum_2Enum (2^{A_{.27a}})) (c_2Epred_set_2EUNIV\ ty_2Enum_2Enum))) \\
& (ap (c_2Emeasure_2Emeasurable_sets\ A_{.27a})\ V0m)))) \wedge (((ap\ V2f \\
& c_2Enum_2E0) = (c_2Epred_set_2EEMPTY\ A_{.27a})) \wedge ((\forall V3n \in \\
& ty_2Enum_2Enum.(p (ap (ap (c_2Epred_set_2ESUBSET\ A_{.27a}) (ap \\
& V2f\ V3n)) (ap\ V2f (ap\ c_2Enum_2ESUC\ V3n)))))) \wedge (V1s = (ap (c_2Epred_set_2EBIGUNION \\
& A_{.27a}) (ap (ap (c_2Epred_set_2EIMAGE\ ty_2Enum_2Enum (2^{A_{.27a}})) \\
& V2f) (c_2Epred_set_2EUNIV\ ty_2Enum_2Enum))))))))) \Rightarrow (p (ap (ap \\
& c_2Eseq_2E_2D_2D_3E (ap (ap (c_2Ecombin_2Eo\ ty_2Enum_2Enum\ ty_2Erealax_2Ereal \\
& (2^{A_{.27a}})) (ap (c_2Emeasure_2Emeasure\ A_{.27a})\ V0m))\ V2f)) (ap (\\
& ap (c_2Emeasure_2Emeasure\ A_{.27a})\ V0m)\ V1s))))))
\end{aligned}$$