

thm\_2Emeasure\_2EMEASURE\_PRESERVING\_SUBSET  
 (TMXsDdPrhLLHnJxKtBrGgNNVhGxvr-  
 PQU5eo)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p (ap P x)))$  of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A\_27a))))$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $c\_2Emeasure\_2Emeasure : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Emeasure\ A\_27a \in (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27a})}))\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})) \tag{3}$$

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (c\_2Emin\_2E\_3D (2^{A\_27a}))))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (4)$$

**Definition 8** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2E$

Let  $c\_2Emeasure\_2Em\_space : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Em\_space\ A\_27a \in \\ ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})))) \end{aligned} \quad (5)$$

**Definition 9** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2^{A\_27b})}) \end{aligned} \quad (6)$$

**Definition 10** We define  $c\_2Epred\_set\_2EPREIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V$

**Definition 11** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_$

Let  $c\_2Emeasure\_2Emeasurable\_sets : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Emeasurable\_sets \\ A\_27a \in ((2^{(2^{A\_27a})})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})})))) \end{aligned} \quad (7)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (8)$$

**Definition 12** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EET)$ .

**Definition 13** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in$

**Definition 14** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a})}).(ap\ (c\_2Epred\_s$

**Definition 15** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in (A\_27b^{A\_27c}).\lambda V1$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (9)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (10)$$

**Definition 16** We define  $c\_Enum\_E0$  to be  $(ap\ c\_Enum\_EABS\_num\ c\_Enum\_EZERO\_REP)$ .

Let  $c\_Ereal\_Esum : \iota$  be given. Assume the following.

$$c\_Ereal\_Esum \in ((ty\_Erealax\_Ereal^{(ty\_Erealax\_Ereal^{ty\_Enum\_Enum})})^{(ty\_Epair\_Eprod\ ty\_Enum\_Enum)}) \quad (11)$$

**Definition 17** We define  $c\_Ebool\_EF$  to be  $(ap\ (c\_Ebool\_E21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 18** We define  $c\_Ebool\_E7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_Emin\_E3D\_3D\_3E\ V0t)\ c\_Ebool\_E21))$

Let  $c\_Enum\_EREP\_num : \iota$  be given. Assume the following.

$$c\_Enum\_EREP\_num \in (\omega^{ty\_Enum\_Enum}) \quad (12)$$

Let  $c\_Enum\_ESUC\_REP : \iota$  be given. Assume the following.

$$c\_Enum\_ESUC\_REP \in (\omega^{\omega}) \quad (13)$$

**Definition 19** We define  $c\_Enum\_ESUC$  to be  $\lambda V0m \in ty\_Enum\_Enum.(ap\ c\_Enum\_EABS\_num\ m)$

**Definition 20** We define  $c\_Eprim\_rec\_E3C$  to be  $\lambda V0m \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum$

**Definition 21** We define  $c\_Earithmic\_E3E$  to be  $\lambda V0m \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum$

**Definition 22** We define  $c\_Ebool\_E5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_Ebool\_E21\ 2)\ (\lambda V2t \in 2.V2t))))$

**Definition 23** We define  $c\_Earithmic\_E3E\_3D$  to be  $\lambda V0m \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum$

Let  $ty\_Ehreal\_Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_Ehreal\_Ehreal \quad (14)$$

Let  $c\_Erealax\_Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_Erealax\_Ereal\_REP\_CLASS \in ((2^{(ty\_Epair\_Eprod\ ty\_Ehreal\_Ehreal\ ty\_Ehreal\_Ehreal)})^{(ty\_Erealax\_Ereal\_REP\_CLASS)}) \quad (15)$$

**Definition 24** We define  $c\_Erealax\_Ereal\_REP$  to be  $\lambda V0a \in ty\_Erealax\_Ereal.(ap\ (c\_Emin\_E40\ t)\ a)$

Let  $c\_Erealax\_Etrealm\_neg : \iota$  be given. Assume the following.

$$c\_Erealax\_Etrealm\_neg \in ((ty\_Epair\_Eprod\ ty\_Ehreal\_Ehreal\ ty\_Ehreal\_Ehreal)^{(ty\_Epair\_Eprod\ ty\_Ehreal\_Ehreal\ ty\_Ehreal\_Ehreal)}) \quad (16)$$

Let  $c\_Erealax\_Etrealm\_eq : \iota$  be given. Assume the following.

$$c\_Erealax\_Etrealm\_eq \in ((2^{(ty\_Epair\_Eprod\ ty\_Ehreal\_Ehreal\ ty\_Ehreal\_Ehreal)})^{(ty\_Epair\_Eprod\ ty\_Ehreal\_Ehreal\ ty\_Ehreal\_Ehreal)}) \quad (17)$$

Let  $c\_Erealax\_Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_Erealax\_Ereal\_ABS\_CLASS \in (ty\_Erealax\_Ereal^{(2^{(ty\_Epair\_Eprod\ ty\_Ehreal\_Ehreal\ ty\_Ehreal\_Ehreal)})}) \quad (18)$$

**Definition 25** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 26** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal)$

Let  $c\_2Erealax\_2Ereal\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)} \quad (19)$$

**Definition 27** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 28** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Eenum\_2Eenum}) \quad (20)$$

Let  $c\_2Erealax\_2Ereal\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)} \quad (21)$$

**Definition 29** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 30** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 31** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 32** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (22)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (23)$$

**Definition 33** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27a$

Let  $ty\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Emetric\_2Emetric\ A0) \quad (24)$$

Let  $c\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Emetric\ A\_27a \in ((ty\_2Emetric\_2Emetric\ A\_27a)^{(ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})}) \quad (25)$$

**Definition 34** We define  $c\_2Emetric\_2Emr1$  to be  $(ap (c\_2Emetric\_2Emetric\ ty\_2Erealax\_2Ereal) (ap (c\_2Emetric\_2Edist : \iota \Rightarrow \iota)$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Edist\ A\_27a \in ((ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})) \quad (26)$$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (27)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^A-27a)})}) \quad (28)$$

**Definition 35** We define  $c\_2Emetric\_2Emtop$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Emetric\_2Emetric\ A\_27a).(ap (c\_2Enets\_2Etends : \iota \Rightarrow \iota \Rightarrow \iota)$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Enets\_2Etends\ A\_27a\ A\_27b \in (((2^{(ty\_2Epair\_2Eprod\ (ty\_2Etopology\_2Etopology\ A\_27a)\ (2^{A-27b})^{A-27b})}))_{A\_27a})(A\_27a^{A-27b}) \quad (29)$$

**Definition 36** We define  $c\_2Eseq\_2E\_2D\_2D\_3E$  to be  $\lambda V0x \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1x \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1s \in ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}.$

**Definition 37** We define  $c\_2Eseq\_2Esums$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1s \in ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}.$

**Definition 38** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF).$

**Definition 39** We define  $c\_2Epred\_set\_2EDISJOINT$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c\_2Ebool\_2EFUNSET).$

**Definition 40** We define  $c\_2Epred\_set\_2EFUNSET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0P \in (2^{A-27a}).\lambda V1Q \in (2^{A-27a}).(ap (c\_2Ebool\_2EFUNSET).$

**Definition 41** We define  $c\_2Emeasure\_2Ecountably\_additive$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod\ (2^{A-27a})\ (2^{(2^A-27a)})).$

**Definition 42** We define  $c\_2Emeasure\_2Epositive$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod\ (2^{A-27a})\ (2^{(2^A-27a)})).$

Let  $c\_2Emeasure\_2Esubsets : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Esubsets\ A\_27a \in ((2^{(2^A-27a)})^{(ty\_2Epair\_2Eprod\ (2^{A-27a})\ (2^{(2^A-27a)}))}) \quad (30)$$

**Definition 43** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c\_2Ebool\_2EFUNSET).$

**Definition 44** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A-27a}).\lambda V1s \in (A\_27b^{A-27a}).(ap (c\_2Ebool\_2EFUNSET).$

**Definition 45** We define  $c\_2Epred\_set\_2Ecountable$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (c\_2Ebool\_2E\_3F).$

**Definition 46** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c\_2Ebool\_2EFUNSET).$

Let  $c\_2Emeasure\_2Espace : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emeasure\_2Espace\ A\_27a \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})})})) \quad (31)$$

**Definition 47** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2E$

**Definition 48** We define  $c\_2Emeasure\_2Esubset\_class$  to be  $\lambda A\_27a : \iota.\lambda V0sp \in (2^{A\_27a}).\lambda V1sts \in (2^{(2^{A\_27a})})$

**Definition 49** We define  $c\_2Emeasure\_2Ealgebra$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))$

**Definition 50** We define  $c\_2Emeasure\_2Esigma\_algebra$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))$

**Definition 51** We define  $c\_2Emeasure\_2Emeasure\_space$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))$

**Definition 52** We define  $c\_2Emeasure\_2Emeasurable$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0a \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))$

**Definition 53** We define  $c\_2Emeasure\_2Emeasure\_preserving$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0m1 \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (2^{(2^{A\_27a})}))$

**Definition 54** We define  $c\_2Epred\_set\_2EBIGINTER$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a})}).(ap\ (c\_2Epred\_set\_2EDIFF\ A\_27a\ V0P))$

**Definition 55** We define  $c\_2Emeasure\_2Esigma$  to be  $\lambda A\_27a : \iota.\lambda V0sp \in (2^{A\_27a}).\lambda V1st \in (2^{(2^{A\_27a})}).(ap\ (c\_2Emeasure\_2Esubset\_class\ A\_27a\ V0sp\ V1st))$

Assume the following.

$$True \quad (32)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (33)$$

Assume the following.

$$(\forall V0t \in 2.(((p\ V0t) \Rightarrow False) \Rightarrow (\neg(p\ V0t)))) \quad (34)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (36)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (37)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (38)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (39)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\neg(\exists V1x \in A.27a. (p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A.27a. (\neg(p (ap V0P V2x)))))) \quad (40)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A.27a}). (\exists V2x \in A.27a. ((p V0P) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \wedge (\exists V3x \in A.27a. (p (ap V1Q V3x)))))) \quad (41)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee \neg(p V1B)))) \wedge (((\neg(p V0A) \vee (p V1B)) \Leftrightarrow ((\neg(p V0A) \wedge \neg(p V1B)))))) \quad (42)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (43)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x.27 \in 2. (\forall V2y \in 2. (\forall V3y.27 \in 2. (((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27)))))) \quad (44)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0m1 \in (ty\_2Epair\_2Eprod\ (2^{A\_27a})\ (ty\_2Epair\_2Eprod \\
& \quad (2^{(2^{A\_27a})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27a})}))). (\forall V1m2 \in \\
& \quad (ty\_2Epair\_2Eprod\ (2^{A\_27b})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27b})}) \\
& \quad \quad (ty\_2Erealax\_2Ereal^{(2^{A\_27b})}))). (\forall V2a \in (2^{(2^{A\_27b})}). \\
& \quad (\forall V3f \in (A\_27b^{A\_27a}). (((p\ (ap\ (c\_2Emeasure\_2Emeasure\_space \\
& \quad A\_27a)\ V0m1)) \wedge ((p\ (ap\ (c\_2Emeasure\_2Emeasure\_space\ A\_27b)\ V1m2)) \wedge \\
& \quad (((ap\ (c\_2Emeasure\_2Emeasurable\_sets\ A\_27b)\ V1m2) = (ap\ (c\_2Emeasure\_2Esubsets \\
& \quad A\_27b)\ (ap\ (ap\ (c\_2Emeasure\_2Esigma\ A\_27b)\ (ap\ (c\_2Emeasure\_2Em\_space \\
& \quad A\_27b)\ V1m2))\ V2a))) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (A\_27b^{A\_27a})\ V3f) \\
& \quad (ap\ (ap\ (c\_2Emeasure\_2Emeasure\_preserving\ A\_27a\ A\_27b)\ V0m1) \\
& \quad \quad (ap\ (ap\ (c\_2Epair\_2E\_2C\ (2^{A\_27b})\ (ty\_2Epair\_2Eprod\ (2^{(2^{A\_27b})}) \\
& \quad \quad \quad (ty\_2Erealax\_2Ereal^{(2^{A\_27b})}))))\ (ap\ (c\_2Emeasure\_2Em\_space \\
& \quad A\_27b)\ V1m2))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ (2^{(2^{A\_27b})})\ (ty\_2Erealax\_2Ereal^{(2^{A\_27b})}) \\
& \quad \quad V2a)\ (ap\ (c\_2Emeasure\_2Emeasure\ A\_27b)\ V1m2)))))) \Rightarrow (p\ (ap\ ( \\
& \quad ap\ (c\_2Ebool\_2EIN\ (A\_27b^{A\_27a})\ V3f)\ (ap\ (ap\ (c\_2Emeasure\_2Emeasure\_preserving \\
& \quad \quad A\_27a\ A\_27b)\ V0m1)\ V1m2))))))
\end{aligned} \tag{45}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{46}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))
\end{aligned} \tag{49}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ( \\
& \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{51}$$



Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge ( \\
& \neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{55}$$

### Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow \forall A.27b.nonempty \ A.27b \Rightarrow ( \\
& \forall V0m1 \in (ty\_2Epair\_2Eprod \ (2^{A.27a}) \ (ty\_2Epair\_2Eprod \\
& \ (2^{(2^{A.27a})}) \ (ty\_2Erealax\_2Ereal^{(2^{A.27a})}))). (\forall V1m2 \in \\
& (ty\_2Epair\_2Eprod \ (2^{A.27b}) \ (ty\_2Epair\_2Eprod \ (2^{(2^{A.27b})}) \\
& \ (ty\_2Erealax\_2Ereal^{(2^{A.27b})}))). (\forall V2a \in (2^{(2^{A.27b})})). \\
& (((p \ (ap \ (c.2Emeasure\_2Emeasure\_space \ A.27a) \ V0m1)) \wedge ((p \ (ap \\
& \ (c.2Emeasure\_2Emeasure\_space \ A.27b) \ V1m2)) \wedge ((ap \ (c.2Emeasure\_2Emeasurable\_sets \\
& \ A.27b) \ V1m2) = (ap \ (c.2Emeasure\_2Esubsets \ A.27b) \ (ap \ (ap \ (c.2Emeasure\_2Esigma \\
& \ A.27b) \ (ap \ (c.2Emeasure\_2Em\_space \ A.27b) \ V1m2)) \ V2a)))) \Rightarrow (p \\
& \ (ap \ (ap \ (c.2Epred\_set\_2ESUBSET \ (A.27b^{A.27a}) \ (ap \ (ap \ (c.2Emeasure\_2Emeasure\_preserving \\
& \ A.27a \ A.27b) \ V0m1) \ (ap \ (ap \ (c.2Epair\_2E.2C \ (2^{A.27b}) \ (ty\_2Epair\_2Eprod \\
& \ (2^{(2^{A.27b})}) \ (ty\_2Erealax\_2Ereal^{(2^{A.27b})})))) \ (ap \ (c.2Emeasure\_2Em\_space \\
& \ A.27b) \ V1m2)) \ (ap \ (ap \ (c.2Epair\_2E.2C \ (2^{(2^{A.27b})}) \ (ty\_2Erealax\_2Ereal^{(2^{A.27b})}))) \\
& \ V2a) \ (ap \ (c.2Emeasure\_2Emeasure \ A.27b) \ V1m2)))) \ (ap \ (ap \ (c.2Emeasure\_2Emeasure\_preserving \\
& \ A.27a \ A.27b) \ V0m1) \ V1m2))))))
\end{aligned}$$