

thm_2Emeasure_2ESUBSET__BIGINTER
(TMVCSYSadSXaYkAyMVUmhmyTM-
siMKLPw6uJ)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 4 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 6 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{2}$$

Definition 8 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Emin_2E_3D (2^{A_27a}))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \tag{3}$$

Definition 9 We define $c_2Epred_set_2EBIGINTER$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^A-27^a)}).(ap (c_2Epred_set_2EBIGINTER) V0P)$.

Definition 10 We define $c_2Ebool_2E21_2$ to be $(ap (c_2Ebool_2E21_2) (\lambda V0t \in 2.V0t))$.

Definition 11 We define $c_2Ebool_2E5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E21_2) (\lambda V2t \in 2.V2t)) V0t1) V1t2)$.

Definition 12 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E3D_3D_3E V0t) c_2Ebool_2E21_2) V0t)$.

Assume the following.

$$True \tag{4}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{5}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \tag{6}$$

Assume the following.

$$(\forall V0t \in 2.(((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \tag{7}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{8}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \tag{9}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A_27a}).((\forall V2x \in A_27a.((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A_27a.(p (ap V1P V3x)) \vee (p V0Q)))))) \tag{10}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \tag{11}$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \tag{12}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1B \in \\ & (2^{(2^{A-27a})}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a)\ V0x)\ (ap\ (c_2Epred_set_2EBIGINTER \\ & A.27a)\ V1B))) \Leftrightarrow (\forall V2P \in (2^{A-27a}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & (2^{A-27a})\ V2P)\ V1B)) \Rightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a)\ V0x)\ V2P)))))) \end{aligned} \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (14)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (17)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee (\neg(\\ & p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \vee (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge \\ & ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \Rightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (p\ V1q)) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge (\\ & \neg(p\ V1q)) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (((p\ V0p) \Leftrightarrow (\neg(p\ V1q))) \Leftrightarrow (((p\ V0p) \vee \\ & (p\ V1q)) \wedge ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))) \end{aligned} \quad (22)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (23)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (24)$$

Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0X \in (2^{A.27a}). (\forall V1P \in \\ & (2^{(2^{A.27a})}). ((p (ap (ap (c.2Epred_set_2ESUBSET A.27a) V0X) \\ & (ap (c.2Epred_set_2EBIGINTER A.27a) V1P))) \Leftrightarrow (\forall V2Y \in (2^{A.27a}). \\ & ((p (ap (ap (c.2Ebool_2EIN (2^{A.27a}) V2Y) V1P)) \Rightarrow (p (ap (ap (c.2Epred_set_2ESUBSET \\ & A.27a) V0X) V2Y)))))) \end{aligned}$$