

thm\_2Emergesort\_2Esort2\_\_sorted  
(TMQ7YKSSH5i2Qe9fDAXjoZ9oTedZd3YsUhY)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2))) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x)$

**Definition 3** We define `c_2Ebool_2E_21` to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A\_27a}))))$

**Definition 4** We define `c_2Ebool_2EF` to be  $(\text{ap } (\text{c\_2Ebool\_2E\_21 } 2)) (\lambda V0t \in 2. V0t)$ .

**Definition 5** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (P \Rightarrow Q)$  of type  $\iota$ .

**Definition 6** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2)) (\lambda V2t \in 2. V2t)))$

**Definition 7** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P \ x) \text{ then } (\lambda x. x \in A \wedge P \ x)$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define `c_2Ebool_2ECOND` to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (A\_27a \Rightarrow V2t2))))$

Let `ty_2Elist_2Elist` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty\_2Elist\_2Elist } A0) \quad (1)$$

Let `c_2Elist_2ENIL` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. \text{nonempty } A\_27a \Rightarrow \text{c\_2Elist\_2ENIL } A\_27a \in (\text{ty\_2Elist\_2Elist } A\_27a) \quad (2)$$

Let `c_2Elist_2ECONS` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. \text{nonempty } A\_27a \Rightarrow \text{c\_2Elist\_2ECONS } A\_27a \in (((\text{ty\_2Elist\_2Elist } A\_27a)^{(\text{ty\_2Elist\_2Elist } A\_27a)})^{A\_27a}) \quad (3)$$

**Definition 9** We define `c_2Emergesort_2Esort2` to be  $\lambda A\_27a : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). \lambda V1x \in A\_27a. \lambda V2y \in A\_27a. \text{if } (V0R \ x \ y) \text{ then } (V1x \ y)$



Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (13)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t1 \in A\_27a. (\forall V1t2 \in A\_27a. (((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) V0t1) V1t2) = V1t2)))))) \quad (14)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (15)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in 2. (((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (17)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (18)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (20)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (21)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (22)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\
& ((p\ (ap\ (ap\ (c\_2Esorting\_2ESORTED\ A\_27a)\ V0R)\ (c\_2Elist\_2ENIL \\
& A\_27a))) \Leftrightarrow True)) \wedge ((\forall V1x \in A\_27a. (\forall V2R \in ((2^{A\_27a})^{A\_27a}). \\
& ((p\ (ap\ (ap\ (c\_2Esorting\_2ESORTED\ A\_27a)\ V2R)\ (ap\ (ap\ (c\_2Elist\_2ECONS \\
& A\_27a)\ V1x)\ (c\_2Elist\_2ENIL\ A\_27a)))) \Leftrightarrow True))) \wedge (\forall V3y \in \\
& A\_27a. (\forall V4x \in A\_27a. (\forall V5rst \in (ty\_2Elist\_2Elist \\
& A\_27a). (\forall V6R \in ((2^{A\_27a})^{A\_27a}). ((p\ (ap\ (ap\ (c\_2Esorting\_2ESORTED \\
& A\_27a)\ V6R)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V4x)\ (ap\ (ap\ (c\_2Elist\_2ECONS \\
& A\_27a)\ V3y)\ V5rst)))) \Leftrightarrow ((p\ (ap\ (ap\ V6R\ V4x)\ V3y)) \wedge (p\ (ap\ (ap\ (c\_2Esorting\_2ESORTED \\
& A\_27a)\ V6R)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V3y)\ V5rst)))))))))) \\
& \hspace{15em} (23)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\
& (\forall V1x \in A\_27a. (\forall V2y \in A\_27a. ((p\ (ap\ (c\_2Erelation\_2Etotal \\
& A\_27a)\ V0R)) \Rightarrow (p\ (ap\ (ap\ (c\_2Esorting\_2ESORTED\ A\_27a)\ V0R)\ (ap\ ( \\
& ap\ (ap\ (c\_2Emergesort\_2Esort2\ A\_27a)\ V0R)\ V1x)\ V2y))))))
\end{aligned}$$