

thm_2Emergesort_2Esort2__tail__correct
(TMW NKU2PYkjas3GevmGonmUJSen7hHHh4aG)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 5 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 6 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 7 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{4}$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \tag{5}$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (6)$$

Let $c_2Elist_2EREVERSE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EREVERSE\ A_27a \in ((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)}) \quad (7)$$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (8)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (9)$$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p\ (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 10 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.$

Definition 11 We define $c_2Emergesort_2Esort2$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1x \in A_27a.\lambda$

Definition 12 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E$

Definition 13 We define $c_2Emergesort_2Esort2_tail$ to be $\lambda A_27a : \iota.\lambda V0neg \in 2.\lambda V1R \in ((2^{A_27a})^{A_27a}).$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (10)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (11)$$

Definition 14 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p V0t)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in \\ & A_27a. (((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) \\ & V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF \\ & V0t1) V1t2) = V1t2)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\
& (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\
& (\forall V5y_27 \in A_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\
& ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\
& V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27) \\
& V5y_27)))))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0l \in (ty_2Elist_2Elist \\
& A_27a). ((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ (c_2Elist_2ENIL\ A_27a)) \\
& V0l) = V0l) \wedge (\forall V1l1 \in (ty_2Elist_2Elist\ A_27a). (\forall V2l2 \in \\
& (ty_2Elist_2Elist\ A_27a). (\forall V3h \in A_27a. ((ap\ (ap\ (c_2Elist_2EAPPEND \\
& A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V3h)\ V1l1))\ V2l2) = (ap\ (ap \\
& (c_2Elist_2ECONS\ A_27a)\ V3h)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a) \\
& V1l1)\ V2l2)))))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (((ap\ (c_2Elist_2ELENGTH\ A_27a) \\
& (c_2Elist_2ENIL\ A_27a)) = c_2Enum_2E0) \wedge (\forall V0h \in A_27a. (\\
& \forall V1t \in (ty_2Elist_2Elist\ A_27a). ((ap\ (c_2Elist_2ELENGTH \\
& A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0h)\ V1t)) = (ap\ c_2Enum_2ESUC \\
& (ap\ (c_2Elist_2ELENGTH\ A_27a)\ V1t))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a0 \in A_27a. (\forall V1a1 \in \\
& (ty_2Elist_2Elist\ A_27a). (\forall V2a0_27 \in A_27a. (\forall V3a1_27 \in \\
& (ty_2Elist_2Elist\ A_27a). (((ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0a0) \\
& V1a1) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2a0_27)\ V3a1_27)) \Leftrightarrow ((V0a0 = \\
& V2a0_27) \wedge (V1a1 = V3a1_27))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow ((\forall V0l1 \in (ty_2Elist_2Elist \\
& \quad A_27a).(\forall V1l2 \in (ty_2Elist_2Elist A_27a).(\forall V2l1_27 \in \\
& \quad (ty_2Elist_2Elist A_27a).(\forall V3l2_27 \in (ty_2Elist_2Elist \\
& \quad A_27a).(((ap (c_2Elist_2ELENGTH A_27a) V0l1) = (ap (c_2Elist_2ELENGTH \\
& \quad A_27a) V2l1_27)) \Rightarrow (((ap (ap (c_2Elist_2EAPPEND A_27a) V0l1) V1l2) = \\
& \quad (ap (ap (c_2Elist_2EAPPEND A_27a) V2l1_27) V3l2_27))) \Leftrightarrow ((V0l1 = \\
& \quad V2l1_27) \wedge (V1l2 = V3l2_27)))))) \wedge (\forall V4l1 \in (ty_2Elist_2Elist \\
& \quad A_27a).(\forall V5l2 \in (ty_2Elist_2Elist A_27a).(\forall V6l1_27 \in \\
& \quad (ty_2Elist_2Elist A_27a).(\forall V7l2_27 \in (ty_2Elist_2Elist \\
& \quad A_27a).(((ap (c_2Elist_2ELENGTH A_27a) V5l2) = (ap (c_2Elist_2ELENGTH \\
& \quad A_27a) V7l2_27)) \Rightarrow (((ap (ap (c_2Elist_2EAPPEND A_27a) V4l1) V5l2) = \\
& \quad (ap (ap (c_2Elist_2EAPPEND A_27a) V6l1_27) V7l2_27))) \Leftrightarrow ((V4l1 = \\
& \quad V6l1_27) \wedge (V5l2 = V7l2_27)))))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (((ap (c_2Elist_2EREVERSE A_27a) \\
& \quad (c_2Elist_2ENIL A_27a)) = (c_2Elist_2ENIL A_27a)) \wedge (\forall V0h \in \\
& \quad A_27a.(\forall V1t \in (ty_2Elist_2Elist A_27a).((ap (c_2Elist_2EREVERSE \\
& \quad A_27a) (ap (ap (c_2Elist_2ECONS A_27a) V0h) V1t)) = (ap (ap (c_2Elist_2EAPPEND \\
& \quad A_27a) (ap (c_2Elist_2EREVERSE A_27a) V1t)) (ap (ap (c_2Elist_2ECONS \\
& \quad A_27a) V0h) (c_2Elist_2ENIL A_27a)))))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\
& \quad ((ap c_2Enum_2ESUC V0m) = (ap c_2Enum_2ESUC V1n)) \Leftrightarrow (V0m = V1n))))
\end{aligned} \tag{30}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0neg \in 2.(\forall V1R \in \\
& \quad ((2^{A_27a})^{A_27a}).(\forall V2x \in A_27a.(\forall V3y \in A_27a.((\\
& \quad ap (ap (ap (ap (c_2Emergesort_2Esort2_tail A_27a) V0neg) V1R) \\
& \quad V2x) V3y) = (ap (ap (ap (c_2Ebool_2ECOND (ty_2Elist_2Elist A_27a) \\
& \quad V0neg) (ap (c_2Elist_2EREVERSE A_27a) (ap (ap (ap (c_2Emergesort_2Esort2 \\
& \quad A_27a) V1R) V2x) V3y))) (ap (ap (ap (c_2Emergesort_2Esort2 A_27a) \\
& \quad V1R) V2x) V3y)))))))))
\end{aligned}$$