

thm_2Emergesort_2Esort3__sorted
(TMTECCmySRjnywWDqoh4HHiccv2uE1Xeaet)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 8 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (2)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (3)$$

Definition 9 We define $c_2Emergesort_2Esort3$ to be $\lambda A_27a : \iota.(\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1x \in A_27a.\lambda V2y \in A_27a.$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& p V0t))))))
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in \\
& A_27a. (((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) \\
& V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) \\
& V0t1) V1t2) = V1t2))))))
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\
& ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))
\end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\
& 2. (((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow \\
& (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27))))))
\end{aligned} \tag{16}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{17}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{18}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{19}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{20}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \tag{21}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0R \in ((2^{A_27a})^{A_27a}). \\
& ((p\ (ap\ (ap\ (c_2Esorting_2ESORTED\ A_27a)\ V0R)\ (c_2Elist_2ENIL \\
& A_27a))) \Leftrightarrow True)) \wedge ((\forall V1x \in A_27a. (\forall V2R \in ((2^{A_27a})^{A_27a}). \\
& ((p\ (ap\ (ap\ (c_2Esorting_2ESORTED\ A_27a)\ V2R)\ (ap\ (ap\ (c_2Elist_2ECONS \\
& A_27a)\ V1x)\ (c_2Elist_2ENIL\ A_27a)))) \Leftrightarrow True))) \wedge (\forall V3y \in \\
& A_27a. (\forall V4x \in A_27a. (\forall V5rst \in (ty_2Elist_2Elist \\
& A_27a). (\forall V6R \in ((2^{A_27a})^{A_27a}). ((p\ (ap\ (ap\ (c_2Esorting_2ESORTED \\
& A_27a)\ V6R)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V4x)\ (ap\ (ap\ (c_2Elist_2ECONS \\
& A_27a)\ V3y)\ V5rst)))) \Leftrightarrow ((p\ (ap\ (ap\ V6R\ V4x)\ V3y)) \wedge (p\ (ap\ (ap\ (c_2Esorting_2ESORTED \\
& A_27a)\ V6R)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V3y)\ V5rst)))))))))) \\
& \hspace{15em} (23)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\
& (\forall V1x \in A_27a. (\forall V2y \in A_27a. (\forall V3z \in A_27a. (\\
& (p\ (ap\ (c_2Erelation_2Etotal\ A_27a)\ V0R))) \Rightarrow (p\ (ap\ (ap\ (c_2Esorting_2ESORTED \\
& A_27a)\ V0R)\ (ap\ (ap\ (ap\ (ap\ (c_2Emergesort_2Esort3\ A_27a)\ V0R)\ V1x) \\
& V2y)\ V3z))))))))))
\end{aligned}$$