

# thm\_2Emetric\_2EBALL\_NEIGH (TMTXkD- NeCpuQySJoV3dcFgzCs9wpmPmDF1L)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $ty\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Emetric\_2Emetric\ A0) \tag{3}$$

Let  $c\_2Emetric\_2Edist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Edist\ A\_27a \in ((ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}) \tag{4}$$

Let  $c\_2Emetric\_2EB : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2EB\ A\_27a \in (((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ ty\_2Erealax\_2Ereal)}) \tag{5}$$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) 2) (\lambda V2t \in 2$   
Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (6)$$

**Definition 8** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2E$   
Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty ty\_2Ehreal\_2Ehreal \quad (7)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax}) \quad (8)$$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$ **if**  $(\exists x \in A.p (ap P x))$  **then** *(the*  $(\lambda x.x \in A \wedge p$   
*of type*  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E\_40 (t$   
Let  $c\_2Erealax\_2Ereal\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_lt \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod ty\_2Ehreal)}) \quad (9)$$

**Definition 11** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax$   
Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (10)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (11)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (12)$$

**Definition 12** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (13)$$

**Definition 13** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (14)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^A-27a)})}) \quad (15)$$

**Definition 14** We define  $c\_2Emetric\_2Emtop$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Emetric\_2Emetric\ A\_27a).(ap$

**Definition 15** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A-27a}).(ap\ V1f\ V0x))$

**Definition 16** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap$

Let  $c\_2Etopology\_2Eopen\_in : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Eopen\_in\ A\_27a \in ((2^{(2^A-27a)})^{(ty\_2Etopology\_2Etopology\ A\_27a)}) \quad (16)$$

Let  $c\_2Etopology\_2Eneigh : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Eneigh\ A\_27a \in ((2^{(ty\_2Epair\_2Eprod\ (2^{A-27a})\ A\_27a)^{(ty\_2Etopology\_2Etopology\ A\_27a)})}) \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p\ V0t)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0m \in (ty\_2Emetric\_2Emetric \\ & A\_27a).(\forall V1x \in A\_27a.((ap\ (ap\ (c\_2Emetric\_2Edist\ A\_27a) \\ & V0m)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27a)\ V1x)\ V1x)) = (ap\ c\_2Ereal\_2Ereal\_of\_num \\ & c\_2Enum\_2E0)))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0m \in (ty\_2Emetric\_2Emetric \\ & A\_27a).(\forall V1x \in A\_27a.(\forall V2e \in ty\_2Erealax\_2Ereal. \\ & ((ap\ (ap\ (c\_2Emetric\_2EB\ A\_27a)\ V0m)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a \\ & ty\_2Erealax\_2Ereal)\ V1x)\ V2e)) = (\lambda V3y \in A\_27a.(ap\ (ap\ c\_2Erealax\_2Ereal\_lt \\ & (ap\ (ap\ (c\_2Emetric\_2Edist\ A\_27a)\ V0m)\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\ & A\_27a\ A\_27a)\ V1x)\ V3y)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0m \in (ty\_2Emetric\_2Emetric \\
& \quad A_{27a}). (\forall V1x \in A_{27a}. (\forall V2e \in ty\_2Erealax\_2Ereal. \\
& \quad ((p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num \\
& \quad \quad c\_2Enum\_2E0)) V2e)) \Rightarrow (p (ap (ap (c\_2Etopology\_2Eopen\_in A_{27a}) \\
& \quad (ap (c\_2Emetric\_2Emtop A_{27a}) V0m)) (ap (ap (c\_2Emetric\_2EB A_{27a}) \\
& \quad V0m) (ap (ap (c\_2Epair\_2E\_2C A_{27a} ty\_2Erealax\_2Ereal) V1x) V2e)))))))))) \\
& \hspace{15em} (22)
\end{aligned}$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0s \in (2^{A_{27a}}). (p (ap (ap (c\_2Epred\_set\_2ESUBSET A_{27a}) V0s) V0s))) \quad (23)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0top \in (ty\_2Etopology\_2Etopology \\
& \quad A_{27a}). (\forall V1N \in (2^{A_{27a}}). (\forall V2x \in A_{27a}. ((p (ap (ap \\
& \quad (c\_2Etopology\_2Eneigh A_{27a}) V0top) (ap (ap (c\_2Epair\_2E\_2C ( \\
& \quad \quad 2^{A_{27a}}) A_{27a}) V1N) V2x))) \Leftrightarrow (\exists V3P \in (2^{A_{27a}}). ((p (ap (ap \\
& \quad (c\_2Etopology\_2Eopen\_in A_{27a}) V0top) V3P)) \wedge ((p (ap (ap (c\_2Epred\_set\_2ESUBSET \\
& \quad \quad A_{27a}) V3P) V1N)) \wedge (p (ap V3P V2x)))))))))) \\
& \hspace{15em} (24)
\end{aligned}$$

### Theorem 1

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0m \in (ty\_2Emetric\_2Emetric \\
& \quad A_{27a}). (\forall V1x \in A_{27a}. (\forall V2e \in ty\_2Erealax\_2Ereal. \\
& \quad ((p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num \\
& \quad \quad c\_2Enum\_2E0)) V2e)) \Rightarrow (p (ap (ap (c\_2Etopology\_2Eneigh A_{27a}) ( \\
& \quad ap (c\_2Emetric\_2Emtop A_{27a}) V0m)) (ap (ap (c\_2Epair\_2E\_2C (2^{A_{27a}}) \\
& \quad A_{27a}) (ap (ap (c\_2Emetric\_2EB A_{27a}) V0m) (ap (ap (c\_2Epair\_2E\_2C \\
& \quad \quad A_{27a} ty\_2Erealax\_2Ereal) V1x) V2e))) V1x))))))
\end{aligned}$$