

thm_2Emetric_2EMR1_ADD_LT (TMQCgym- CZQJVU9zkYYN9a1gSxRiRyLq5naS)

October 26, 2020

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ ty_2Erealax_2Ereal) \tag{4}$$

Definition 1 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p\ (ap\ P\ x))$ **then** (the $(\lambda x.x \in A \wedge p\ x)$ of type $\iota \Rightarrow \iota$).

Definition 2 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2E27 to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^{2^2}))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define c_2Ebool_2E21 to be $\lambda A.\lambda P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A-27a})))\ P)$

Definition 5 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ (ty_2Erealax_2Ereal\ V0a)))$

Let $c_2Erealax_2Etreall_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)\ ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)\ ty_2Erealax_2Ereal) \tag{5}$$

Let $c_2Erealax_2Etreal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (6)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (7)$$

Definition 6 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 7 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 8 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (8)$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ x\ y)$

Let $c_2Erealax_2Etreal_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (9)$$

Definition 11 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_neg\ T1)$

Definition 12 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (10)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (11)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \quad (12)$$

Definition 13 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (13)$$

Let $c_2Erealax_2Etreallt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreallt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (14)$$

Definition 14 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$.

Definition 15 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 16 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E3D_3D_3E\ V0t)\ c_2Ebool_2E7E))$.

Definition 17 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$.

Definition 18 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap\ (c_2Ebool_2ECOND\ t1\ t2)\ t1))))$.

Definition 19 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ x)\ x)\ x)\ x)$.

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (15)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (16)$$

Definition 20 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a\ A_27b}))$.

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Emetric_2Emetric\ A0) \quad (17)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Emetric\ A_27a \in ((ty_2Emetric_2Emetric \\ A_27a)^{(ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})}) \end{aligned} \quad (18)$$

Definition 21 We define $c_2Emetric_2Emr1$ to be $(ap\ (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal)\ (ap\ (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal)))$.

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Edist\ A_27a \in ((ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})^{(ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})}) \quad (19)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1d \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) V1d)) \Rightarrow ((ap (ap (c_2Emetric_2Edist ty_2Erealax_2Ereal) \\
& c_2Emetric_2Emr1) (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V0x) (ap (ap c_2Erealax_2Ereal_add V0x \\
& V1d)))) = V1d))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Erealax_2Ereal_lt V0x) V1y)) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte \\
& V0x) V1y))))))
\end{aligned} \tag{21}$$

Theorem 1

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1d \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) V1d)) \Rightarrow ((ap (ap (c_2Emetric_2Edist ty_2Erealax_2Ereal) \\
& c_2Emetric_2Emr1) (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V0x) (ap (ap c_2Erealax_2Ereal_add V0x \\
& V1d)))) = V1d))))
\end{aligned}$$