

# thm\_2Emetric\_2EMTOP\_\_OPEN (TMdgkeLh- Wkm2qT8wwbEp21smgXCyAWL4ags)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})))$

**Definition 5** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \tag{2}$$

**Definition 6** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Ebool\_2E\_21 2) (c\_2Epair\_2EABS\_prod A\_27a A\_27b))$

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty ty\_2Erealx\_2Ereal \tag{3}$$

Let  $ty\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Emetric\_2Emetric A0) \tag{4}$$

Let  $c\_2Emetric\_2Edist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Emetric\_2Edist A\_27a \in ((ty\_2Erealx\_2Ereal^{(ty\_2Epair\_2Eprod A\_27a A\_27b)})^{A\_27a}) \tag{5}$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (6)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax}) \quad (7)$$

**Definition 7** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A$ . **if**  $(\exists x \in A.p (ap\ P\ x))$  **then** (the  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 8** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E40\ (ty$

Let  $c\_2Erealax\_2Ereal\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal)}) \quad (8)$$

**Definition 9** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (9)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (10)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (11)$$

**Definition 10** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 11** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E40$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (13)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^{A\_27a})}})) \quad (14)$$

**Definition 12** We define  $c\_2Emetric\_2Emtop$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Emetric\_2Emetric\ A\_27a).(ap$

**Definition 13** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (15)$$

**Definition 14** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota. \lambda V0P \in (2^{(2^{A\_27a})}). (ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ V0P))$

**Definition 15** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E21\ A\_27a\ V0s\ V1t))$

**Definition 16** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E21\ A\_27a\ V0s\ V1t))$

**Definition 17** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V0t \in 2. V0t))$ .

**Definition 18** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF)$ .

**Definition 19** We define  $c\_2Etopology\_2Eistopology$  to be  $\lambda A\_27a : \iota. \lambda V0L \in (2^{(2^{A\_27a})}). (ap\ (ap\ c\_2Ebool\_2EF\ V0L))$

Let  $c\_2Etopology\_2Eopen\_in : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Eopen\_in\ A\_27a \in ((2^{A\_27a})^{(ty\_2Etopology\_2Etopology\ A\_27a)}) \quad (16)$$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p\ V0t)) \Leftrightarrow (p\ V1x))) \quad (18)$$

Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty\ A\_27a \Rightarrow (\forall V0m \in (ty\_2Emetric\_2Emetric\ A\_27a). (p\ (ap\ (c\_2Etopology\_2Eistopology\ A\_27a)\ (\lambda V1S\_27 \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E21\ A\_27a)\ (\lambda V2x \in A\_27a. (ap\ (ap\ c\_2Emin\_2E3D\_3D\_3E\ (ap\ V1S\_27\ V2x))\ (ap\ (c\_2Ebool\_2E3F\ ty\_2Erealax\_2Ereal)\ (\lambda V3e \in ty\_2Erealax\_2Ereal. (ap\ (ap\ c\_2Ebool\_2E2F\_5C\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ V3e))\ (ap\ (c\_2Ebool\_2E21\ A\_27a)\ (\lambda V4y \in A\_27a. (ap\ (ap\ c\_2Emin\_2E3D\_3D\_3E\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ (ap\ (c\_2Emetric\_2Edist\ A\_27a)\ V0m)\ (ap\ (ap\ (c\_2Epair\_2E2C\ A\_27a\ A\_27a)\ V2x)\ V4y))))))))))))))))) \quad (20) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow & ((\forall V0a \in (\text{ty\_2Etopology\_2Etopology} \\ & A_{27a}). ((\text{ap } (c\_2Etopology\_2Etopology } A_{27a}) (\text{ap } (c\_2Etopology\_2Eopen\_in \\ & A_{27a}) V0a)) = V0a)) \wedge (\forall V1r \in (2^{(2^{A_{27a}})}). ((p (\text{ap } (c\_2Etopology\_2Eistopology \\ & A_{27a}) V1r)) \Leftrightarrow ((\text{ap } (c\_2Etopology\_2Eopen\_in } A_{27a}) (\text{ap } (c\_2Etopology\_2Etopology \\ & A_{27a}) V1r)) = V1r)))) \end{aligned} \quad (21)$$

**Theorem 1**

$$\begin{aligned} \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow & (\forall V0S_{27} \in (2^{A_{27a}}). (\forall V1m \in \\ & (\text{ty\_2Emetric\_2Emetric } A_{27a}). ((p (\text{ap } (\text{ap } (c\_2Etopology\_2Eopen\_in \\ & A_{27a}) (\text{ap } (c\_2Emetric\_2Emtop } A_{27a}) V1m)) V0S_{27})) \Leftrightarrow (\forall V2x \in \\ & A_{27a}. ((p (\text{ap } V0S_{27} V2x)) \Rightarrow (\exists V3e \in \text{ty\_2Erealax\_2Ereal.} \\ & ((p (\text{ap } (\text{ap } c\_2Erealax\_2Ereal\_lt } (\text{ap } c\_2Ereal\_2Ereal\_of\_num \\ & c\_2Enum\_2E0)) V3e)) \wedge (\forall V4y \in A_{27a}. ((p (\text{ap } (\text{ap } c\_2Erealax\_2Ereal\_lt \\ & (\text{ap } (\text{ap } (c\_2Emetric\_2Edist } A_{27a}) V1m) (\text{ap } (\text{ap } (c\_2Epair\_2E\_2C \\ & A_{27a} A_{27a}) V2x) V4y))) V3e)) \Rightarrow (p (\text{ap } V0S_{27} V4y)))))))))) \end{aligned}$$