

thm_2Enets_2EMTOP__TENDS (TMNHi- jau6NhJvKUWVyV3qzXR7BNiZmydBz3)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Emetric_2Emetric\ A0) \tag{3}$$

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Edist\ A_27a \in ((ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}) \tag{4}$$

Let $c_2Emetric_2EB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2EB\ A_27a \in (((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ ty_2Erealax_2Ereal)}) \tag{5}$$

Definition 7 We define $c_Ebool_E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E_21) 2) (\lambda V2t \in 2)))$.
Let $c_Epair_EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_Epair_EABS_prod A_27a A_27b \in ((ty_Epair_Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (6)$$

Definition 8 We define $c_Epair_E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_Epair_EABS_prod) x y)$.
Let $ty_Ehreal_Ehreal : \iota$ be given. Assume the following.

$$nonempty ty_Ehreal_Ehreal \quad (7)$$

Let $c_Erealax_Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_REP_CLASS \in ((2^{(ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)} ty_Erealax_Ereal_REP_CLASS)) \quad (8)$$

Definition 9 We define $c_Emin_E_40$ to be $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. p (ap P x)) \mathbf{then} (the (\lambda x. x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_Erealax_Ereal_REP$ to be $\lambda V0a \in ty_Erealax_Ereal. (ap (c_Emin_E_40) a)$.
Let $c_Erealax_Ereal_lt : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_lt \in ((2^{(ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)} ty_Erealax_Ereal_lt)) \quad (9)$$

Definition 11 We define $c_Erealax_Ereal_lt$ to be $\lambda V0T1 \in ty_Erealax_Ereal. \lambda V1T2 \in ty_Erealax_Ereal. (ap (c_Emin_E_40) T1 T2)$.
Let $c_Eenum_EZERO_REP : \iota$ be given. Assume the following.

$$c_Eenum_EZERO_REP \in \omega \quad (10)$$

Let $ty_Eenum_Eenum : \iota$ be given. Assume the following.

$$nonempty ty_Eenum_Eenum \quad (11)$$

Let $c_Eenum_EABS_num : \iota$ be given. Assume the following.

$$c_Eenum_EABS_num \in (ty_Eenum_Eenum^{\omega}) \quad (12)$$

Definition 12 We define c_Eenum_E0 to be $(ap c_Eenum_EABS_num c_Eenum_EZERO_REP)$.

Let $c_Ereal_Ereal_of_num : \iota$ be given. Assume the following.

$$c_Ereal_Ereal_of_num \in (ty_Erealax_Ereal^{ty_Eenum_Eenum}) \quad (13)$$

Definition 13 We define $c_Ebool_E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_Emin_E_40) P P)))$.

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (14)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Etopology_2Etopology\ A_27a \in ((ty_2Etopology_2Etopology\ A_27a)^{(2^{(2^A-27a)})}) \quad (15)$$

Definition 14 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric\ A_27a).(ap$

Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Enets_2Etends\ A_27a\ A_27b \in (((2^{(ty_2Epair_2Eprod\ (ty_2Etopology_2Etopology\ A_27a)\ (2^{A-27b})^{A-27b})})_{A_27a})_{(A_27a)^{A-27b}}) \quad (16)$$

Definition 15 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A-27a}).(ap\ V1f\ V0x))$

Definition 16 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap$

Let $c_2Etopology_2Eopen_in : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Etopology_2Eopen_in\ A_27a \in ((2^{(2^{A-27a})})_{(ty_2Etopology_2Etopology\ A_27a)}) \quad (17)$$

Let $c_2Etopology_2Eneigh : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Etopology_2Eneigh\ A_27a \in ((2^{(ty_2Epair_2Eprod\ (2^{A-27a})\ A_27a)})_{(ty_2Etopology_2Etopology\ A_27a)}) \quad (18)$$

Assume the following.

$$True \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (22)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& p \ V0t))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0m \in (ty_2Emetric_2Emetric \\
& A.27a).(\forall V1x \in A.27a.(\forall V2y \in A.27a.((ap \ (ap \ (c_2Emetric_2Edist \\
& A.27a) \ V0m) \ (ap \ (ap \ (c_2Epair_2E_2C \ A.27a \ A.27a) \ V1x) \ V2y)) = (ap \\
& (ap \ (c_2Emetric_2Edist \ A.27a) \ V0m) \ (ap \ (ap \ (c_2Epair_2E_2C \ A.27a \\
& A.27a) \ V2y) \ V1x))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0S.27 \in (2^{A.27a}).(\forall V1m \in \\
& (ty_2Emetric_2Emetric \ A.27a).((p \ (ap \ (ap \ (c_2Etopology_2Eopen_in \\
& A.27a) \ (ap \ (c_2Emetric_2Emtop \ A.27a) \ V1m)) \ V0S.27)) \Leftrightarrow (\forall V2x \in \\
& A.27a.((p \ (ap \ V0S.27 \ V2x)) \Rightarrow (\exists V3e \in ty_2Erealax_2Ereal. \\
& ((p \ (ap \ (ap \ c_2Erealax_2Ereal_lt \ (ap \ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) \ V3e)) \wedge (\forall V4y \in A.27a.((p \ (ap \ (ap \ c_2Erealax_2Ereal_lt \\
& (ap \ (ap \ (c_2Emetric_2Edist \ A.27a) \ V1m) \ (ap \ (ap \ (c_2Epair_2E_2C \\
& A.27a \ A.27a) \ V2x) \ V4y))) \ V3e)) \Rightarrow (p \ (ap \ V0S.27 \ V4y)))))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0m \in (ty_2Emetric_2Emetric \\
& A.27a).(\forall V1x \in A.27a.(\forall V2e \in ty_2Erealax_2Ereal. \\
& ((ap \ (ap \ (c_2Emetric_2EB \ A.27a) \ V0m) \ (ap \ (ap \ (c_2Epair_2E_2C \ A.27a \\
& ty_2Erealax_2Ereal) \ V1x) \ V2e)) = (\lambda V3y \in A.27a.(ap \ (ap \ c_2Erealax_2Ereal_lt \\
& (ap \ (ap \ (c_2Emetric_2Edist \ A.27a) \ V0m) \ (ap \ (ap \ (c_2Epair_2E_2C \\
& A.27a \ A.27a) \ V1x) \ V3y))) \ V2e))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0m \in (ty_2Emetric_2Emetric \\
& A.27a).(\forall V1x \in A.27a.(\forall V2e \in ty_2Erealax_2Ereal. \\
& ((p \ (ap \ (ap \ c_2Erealax_2Ereal_lt \ (ap \ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) \ V2e)) \Rightarrow (p \ (ap \ (ap \ (c_2Etopology_2Eneigh \ A.27a) \ (\\
& ap \ (c_2Emetric_2Emtop \ A.27a) \ V0m)) \ (ap \ (ap \ (c_2Epair_2E_2C \ (2^{A.27a}) \\
& A.27a) \ (ap \ (ap \ (c_2Emetric_2EB \ A.27a) \ V0m) \ (ap \ (ap \ (c_2Epair_2E_2C \\
& A.27a \ ty_2Erealax_2Ereal) \ V1x) \ V2e))) \ V1x))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0s \in (A_27a^{A_27b}). (\forall V1l \in A_27a. (\forall V2top \in \\
& \quad (ty_2Etopology_2Etopology\ A_27a). (\forall V3g \in ((2^{A_27b})^{A_27b}). \\
& \quad ((p\ (ap\ (ap\ (ap\ (c_2Enets_2Etends\ A_27a\ A_27b)\ V0s)\ V1l)\ (ap\ (ap\ (\\
& \quad c_2Epair_2E_2C\ (ty_2Etopology_2Etopology\ A_27a)\ ((2^{A_27b})^{A_27b})) \\
& \quad V2top)\ V3g))) \Leftrightarrow (\forall V4N \in (2^{A_27a}). ((p\ (ap\ (ap\ (c_2Etopology_2Eneigh \\
& \quad A_27a)\ V2top)\ (ap\ (ap\ (c_2Epair_2E_2C\ (2^{A_27a})\ A_27a)\ V4N)\ V1l))) \Rightarrow \\
& \quad (\exists V5n \in A_27b. ((p\ (ap\ (ap\ V3g\ V5n)\ V5n)) \wedge (\forall V6m \in A_27b. \\
& \quad ((p\ (ap\ (ap\ V3g\ V6m)\ V5n)) \Rightarrow (p\ (ap\ V4N\ (ap\ V0s\ V6m))))))))))))) \\
& \hspace{15em} (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1x \in \\
& A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1x)\ V0P))) \Leftrightarrow (p\ (ap\ V0P\ V1x)))) \\
& \hspace{15em} (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0top \in (ty_2Etopology_2Etopology \\
& \quad A_27a). (\forall V1N \in (2^{A_27a}). (\forall V2x \in A_27a. ((p\ (ap\ (ap \\
& \quad (c_2Etopology_2Eneigh\ A_27a)\ V0top)\ (ap\ (ap\ (c_2Epair_2E_2C\ (\\
& \quad 2^{A_27a})\ A_27a)\ V1N)\ V2x))) \Leftrightarrow (\exists V3P \in (2^{A_27a}). ((p\ (ap\ (ap \\
& \quad (c_2Etopology_2Eopen_in\ A_27a)\ V0top)\ V3P)) \wedge ((p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET \\
& \quad A_27a)\ V3P)\ V1N)) \wedge (p\ (ap\ V3P\ V2x))))))))) \\
& \hspace{15em} (30)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0d \in (ty_2Emetric_2Emetric\ A_27a). (\forall V1g \in ((2^{A_27b})^{A_27b}). \\
& \quad (\forall V2x \in (A_27a^{A_27b}). (\forall V3x0 \in A_27a. ((p\ (ap\ (ap\ (ap \\
& \quad (c_2Enets_2Etends\ A_27a\ A_27b)\ V2x)\ V3x0)\ (ap\ (ap\ (c_2Epair_2E_2C \\
& \quad (ty_2Etopology_2Etopology\ A_27a)\ ((2^{A_27b})^{A_27b}))\ (ap\ (c_2Emetric_2Emtop \\
& \quad A_27a)\ V0d))\ V1g))) \Leftrightarrow (\forall V4e \in ty_2Erealax_2Ereal. ((p\ (ap \\
& \quad (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) \\
& \quad V4e)) \Rightarrow (\exists V5n \in A_27b. ((p\ (ap\ (ap\ V1g\ V5n)\ V5n)) \wedge (\forall V6m \in \\
& \quad A_27b. ((p\ (ap\ (ap\ V1g\ V6m)\ V5n)) \Rightarrow (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt \\
& \quad (ap\ (ap\ (c_2Emetric_2Edist\ A_27a)\ V0d)\ (ap\ (ap\ (c_2Epair_2E_2C \\
& \quad A_27a\ A_27a)\ (ap\ V2x\ V6m))\ V3x0)))\ V4e))))))))) \\
& \hspace{15em} (31)
\end{aligned}$$