

thm_2Enets_2ENET__MUL

(TMMc3t5ZeFERaCp47qBJpbn3JHgp8KtgYwg)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Emetric_2Emetric A0) \quad (1)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (2)$$

Let $c_2Enets_2Ebounded : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Enets_2Ebounded A_27a A_27b \in ((2^{(A_27a \rightarrow A_27b)}) (ty_2Epair_2Eprod (ty_2Emetric_2Emetric A_27a) ((2^{A_27b})^{A_27b}))) \quad (3)$$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t$

Definition 8 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 9 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a$

Definition 10 We define $c_2Enets_2Edorder$ to be $\lambda A_27a : \iota.\lambda V0g \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E21$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (4)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (5)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{ty_2Erealax}) \quad (6)$$

Definition 11 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E40$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (7)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (8)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (9)$$

Definition 12 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 13 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal$

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (10)$$

Definition 14 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax$

Definition 15 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (11)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (12)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{omega} \quad (13)$$

Definition 16 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (14)$$

Let $c_2Erealax_2Etreallt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreallt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)) \quad (15)$$

Definition 17 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$.

Definition 18 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$.

Definition 19 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.$

Definition 20 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (ap\ (ap\ (c_2Ebool_2ECOND$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (16)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (17)$$

Definition 21 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Emetric\ A_27a \in ((ty_2Emetric_2Emetric \\ A_27a)^{(ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})) \end{aligned} \quad (18)$$

Definition 22 We define $c_2Emetric_2Emr1$ to be $(ap\ (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal)\ (ap\ (c$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{(A_27b)^{A_27a}})}) \end{aligned} \quad (19)$$

Definition 23 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c$

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Edist\ A_27a \in ((ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})) \quad (20)$$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (21)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Etopology_2Etopology\ A_27a \in ((ty_2Etopology_2Etopology\ A_27a)^{(2^{(2^A - 27a)}})) \quad (22)$$

Definition 24 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric\ A_27a).(ap$

Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Enets_2Etends\ A_27a\ A_27b \in (((2^{(ty_2Epair_2Eprod\ (ty_2Etopology_2Etopology\ A_27a)\ (2^{A-27b})^{A-27b}}))^{A_27a})^{(A_27a^{A-27b})}) \quad (23)$$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}))^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)} \quad (24)$$

Definition 25 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Assume the following.

$$True \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (29)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0g \in ((2^{A.27a})^{A.27a}). \\
& (\forall V1x \in (ty_2Erealax_2Ereal^{A.27a}). (\forall V2x0 \in ty_2Erealax_2Ereal. \\
& ((p\ (ap\ (ap\ (ap\ (c_2Enets_2Etends\ ty_2Erealax_2Ereal\ A.27a)\ V1x) \\
& V2x0)\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Etopology_2Etopology\ ty_2Erealax_2Ereal) \\
& ((2^{A.27a})^{A.27a}))\ (ap\ (c_2Emetric_2Emtop\ ty_2Erealax_2Ereal) \\
& c_2Emetric_2Emr1))\ V0g))) \Leftrightarrow (p\ (ap\ (ap\ (ap\ (c_2Enets_2Etends\ ty_2Erealax_2Ereal \\
& A.27a)\ (\lambda V3n \in A.27a.(ap\ (ap\ c_2Ereal_2Ereal_sub\ (ap\ V1x\ V3n)) \\
& V2x0)))\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ (ap\ (ap\ (c_2Epair_2E_2C \\
& (ty_2Etopology_2Etopology\ ty_2Erealax_2Ereal)\ ((2^{A.27a})^{A.27a})) \\
& (ap\ (c_2Emetric_2Emtop\ ty_2Erealax_2Ereal)\ c_2Emetric_2Emr1)) \\
& V0g))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0g \in ((2^{A.27a})^{A.27a}). \\
& (\forall V1x \in (ty_2Erealax_2Ereal^{A.27a}). (\forall V2x0 \in ty_2Erealax_2Ereal. \\
& ((p\ (ap\ (ap\ (ap\ (c_2Enets_2Etends\ ty_2Erealax_2Ereal\ A.27a)\ V1x) \\
& V2x0)\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Etopology_2Etopology\ ty_2Erealax_2Ereal) \\
& ((2^{A.27a})^{A.27a}))\ (ap\ (c_2Emetric_2Emtop\ ty_2Erealax_2Ereal) \\
& c_2Emetric_2Emr1))\ V0g))) \Rightarrow (p\ (ap\ (ap\ (c_2Enets_2Ebunded\ ty_2Erealax_2Ereal \\
& A.27a)\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Emetric_2Emetric\ ty_2Erealax_2Ereal) \\
& ((2^{A.27a})^{A.27a}))\ c_2Emetric_2Emr1)\ V0g))\ V1x))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0g \in ((2^{A.27a})^{A.27a}). \\
& ((p\ (ap\ (c_2Enets_2Edorder\ A.27a)\ V0g)) \Rightarrow (\forall V1x \in (ty_2Erealax_2Ereal^{A.27a}). \\
& (\forall V2y \in (ty_2Erealax_2Ereal^{A.27a}). (((p\ (ap\ (ap\ (ap\ (c_2Enets_2Etends \\
& ty_2Erealax_2Ereal\ A.27a)\ V1x)\ (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Etopology_2Etopology \\
& ty_2Erealax_2Ereal)\ ((2^{A.27a})^{A.27a}))\ (ap\ (c_2Emetric_2Emtop \\
& ty_2Erealax_2Ereal)\ c_2Emetric_2Emr1))\ V0g)))) \wedge (p\ (ap\ (ap\ (ap \\
& (c_2Enets_2Etends\ ty_2Erealax_2Ereal\ A.27a)\ V2y)\ (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Etopology_2Etopology \\
& ty_2Erealax_2Ereal)\ ((2^{A.27a})^{A.27a}))\ (ap\ (c_2Emetric_2Emtop \\
& ty_2Erealax_2Ereal)\ c_2Emetric_2Emr1))\ V0g)))) \Rightarrow (p\ (ap\ (ap\ (ap \\
& (c_2Enets_2Etends\ ty_2Erealax_2Ereal\ A.27a)\ (\lambda V3n \in A.27a. \\
& (ap\ (ap\ c_2Erealax_2Ereal_add\ (ap\ V1x\ V3n))\ (ap\ V2y\ V3n))))\ (ap \\
& c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ (ap\ (ap\ (c_2Epair_2E_2C \\
& (ty_2Etopology_2Etopology\ ty_2Erealax_2Ereal)\ ((2^{A.27a})^{A.27a})) \\
& (ap\ (c_2Emetric_2Emtop\ ty_2Erealax_2Ereal)\ c_2Emetric_2Emr1)) \\
& V0g))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0g \in ((2^{A.27a})^{A.27a}). \\
& ((p\ (ap\ (c.2Enets.2Edorder\ A.27a)\ V0g)) \Rightarrow (\forall V1x \in (ty.2Erealax.2Ereal^{A.27a}). \\
& (\forall V2y \in (ty.2Erealax.2Ereal^{A.27a}). ((p\ (ap\ (ap\ (c.2Enets.2Ebounded \\
& ty.2Erealax.2Ereal\ A.27a)\ (ap\ (ap\ (c.2Epair.2E.2C\ (ty.2Emetric.2Emetric \\
& ty.2Erealax.2Ereal)\ ((2^{A.27a})^{A.27a}))\ c.2Emetric.2Emr1)\ V0g)) \\
& V1x)) \wedge (p\ (ap\ (ap\ (ap\ (c.2Enets.2Etends\ ty.2Erealax.2Ereal\ A.27a) \\
& V2y)\ (ap\ c.2Ereal.2Ereal_of_num\ c.2Enum.2E0))\ (ap\ (ap\ (c.2Epair.2E.2C \\
& (ty.2Etopology.2Etopology\ ty.2Erealax.2Ereal)\ ((2^{A.27a})^{A.27a})) \\
& (ap\ (c.2Emetric.2Emtop\ ty.2Erealax.2Ereal)\ c.2Emetric.2Emr1)) \\
& V0g)))) \Rightarrow (p\ (ap\ (ap\ (ap\ (c.2Enets.2Etends\ ty.2Erealax.2Ereal\ A.27a) \\
& (\lambda V3n \in A.27a.(ap\ (ap\ c.2Erealax.2Ereal_mul\ (ap\ V1x\ V3n))\ (\\
& ap\ V2y\ V3n))))\ (ap\ c.2Ereal.2Ereal_of_num\ c.2Enum.2E0))\ (ap \\
& (ap\ (c.2Epair.2E.2C\ (ty.2Etopology.2Etopology\ ty.2Erealax.2Ereal) \\
& ((2^{A.27a})^{A.27a}))\ (ap\ (c.2Emetric.2Emtop\ ty.2Erealax.2Ereal) \\
& c.2Emetric.2Emr1))\ V0g)))))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0g \in ((2^{A.27a})^{A.27a}). \\
& (\forall V1k \in ty.2Erealax.2Ereal. (\forall V2x \in (ty.2Erealax.2Ereal^{A.27a}). \\
& ((p\ (ap\ (ap\ (ap\ (c.2Enets.2Etends\ ty.2Erealax.2Ereal\ A.27a)\ V2x) \\
& (ap\ c.2Ereal.2Ereal_of_num\ c.2Enum.2E0))\ (ap\ (ap\ (c.2Epair.2E.2C \\
& (ty.2Etopology.2Etopology\ ty.2Erealax.2Ereal)\ ((2^{A.27a})^{A.27a})) \\
& (ap\ (c.2Emetric.2Emtop\ ty.2Erealax.2Ereal)\ c.2Emetric.2Emr1)) \\
& V0g)))) \Rightarrow (p\ (ap\ (ap\ (ap\ (c.2Enets.2Etends\ ty.2Erealax.2Ereal\ A.27a) \\
& (\lambda V3n \in A.27a.(ap\ (ap\ c.2Erealax.2Ereal_mul\ V1k)\ (ap\ V2x\ V3n)))) \\
& (ap\ c.2Ereal.2Ereal_of_num\ c.2Enum.2E0))\ (ap\ (ap\ (c.2Epair.2E.2C \\
& (ty.2Etopology.2Etopology\ ty.2Erealax.2Ereal)\ ((2^{A.27a})^{A.27a})) \\
& (ap\ (c.2Emetric.2Emtop\ ty.2Erealax.2Ereal)\ c.2Emetric.2Emr1)) \\
& V0g)))))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty.2Erealax.2Ereal. (\forall V1y \in ty.2Erealax.2Ereal. \\
& (\forall V2z \in ty.2Erealax.2Ereal. ((ap\ (ap\ c.2Erealax.2Ereal_add \\
& V0x)\ (ap\ (ap\ c.2Erealax.2Ereal_add\ V1y)\ V2z)) = (ap\ (ap\ c.2Erealax.2Ereal_add \\
& (ap\ (ap\ c.2Erealax.2Ereal_add\ V0x)\ V1y))\ V2z))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty.2Erealax.2Ereal. ((ap\ (ap\ c.2Erealax.2Ereal_add \\
& (ap\ c.2Ereal.2Ereal_of_num\ c.2Enum.2E0))\ V0x) = V0x))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_add \\
& (ap c_2Erealax_2Ereal_neg V0x)) V0x) = (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul \\
& V0x) (ap (ap c_2Erealax_2Ereal_add V1y) V2z)) = (ap (ap c_2Erealax_2Ereal_add \\
& (ap (ap c_2Erealax_2Ereal_mul V0x) V1y)) (ap (ap c_2Erealax_2Ereal_mul \\
& V0x) V2z))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap (ap c_2Erealax_2Ereal_mul V0x) V1y) = (ap (ap c_2Erealax_2Ereal_mul \\
& V1y) V0x))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul \\
& (ap (ap c_2Erealax_2Ereal_add V0x) V1y)) V2z) = (ap (ap c_2Erealax_2Ereal_add \\
& (ap (ap c_2Erealax_2Ereal_mul V0x) V2z)) (ap (ap c_2Erealax_2Ereal_mul \\
& V1y) V2z))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap c_2Erealax_2Ereal_neg (ap (ap c_2Erealax_2Ereal_mul V0x) \\
& V1y)) = (ap (ap c_2Erealax_2Ereal_mul (ap c_2Erealax_2Ereal_neg \\
& V0x) V1y))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap c_2Erealax_2Ereal_neg (ap (ap c_2Erealax_2Ereal_mul V0x) \\
& V1y)) = (ap (ap c_2Erealax_2Ereal_mul V0x) (ap c_2Erealax_2Ereal_neg \\
& V1y))))
\end{aligned} \tag{42}$$

Theorem 1

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0g \in ((2^{A_{.27a}})^{A_{.27a}}). \\ & ((p\ (ap\ (c_2Enets_2Edorder\ A_{.27a})\ V0g)) \Rightarrow (\forall V1x \in (ty_2Erealax_2Ereal^{A_{.27a}}). \\ & (\forall V2y \in (ty_2Erealax_2Ereal^{A_{.27a}}). (\forall V3x0 \in ty_2Erealax_2Ereal. \\ & (\forall V4y0 \in ty_2Erealax_2Ereal. (((p\ (ap\ (ap\ (ap\ (c_2Enets_2Etends \\ & ty_2Erealax_2Ereal\ A_{.27a})\ V1x)\ V3x0)\ (ap\ (ap\ (c_2Epair_2E_2C\ (\\ & ty_2Etopology_2Etopology\ ty_2Erealax_2Ereal)\ ((2^{A_{.27a}})^{A_{.27a}})) \\ & (ap\ (c_2Emetric_2Emtop\ ty_2Erealax_2Ereal)\ c_2Emetric_2Emr1)) \\ & V0g))) \wedge (p\ (ap\ (ap\ (ap\ (c_2Enets_2Etends\ ty_2Erealax_2Ereal\ A_{.27a}) \\ & V2y)\ V4y0)\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Etopology_2Etopology \\ & ty_2Erealax_2Ereal)\ ((2^{A_{.27a}})^{A_{.27a}}))\ (ap\ (c_2Emetric_2Emtop \\ & ty_2Erealax_2Ereal)\ c_2Emetric_2Emr1))\ V0g)))) \Rightarrow (p\ (ap\ (ap\ (ap \\ & (c_2Enets_2Etends\ ty_2Erealax_2Ereal\ A_{.27a})\ (\lambda V5n \in A_{.27a}. \\ & (ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ V1x\ V5n))\ (ap\ V2y\ V5n))))\ (ap \\ & (ap\ c_2Erealax_2Ereal_mul\ V3x0)\ V4y0))\ (ap\ (ap\ (c_2Epair_2E_2C \\ & (ty_2Etopology_2Etopology\ ty_2Erealax_2Ereal)\ ((2^{A_{.27a}})^{A_{.27a}})) \\ & (ap\ (c_2Emetric_2Emtop\ ty_2Erealax_2Ereal)\ c_2Emetric_2Emr1)) \\ & V0g))))))))) \end{aligned}$$