

thm_2Enets_2ENET__NEG
(TMbi2C'bgDoNKvG4mmkSqAuCddsSBeonKJr2f)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 6 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 7 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A) P)))$

Definition 8 We define $c_2Enets_2Edorder$ to be $\lambda A_27a : \iota.\lambda V0g \in ((2^{A-27a})^{A-27a}).(ap (c_2Ebool_2E_21 A) g)$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ ty_2Erealax_2Ereal) \tag{4}$$

Definition 9 We define $c_Erealax_Ereal_REP$ to be $\lambda V0a \in ty_Erealax_Ereal.(ap (c_Emin_E40 (ty_Erealax_Ereal_neg : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_neg \in ((ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)(ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)) \quad (5)$$

Let $c_Erealax_Ereal_eq : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_eq \in ((2^{(ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)})(ty_Epair_Eprod ty_Ehreal_Ehreal)) \quad (6)$$

Let $c_Erealax_Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_ABS_CLASS \in (ty_Erealax_Ereal)^{(2^{(ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)})} \quad (7)$$

Definition 10 We define $c_Erealax_Ereal_ABS$ to be $\lambda V0r \in (ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)$

Definition 11 We define $c_Erealax_Ereal_neg$ to be $\lambda V0T1 \in ty_Erealax_Ereal.(ap c_Erealax_Ereal$

Let $c_Erealax_Ereal_add : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_add \in (((ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)(ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)))(ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal) \quad (8)$$

Definition 12 We define $c_Erealax_Ereal_add$ to be $\lambda V0T1 \in ty_Erealax_Ereal.\lambda V1T2 \in ty_Erealax_Ereal$

Definition 13 We define $c_Ereal_Ereal_sub$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal$

Let $c_Eenum_EZERO_REP : \iota$ be given. Assume the following.

$$c_Eenum_EZERO_REP \in \omega \quad (9)$$

Let $ty_Eenum_Eenum : \iota$ be given. Assume the following.

$$nonempty\ ty_Eenum_Eenum \quad (10)$$

Let $c_Eenum_EABS_num : \iota$ be given. Assume the following.

$$c_Eenum_EABS_num \in (ty_Eenum_Eenum)^{\omega} \quad (11)$$

Definition 14 We define c_Eenum_E0 to be $(ap c_Eenum_EABS_num c_Eenum_EZERO_REP)$.

Let $c_Ereal_Ereal_of_num : \iota$ be given. Assume the following.

$$c_Ereal_Ereal_of_num \in (ty_Erealax_Ereal)^{ty_Eenum_Eenum} \quad (12)$$

Let $c_Erealax_Ereal_lt : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_lt \in ((2^{(ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)})(ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)) \quad (13)$$

Definition 15 We define $c_Erealax_Ereal_lt$ to be $\lambda V0T1 \in ty_Erealax_Ereal. \lambda V1T2 \in ty_Erealax_Ereal.$

Definition 16 We define c_Ebool_EF to be $(ap (c_Ebool_E21) 2) (\lambda V0t \in 2.V0t).$

Definition 17 We define c_Ebool_E7E to be $(\lambda V0t \in 2.(ap (ap c_Emin_E3D_3D_3E V0t) c_Ebool_E7E).$

Definition 18 We define $c_Ereal_Ereal_lte$ to be $\lambda V0x \in ty_Erealax_Ereal. \lambda V1y \in ty_Erealax_Ereal.$

Definition 19 We define c_Ebool_ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 20 We define c_Ereal_Eabs to be $\lambda V0x \in ty_Erealax_Ereal. (ap (ap (ap (c_Ebool_ECOND$

Let $c_Epair_ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_Epair_ESND \\ A_27a A_27b \in (A_27b)^{(ty_Epair_Eprod A_27a A_27b)} \end{aligned} \quad (14)$$

Let $c_Epair_EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_Epair_EFST \\ A_27a A_27b \in (A_27a)^{(ty_Epair_Eprod A_27a A_27b)} \end{aligned} \quad (15)$$

Definition 21 We define $c_Epair_EUNCURRY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A_27c)^{A_27b}$

Let $ty_Emetric_Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_Emetric_Emetric A0) \quad (16)$$

Let $c_Emetric_Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow c_Emetric_Emetric A_27a \in ((ty_Emetric_Emetric \\ A_27a)^{(ty_Erealax_Ereal)^{(ty_Epair_Eprod A_27a A_27a)}}) \end{aligned} \quad (17)$$

Definition 22 We define $c_Emetric_Emr1$ to be $(ap (c_Emetric_Emetric ty_Erealax_Ereal) (ap (c_E$

Let $c_Emetric_Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_Emetric_Edist A_27a \in ((ty_Erealax_Ereal)^{(ty_Epair_Eprod A_27a A_27a)}) \quad (18)$$

Let $c_Epair_EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_Epair_EABS_prod \\ A_27a A_27b \in ((ty_Epair_Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (19)$$

Definition 23 We define c_Epair_E2C to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_E$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (20)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Etopology_2Etopology\ A.27a \in \\ ((ty_2Etopology_2Etopology\ A.27a)^{(2^{2^A-27a}})) \quad (21)$$

Definition 24 We define $c_2Emetric_2Emtop$ to be $\lambda A.27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric\ A.27a).(ap$

Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Enets_2Etends \\ A.27a\ A.27b \in (((2^{(ty_2Epair_2Eprod\ (ty_2Etopology_2Etopology\ A.27a)\ ((2^{A-27b})^{A-27b}))})_{A.27a})_{(A.27a^{A-27b})}) \quad (22)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\ ((ap\ (ap\ (c_2Emetric_2Edist\ ty_2Erealax_2Ereal)\ c_2Emetric_2Emr1) \\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal) \\ V0x)\ V1y))) = (ap\ c_2Ereal_2Eabs\ (ap\ (ap\ c_2Ereal_2Ereal_sub\ V1y) \\ V0x)))))) \quad (23)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0d \in (ty_2Emetric_2Emetric\ A.27a).(\forall V1g \in ((2^{A-27b})^{A-27b}). \\ (\forall V2x \in (A.27a^{A-27b}).(\forall V3x0 \in A.27a.((p\ (ap\ (ap\ (ap \\ (c_2Enets_2Etends\ A.27a\ A.27b)\ V2x)\ V3x0)\ (ap\ (ap\ (c_2Epair_2E_2C \\ (ty_2Etopology_2Etopology\ A.27a)\ ((2^{A-27b})^{A-27b}))\ (ap\ (c_2Emetric_2Emtop \\ A.27a)\ V0d))\ V1g)))) \Leftrightarrow (\forall V4e \in ty_2Erealax_2Ereal.((p\ (ap \\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) \\ V4e)) \Rightarrow (\exists V5n \in A.27b.((p\ (ap\ (ap\ V1g\ V5n)\ V5n)) \wedge (\forall V6m \in \\ A.27b.((p\ (ap\ (ap\ V1g\ V6m)\ V5n)) \Rightarrow (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt \\ (ap\ (ap\ (c_2Emetric_2Edist\ A.27a)\ V0d)\ (ap\ (ap\ (c_2Epair_2E_2C \\ A.27a\ A.27a)\ (ap\ V2x\ V6m))\ V3x0)))\ V4e)))))))))) \quad (24)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\ ((ap\ (ap\ c_2Ereal_2Ereal_sub\ (ap\ c_2Erealax_2Ereal_neg\ V0x)) \\ (ap\ c_2Erealax_2Ereal_neg\ V1y))) = (ap\ (ap\ c_2Ereal_2Ereal_sub \\ V1y)\ V0x)))) \quad (25)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\ ((ap\ c_2Ereal_2Eabs\ (ap\ (ap\ c_2Ereal_2Ereal_sub\ V0x)\ V1y))) = (\\ ap\ c_2Ereal_2Eabs\ (ap\ (ap\ c_2Ereal_2Ereal_sub\ V1y)\ V0x)))) \quad (26)$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0g \in ((2^{A_{27a}})^{A_{27a}}). \\ & ((p (ap (c_2Enets_2Edorder A_{27a}) V0g)) \Rightarrow (\forall V1x \in (ty_2Erealax_2Ereal^{A_{27a}}). \\ & (\forall V2x0 \in ty_2Erealax_2Ereal. ((p (ap (ap (ap (c_2Enets_2Etends \\ & ty_2Erealax_2Ereal A_{27a}) V1x) V2x0) (ap (ap (c_2Epair_2E_2C (\\ & ty_2Etopology_2Etopology ty_2Erealax_2Ereal) ((2^{A_{27a}})^{A_{27a}})) \\ & (ap (c_2Emetric_2Emtop ty_2Erealax_2Ereal) c_2Emetric_2Emr1)) \\ & V0g))) \Leftrightarrow (p (ap (ap (ap (c_2Enets_2Etends ty_2Erealax_2Ereal A_{27a}) \\ & (\lambda V3n \in A_{27a}. (ap c_2Erealax_2Ereal_neg (ap V1x V3n)))))) (ap \\ & c_2Erealax_2Ereal_neg V2x0)) (ap (ap (c_2Epair_2E_2C (ty_2Etopology_2Etopology \\ & ty_2Erealax_2Ereal) ((2^{A_{27a}})^{A_{27a}})) (ap (c_2Emetric_2Emtop \\ & ty_2Erealax_2Ereal) c_2Emetric_2Emr1)) V0g))))))))) \end{aligned}$$