

thm_2Enets_2ENET__SUB
(TMRE7DkmuRE24uyg1MCLZ6snPmvz7KKyZFK)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ ty_2Erealax_2Ereal) \tag{4}$$

Definition 8 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A \wedge p))$ of type $\iota \Rightarrow \iota$.

Definition 9 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E40 (ty$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) \quad (5)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) \quad (6)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}} \quad (7)$$

Definition 10 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty$

Definition 11 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap c_2Erealax_2Ereal$

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_add \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)))(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal) \quad (8)$$

Definition 12 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax$

Definition 13 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (10)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \quad (11)$$

Definition 14 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal)^{ty_2Enum_2Enum} \quad (12)$$

Let $c_2Erealax_2Etrealm_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_lt \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) \quad (13)$$

Definition 15 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 16 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.))$

Definition 18 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap (ap (ap (c_2Ebool_2ECOND$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \end{aligned} \quad (14)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \end{aligned} \quad (15)$$

Definition 19 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27b}$

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Emetric_2Emetric\ A0) \quad (16)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Emetric\ A_27a \in ((ty_2Emetric_2Emetric \\ A_27a)^{(ty_2Erealax_2Ereal\ (ty_2Epair_2Eprod\ A_27a\ A_27a)})) \end{aligned} \quad (17)$$

Definition 20 We define $c_2Emetric_2Emr1$ to be $(ap (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal)) (ap (c_2Epair_2EABS_prod$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (18)$$

Definition 21 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epair_2EABS_prod$

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Edist\ A_27a \in ((ty_2Erealax_2Ereal\ (ty_2Epair_2Eprod\ A_27a\ A_27a)) \quad (19)$$

Definition 22 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (20)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Etopology_2Etopology\ A_27a \in ((ty_2Etopology_2Etopology\ A_27a)^{(2^{(2^A-27a)})}) \quad (21)$$

Definition 23 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric\ A_27a).(ap$

Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Enets_2Etends\ A_27a\ A_27b \in (((2^{(ty_2Epair_2Eprod\ (ty_2Etopology_2Etopology\ A_27a)\ (2^{A-27b})^{A-27b})})^{A_27a})^{(A_27a^{A-27b})}) \quad (22)$$

Definition 24 We define $c_2Enets_2Edorder$ to be $\lambda A_27a : \iota.\lambda V0g \in ((2^{A-27a})^{A-27a}).(ap\ (c_2Ebool_2E21\ A_27a\ V0g)$

Assume the following.

$$True \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0g \in ((2^{A_27a})^{A_27a}). \\
& ((p\ (ap\ (c_2Enets_2Edorder\ A_27a)\ V0g)) \Rightarrow (\forall V1x \in (ty_2Erealax_2Ereal^{A_27a}). \\
& (\forall V2x0 \in ty_2Erealax_2Ereal. (\forall V3y \in (ty_2Erealax_2Ereal^{A_27a}). \\
& (\forall V4y0 \in ty_2Erealax_2Ereal. (((p\ (ap\ (ap\ (ap\ (c_2Enets_2Etends \\
& ty_2Erealax_2Ereal\ A_27a)\ V1x)\ V2x0)\ (ap\ (ap\ (c_2Epair_2E_2C\ (\\
& ty_2Etopology_2Etopology\ ty_2Erealax_2Ereal)\ ((2^{A_27a})^{A_27a})) \\
& (ap\ (c_2Emetric_2Emtop\ ty_2Erealax_2Ereal)\ c_2Emetric_2Emr1)) \\
& V0g))) \wedge (p\ (ap\ (ap\ (ap\ (c_2Enets_2Etends\ ty_2Erealax_2Ereal\ A_27a) \\
& V3y)\ V4y0)\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Etopology_2Etopology \\
& ty_2Erealax_2Ereal)\ ((2^{A_27a})^{A_27a}))\ (ap\ (c_2Emetric_2Emtop \\
& ty_2Erealax_2Ereal)\ c_2Emetric_2Emr1))\ V0g)))) \Rightarrow (p\ (ap\ (ap\ (ap \\
& (c_2Enets_2Etends\ ty_2Erealax_2Ereal\ A_27a)\ (\lambda V5n \in A_27a. \\
& (ap\ (ap\ c_2Erealax_2Ereal_add\ (ap\ V1x\ V5n))\ (ap\ V3y\ V5n))))\ (ap \\
& (ap\ c_2Erealax_2Ereal_add\ V2x0)\ V4y0))\ (ap\ (ap\ (c_2Epair_2E_2C \\
& (ty_2Etopology_2Etopology\ ty_2Erealax_2Ereal)\ ((2^{A_27a})^{A_27a})) \\
& (ap\ (c_2Emetric_2Emtop\ ty_2Erealax_2Ereal)\ c_2Emetric_2Emr1)) \\
& V0g)))))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0g \in ((2^{A_27a})^{A_27a}). \\
& ((p\ (ap\ (c_2Enets_2Edorder\ A_27a)\ V0g)) \Rightarrow (\forall V1x \in (ty_2Erealax_2Ereal^{A_27a}). \\
& (\forall V2x0 \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ (ap\ (c_2Enets_2Etends \\
& ty_2Erealax_2Ereal\ A_27a)\ V1x)\ V2x0)\ (ap\ (ap\ (c_2Epair_2E_2C\ (\\
& ty_2Etopology_2Etopology\ ty_2Erealax_2Ereal)\ ((2^{A_27a})^{A_27a})) \\
& (ap\ (c_2Emetric_2Emtop\ ty_2Erealax_2Ereal)\ c_2Emetric_2Emr1)) \\
& V0g))) \Leftrightarrow (p\ (ap\ (ap\ (ap\ (c_2Enets_2Etends\ ty_2Erealax_2Ereal\ A_27a) \\
& (\lambda V3n \in A_27a. (ap\ c_2Erealax_2Ereal_neg\ (ap\ V1x\ V3n))))\ (ap \\
& c_2Erealax_2Ereal_neg\ V2x0))\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Etopology_2Etopology \\
& ty_2Erealax_2Ereal)\ ((2^{A_27a})^{A_27a}))\ (ap\ (c_2Emetric_2Emtop \\
& ty_2Erealax_2Ereal)\ c_2Emetric_2Emr1))\ V0g)))))))))
\end{aligned} \tag{28}$$

Theorem 1

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0g \in ((2^{A_{.27a}})^{A_{.27a}}). \\
& ((p\ (ap\ (c_{.2}Enets_{.2}Edorder\ A_{.27a})\ V0g)) \Rightarrow (\forall V1x \in (ty_{.2}Erealax_{.2}Ereal^{A_{.27a}}). \\
& (\forall V2x0 \in ty_{.2}Erealax_{.2}Ereal. (\forall V3y \in (ty_{.2}Erealax_{.2}Ereal^{A_{.27a}}). \\
& (\forall V4y0 \in ty_{.2}Erealax_{.2}Ereal. (((p\ (ap\ (ap\ (ap\ (c_{.2}Enets_{.2}Etends \\
& ty_{.2}Erealax_{.2}Ereal\ A_{.27a})\ V1x)\ V2x0)\ (ap\ (ap\ (c_{.2}Epair_{.2}E_{.2}C\ (\\
& ty_{.2}Etopology_{.2}Etopology\ ty_{.2}Erealax_{.2}Ereal)\ ((2^{A_{.27a}})^{A_{.27a}})) \\
& (ap\ (c_{.2}Emetric_{.2}Emtop\ ty_{.2}Erealax_{.2}Ereal)\ c_{.2}Emetric_{.2}Emr1)) \\
& V0g)))) \wedge (p\ (ap\ (ap\ (ap\ (c_{.2}Enets_{.2}Etends\ ty_{.2}Erealax_{.2}Ereal\ A_{.27a}) \\
& V3y)\ V4y0)\ (ap\ (ap\ (c_{.2}Epair_{.2}E_{.2}C\ (ty_{.2}Etopology_{.2}Etopology \\
& ty_{.2}Erealax_{.2}Ereal)\ ((2^{A_{.27a}})^{A_{.27a}}))\ (ap\ (c_{.2}Emetric_{.2}Emtop \\
& ty_{.2}Erealax_{.2}Ereal)\ c_{.2}Emetric_{.2}Emr1))\ V0g)))) \Rightarrow (p\ (ap\ (ap\ (ap \\
& (c_{.2}Enets_{.2}Etends\ ty_{.2}Erealax_{.2}Ereal\ A_{.27a})\ (\lambda V5n \in A_{.27a}. \\
& (ap\ (ap\ c_{.2}Ereal_{.2}Ereal_{.sub}\ (ap\ V1x\ V5n))\ (ap\ V3y\ V5n))))\ (ap\ (ap \\
& c_{.2}Ereal_{.2}Ereal_{.sub}\ V2x0)\ V4y0))\ (ap\ (ap\ (c_{.2}Epair_{.2}E_{.2}C\ (ty_{.2}Etopology_{.2}Etopology \\
& ty_{.2}Erealax_{.2}Ereal)\ ((2^{A_{.27a}})^{A_{.27a}}))\ (ap\ (c_{.2}Emetric_{.2}Emtop \\
& ty_{.2}Erealax_{.2}Ereal)\ c_{.2}Emetric_{.2}Emr1))\ V0g)))))))))
\end{aligned}$$