

thm\_2EnumRing\_2Enum\_semi\_ring  
 (TMZCKSyRsp-  
 kASTR2TKtGbVHZoqHunxGStd9)

October 26, 2020

Let  $c\_2Enum\_2ZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ZERO\_REP \in \omega \quad (1)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Enum\_2Enum \quad (2)$$

Let  $c\_2Enum\_2ABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2ABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (3)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2ABS\_num\ c\_2Enum\_2ZERO\_REP)$ .

**Definition 3** We define  $c\_2Earithmetic\_2ZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (5)$$

**Definition 4** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a}))\ (\lambda V1P \in 2.V1P)))$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2ABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 7** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B n) 0)$

**Definition 8** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (7)$$

**Definition 9** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $ty\_2Esemi\_ring\_2Esemi\_ring : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Esemi\_ring\_2Esemi\_ring A0) \quad (8)$$

Let  $c\_2Esemi\_ring\_2Erecordtype\_2Esemi\_ring : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow c\_2Esemi\_ring\_2Erecordtype\_2Esemi\_ring \\ & A\_27a \in (((((ty\_2Esemi\_ring\_2Esemi\_ring A\_27a)^{(A\_27a^{A\_27a})^{A\_27a}})^{(A\_27a^{A\_27a})^{A\_27a}})^{A\_27a})^{A\_27a}) \end{aligned} \quad (9)$$

Let  $c\_2Esemi\_ring\_2Esemi\_ring\_SR1 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow c\_2Esemi\_ring\_2Esemi\_ring\_SR1 \\ & A\_27a \in (A\_27a^{(ty\_2Esemi\_ring\_2Esemi\_ring A\_27a)}) \end{aligned} \quad (10)$$

Let  $c\_2Esemi\_ring\_2Esemi\_ring\_SR0 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow c\_2Esemi\_ring\_2Esemi\_ring\_SR0 \\ & A\_27a \in (A\_27a^{(ty\_2Esemi\_ring\_2Esemi\_ring A\_27a)}) \end{aligned} \quad (11)$$

Let  $c\_2Esemi\_ring\_2Esemi\_ring\_SRM : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow c\_2Esemi\_ring\_2Esemi\_ring\_SRM \\ & A\_27a \in (((A\_27a^{A\_27a})^{A\_27a})^{(ty\_2Esemi\_ring\_2Esemi\_ring A\_27a)}) \end{aligned} \quad (12)$$

Let  $c\_2Esemi\_ring\_2Esemi\_ring\_SRP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow c\_2Esemi\_ring\_2Esemi\_ring\_SRP \\ & A\_27a \in (((A\_27a^{A\_27a})^{A\_27a})^{(ty\_2Esemi\_ring\_2Esemi\_ring A\_27a)}) \end{aligned} \quad (13)$$

**Definition 10** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \ P \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c\_2Ebool\_2E\_21 2))(\lambda V2t \in$

**Definition 12** We define  $c\_2Esemi\_ring\_2Eis\_semi\_ring$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (ty\_2Esemi\_ring\_2Esem$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((ap(ap(c\_2Earithmetic\_2E\_2B V0m) c\_2Enum\_2E0) = V0m))) \quad (14)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.((ap(ap(c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap(ap(c\_2Earithmetic\_2E\_2B V1n) V0m)))))) \quad (15)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.((ap(ap(c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap(ap(c\_2Earithmetic\_2E\_2B V1n) V0m)))))) \quad (16)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(\forall V2p \in ty\_2Enum\_2Enum.((ap(ap(c\_2Earithmetic\_2E\_2B V0m) (ap(ap(c\_2Earithmetic\_2E\_2B V1n) V2p)) = (ap(ap(c\_2Earithmetic\_2E\_2B (ap(ap(c\_2Earithmetic\_2E\_2B V0m) V1n)) V2p))))))) \quad (17)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((ap(ap(c\_2Earithmetic\_2E\_2A V0m) c\_2Enum\_2E0) = c\_2Enum\_2E0))) \quad (18)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((ap(ap(c\_2Earithmetic\_2E\_2A (ap(c\_2Earithmetic\_2ENUMERAL (ap(c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0m) = V0m)))) \quad (19)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.((ap(ap(c\_2Earithmetic\_2E\_2A V0m) V1n) = (ap(ap(c\_2Earithmetic\_2E\_2A V1n) V0m)))))) \quad (20)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(\forall V2p \in ty\_2Enum\_2Enum.((ap(ap(c\_2Earithmetic\_2E\_2A (ap(ap(c\_2Earithmetic\_2E\_2B V0m) V1n)) V2p) = (ap(ap(c\_2Earithmetic\_2E\_2B (ap(ap(c\_2Earithmetic\_2E\_2A V0m) V2p)) (ap(ap(c\_2Earithmetic\_2E\_2A V1n) V2p)))))))))) \quad (21)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
 & \forall V2p \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic_2E_2A V0m) \\
 & (ap (ap c_2Earithmetic_2E_2A V1n) V2p)) = (ap (ap c_2Earithmetic_2E_2A \\
 & (ap (ap c_2Earithmetic_2E_2A V0m) V1n)) V2p)))))) \\
 \end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
 & \forall V2p \in ty\_2Enum\_2Enum. (((ap (ap c_2Earithmetic_2E_2B V0m) \\
 & V2p) = (ap (ap c_2Earithmetic_2E_2B V1n) V2p)) \Leftrightarrow (V0m = V1n)))))) \\
 \end{aligned} \tag{23}$$

Assume the following.

$$True \tag{24}$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\
 A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \tag{25}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
 & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
 & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \\
 \end{aligned} \tag{26}$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow \\
 True)) \tag{27}$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\
 A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow ((\forall V0a \in A_27a.(\forall V1a0 \in \\
& A_27a.(\forall V2f \in ((A_27a^{A_27a})^{A_27a}).(\forall V3f0 \in ((A_27a^{A_27a})^{A_27a}). \\
& ((ap(c_2Esemi\_ring_2Esemi\_ring\_SR0 A_27a) (ap(ap(ap(ap \\
& (c_2Esemi\_ring_2Erecordtype_2Esemi\_ring A_27a) V0a) V1a0) \\
& V2f) V3f0)) = V0a)))) \wedge ((\forall V4a \in A_27a.(\forall V5a0 \in A_27a. \\
& (\forall V6f \in ((A_27a^{A_27a})^{A_27a}).(\forall V7f0 \in ((A_27a^{A_27a})^{A_27a}). \\
& ((ap(c_2Esemi\_ring_2Esemi\_ring\_SR1 A_27a) (ap(ap(ap(ap \\
& (c_2Esemi\_ring_2Erecordtype_2Esemi\_ring A_27a) V4a) V5a0) \\
& V6f) V7f0)) = V5a0)))) \wedge ((\forall V8a \in A_27a.(\forall V9a0 \in A_27a. \\
& (\forall V10f \in ((A_27a^{A_27a})^{A_27a}).(\forall V11f0 \in ((A_27a^{A_27a})^{A_27a}). \\
& ((ap(c_2Esemi\_ring_2Esemi\_ring\_SRP A_27a) (ap(ap(ap(ap \\
& (c_2Esemi\_ring_2Erecordtype_2Esemi\_ring A_27a) V8a) V9a0) \\
& V10f) V11f0)) = V10f)))) \wedge ((\forall V12a \in A_27a.(\forall V13a0 \in \\
& A_27a.(\forall V14f \in ((A_27a^{A_27a})^{A_27a}).(\forall V15f0 \in (( \\
& A_27a^{A_27a})^{A_27a}).((ap(c_2Esemi\_ring_2Esemi\_ring\_SRM \\
& A_27a) (ap(ap(ap(ap(c_2Esemi\_ring_2Erecordtype_2Esemi\_ring \\
& A_27a) V12a) V13a0) V14f) V15f0)) = V15f0))))))) \\
\end{aligned} \tag{29}$$

### Theorem 1

$$\begin{aligned}
& (p (ap (c_2Esemi\_ring_2Eis\_semi\_ring ty_2Enum_2Enum) (ap \\
& (ap (ap (ap (c_2Esemi\_ring_2Erecordtype_2Esemi\_ring ty_2Enum_2Enum) \\
& c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& c_2Earithmetic_2EZERO))) c_2Earithmetic_2E_2B) c_2Earithmetic_2E_2A)))
\end{aligned}$$