

thm\_2Enumeral\_2Ebit\_initiality  
 (TMLo8fQPzktGondo4unuEDnWucT1NitBmde)

October 26, 2020

Let  $c\_2Enum\_2ZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ZERO\_REP \in \omega \quad (1)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (2)$$

Let  $c\_2Enum\_2ABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2ABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (3)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2ABS\_num\ c\_2Enum\_2ZERO\_REP)$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (5)$$

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A. \lambda P \in (2^{A-27a}). (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))\ (\lambda V0P \in 2.V0P)))$

**Definition 5** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2ABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 6** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\lambda x. x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ .

**Definition 7** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2. V0t))$ .

**Definition 8** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 9** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t)) c\_2Ebool\_2EF)$

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap V0P (ap (c\_2Emin\_2E\_40$

**Definition 11** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic\_2EBIT2$

**Definition 12** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic\_2EBIT1$

**Definition 13** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 14** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 15** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum.$

Let  $c\_2Ebool\_2EARB : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Ebool\_2EARB A\_27a \in A\_27a \quad (7)$$

**Definition 16** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

**Definition 17** We define  $c\_2Erelation\_2EREstrict$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1f \in$

**Definition 18** We define  $c\_2Ebool\_2E\_3F\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap c\_2Ebool\_2E\_2F\_5C$

**Definition 19** We define  $c\_2Erelation\_2EWF$  to be  $\lambda A\_27a : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). (ap (c\_2Ebool\_2E\_21$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & ((ap (ap c\_2Earithmetic\_2E\_2B c\_2Enum\_2E0) V0m) = V0m) \wedge (((ap ( \\ & ap c\_2Earithmetic\_2E\_2B V0m) c\_2Enum\_2E0) = V0m) \wedge (((ap (ap c\_2Earithmetic\_2E\_2B \\ & (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B \\ & V0m) V1n))) \wedge ((ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap c\_2Enum\_2ESUC \\ & V1n)) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n))))))) \\ & \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) (ap (ap c\_2Earithmetic\_2E\_2B \\ & V0m) (ap c\_2Enum\_2ESUC V1n))))))) \end{aligned} \quad (9)$$

Assume the following.

$$True \quad (10)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (11)$$

Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a \Rightarrow & (\forall V0t \in 2. ((\exists V1x \in \\ A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} ((\forall V0t \in 2. ((\neg(p V0t)) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (13)$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow \\ True)) \quad (14)$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\ A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (15)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a \Rightarrow & (\forall V0t1 \in A\_27a. (\forall V1t2 \in \\ A\_27a. (((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) \\ V1t2) = V0t1) \wedge ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) \\ V0t1) V1t2) = V1t2)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a \Rightarrow & (\forall V0x \in A\_27a. ((ap (c\_2Emin\_2E\_40 \\ A\_27a) (\lambda V1y \in A\_27a. (ap (ap (c\_2Emin\_2E\_3D A\_27a) V0x) V1y))) = \\ V0x))) \end{aligned} \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\ ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\ & 2. (((((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))) \Rightarrow \quad (20) \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27))))))) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. \\ & (\forall V5y\_27 \in A\_27a. (((((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y\_27)))) \Rightarrow ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) \\ & V0P) V2x) V4y) = (ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) V1Q) V3x\_27) \\ & V5y\_27))))))))))) \quad (21) \end{aligned}$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0a \in A\_27a. (\exists V1x \in A\_27a. (V1x = V0a))) \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\ & ((c\_2Earithmetic\_2EZERO = (ap c\_2Earithmetic\_2EBIT1 V0n)) \Leftrightarrow False) \wedge \\ & (((ap c\_2Earithmetic\_2EBIT1 V0n) = c\_2Earithmetic\_2EZERO) \Leftrightarrow \\ & False) \wedge (((c\_2Earithmetic\_2EZERO = (ap c\_2Earithmetic\_2EBIT2 \\ & V0n)) \Leftrightarrow False) \wedge (((ap c\_2Earithmetic\_2EBIT2 V0n) = c\_2Earithmetic\_2EZERO) \Leftrightarrow \\ & False) \wedge (((ap c\_2Earithmetic\_2EBIT1 V0n) = (ap c\_2Earithmetic\_2EBIT2 \\ & V1m)) \Leftrightarrow False) \wedge (((ap c\_2Earithmetic\_2EBIT2 V0n) = (ap c\_2Earithmetic\_2EBIT1 \\ & V1m)) \Leftrightarrow False) \wedge (((ap c\_2Earithmetic\_2EBIT1 V0n) = (ap c\_2Earithmetic\_2EBIT1 \\ & V1m)) \Leftrightarrow (V0n = V1m)) \wedge (((ap c\_2Earithmetic\_2EBIT2 V0n) = (ap c\_2Earithmetic\_2EBIT2 \\ & V1m)) \Leftrightarrow (V0n = V1m))))))) \quad (23) \end{aligned}$$

Assume the following.

$$(p (ap (c\_2Erelation\_2EWF ty\_2Enum\_2Enum) c\_2Eprim\_rec\_2E\_3C)) \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow ( \\ & \forall V0R \in ((2^{A\_27a})^{A\_27a}). ((p (ap (c\_2Erelation\_2EWF A\_27a) \\ & V0R)) \Rightarrow (\forall V1M \in ((A\_27b)^{A\_27a})^{(A\_27b)^{A\_27a}}). (p (ap (c\_2Ebool\_2E\_3F\_21 \\ & (A\_27b)^{A\_27a})) (\lambda V2f \in (A\_27b)^{A\_27a}). (ap (c\_2Ebool\_2E\_21 A\_27a) \\ & (\lambda V3x \in A\_27a. (ap (ap (c\_2Emin\_2E\_3D A\_27b) (ap V2f V3x)) (ap \\ & (ap V1M (ap (ap (ap (c\_2Erelation\_2ERESTRIC A\_27a A\_27b) V2f) V0R) \\ & V3x)) V3x))))))))))) \quad (25) \end{aligned}$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0zf \in A\_27a.(\forall V1b1f \in \\ & ((A\_27a^{A\_27a})^{ty\_2Enum\_2Enum}).(\forall V2b2f \in ((A\_27a^{A\_27a})^{ty\_2Enum\_2Enum}). \\ & (\exists V3f \in (A\_27a^{ty\_2Enum\_2Enum}).(((ap\ V3f\ c\_2Earithmetic\_2ZERO) = \\ & V0zf) \wedge ((\forall V4n \in ty\_2Enum\_2Enum.((ap\ V3f\ (ap\ c\_2Earithmetic\_2EBIT1 \\ & V4n)) = (ap\ (ap\ V1b1f\ V4n)\ (ap\ V3f\ V4n)))) \wedge (\forall V5n \in ty\_2Enum\_2Enum. \\ & ((ap\ V3f\ (ap\ c\_2Earithmetic\_2EBIT2\ V5n)) = (ap\ (ap\ V2b2f\ V5n)\ (ap \\ & V3f\ V5n))))))))))) \end{aligned}$$