

thm\_2Enumeral\_2Eexactlog\_\_characterisation  
(TMN-  
WMMKh5JQMYHa5ycKvgRvcbg6h3ZBD6Hq)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{2}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (omega^{ty\_2Enum\_2Enum}) \tag{3}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (omega^{omega}) \tag{4}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \tag{5}$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if}\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A \wedge p\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 11** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 12** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 13** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 14** We define  $c\_2Ebool\_2EBOUNDED$  to be  $(\lambda V0v \in 2.c\_2Ebool\_2ET)$ .

**Definition 15** We define  $c\_2Emarker\_2EAbbrev$  to be  $\lambda V0x \in 2.V0x$ .

**Definition 16** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 17** We define  $c\_2Ebool\_2ELET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0f \in (A\_27b^{A-27a}).(\lambda V1x \in A\_27a.$

Let  $c\_2Enumeral\_2Eexactlog : \iota$  be given. Assume the following.

$$c\_2Enumeral\_2Eexactlog \in (ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (8)$$

**Definition 18** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 19** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B$

**Definition 20** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 21** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B$

**Definition 22** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (9)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (10)$$

Let  $c\_2Enumeral\_2Eonecount : \iota$  be given. Assume the following.

$$c\_2Enumeral\_2Eonecount \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (11)$$

Assume the following.

$$((ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)) = (ap\ c\_2Enum\_2ESUC\ c\_2Enum\_2E0)) \quad (12)$$

Assume the following.

$$((ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT2\ c\_2Earithmetic\_2EZERO)) = (ap\ c\_2Enum\_2ESUC\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))) \quad (13)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Enum\_2E0)\ V0m) = V0m) \wedge ( (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ c\_2Enum\_2E0) = V0m) \wedge ( (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Enum\_2ESUC\ V0m))\ V1n) = (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n))) \wedge ( (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ (ap\ c\_2Enum\_2ESUC\ V1n)) = (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n)))))) \quad (14)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V1n)\ V0m)))) \quad (15)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. ((\neg(V0n = c\_2Enum\_2E0)) \Leftrightarrow (p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ c\_2Enum\_2E0)\ V0n)))) \quad (16)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. ((\neg(p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ c\_2Enum\_2E0)\ V0n))) \Leftrightarrow (V0n = c\_2Enum\_2E0))) \quad (17)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\neg((p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ V0m)\ V1n)) \wedge (p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ V1n)\ V0m)))))) \quad (18)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( (p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ (ap\ c\_2Enum\_2ESUC\ V0n))\ (ap\ c\_2Enum\_2ESUC\ V1m))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ V0n)\ V1m)))))) \quad (19)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(\neg(p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V0n)) c\_2Enum\_2E0)))) \quad (20)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(\neg(p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C V1n) V0m))))) \quad (21)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(((ap (ap c\_2Earithmetic\_2E\_2D c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge ((ap (ap c\_2Earithmetic\_2E\_2D V0m) c\_2Enum\_2E0) = V0m))) \quad (22)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D (ap c\_2Enum\_2ESUC V0m)) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m)) \quad (23)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2A V1n) V0m)))) \quad (24)$$

Assume the following.

$$(\forall V0p \in ty\_2Enum\_2Enum.(\forall V1q \in ty\_2Enum\_2Enum.(\forall V2n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP V2n) (ap (ap c\_2Earithmetic\_2E\_2B V0p) V1q)) = (ap (ap c\_2Earithmetic\_2E\_2A (ap (ap c\_2Earithmetic\_2EEXP V2n) V0p)) (ap (ap c\_2Earithmetic\_2EEXP V2n) V1q))))) \quad (25)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(\forall V1m \in ty\_2Enum\_2Enum.(((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0n) V1m)) \wedge (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1m) V0n))) \Rightarrow (V0n = V1m)))) \quad (26)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) V0n) = (ap (ap c\_2Earithmetic\_2E\_2B V0n) V0n))) \quad (27)$$

Assume the following.

$$(\forall V0a \in ty\_2Enum\_2Enum. (\forall V1c \in ty\_2Enum\_2Enum. ( (ap (ap c\_2Earithmetic\_2E\_2D (ap (ap c\_2Earithmetic\_2E\_2B V0a) V1c)) V1c) = V0a))) \quad (28)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \forall V2p \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap (ap c\_2Earithmetic\_2E\_2D V1n) V2p)) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Enum\_2Enum) (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p)) V0m) (ap (ap c\_2Earithmetic\_2E\_2D (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) V2p)))))) \quad (29)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \forall V2p \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2D V0m) V1n)) V2p) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Enum\_2Enum) (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)) V2p) (ap (ap c\_2Earithmetic\_2E\_2D (ap (ap c\_2Earithmetic\_2E\_2B V0m) V2p)) V1n)))))) \quad (30)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( ((ap (ap c\_2Earithmetic\_2EEXP V0n) V1m) = c\_2Enum\_2E0) \Leftrightarrow ((V0n = c\_2Enum\_2E0) \wedge (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) V1m)))))) \quad (31)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (((ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0n) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) \wedge ((ap (ap c\_2Earithmetic\_2EEXP V0n) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0n))) \quad (32)$$

Assume the following.

$$True \quad (33)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (34)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \quad (36)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0f \in (A\_27b^{A\_27a}).(\forall V1x \in A\_27a.((ap\ (ap\ (c\_2Ebool\_2ELET \\ A\_27a\ A\_27b)\ V0f)\ V1x) = (ap\ V0f\ V1x)))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (41)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (42)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (43)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in \\ A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ p V0t)))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t1 \in A\_27a. (\forall V1t2 \in \\ & A\_27a. ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2ET)\ V0t1) \\ & V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2EF) \\ & V0t1)\ V1t2) = V1t2)))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. \\ & (\forall V5y\_27 \in A\_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\ & ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y\_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a) \\ & V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V1Q)\ V3x\_27) \\ & V5y\_27)))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0t1 \in A\_27a. (\forall V1t2 \in \\ & A\_27a. ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2ET)\ V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A\_27a. (\forall V3t2 \in A\_27a. ((ap \\ & (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2EF)\ V2t1)\ V3t2) = V3t2)))) \end{aligned} \quad (50)$$

Assume the following.

$$(\forall V0v \in 2. ((p\ (ap\ c\_2Ebool\_2EBOUNDED\ V0v)) \Leftrightarrow True)) \quad (51)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1t \in \\ & A\_27a. ((\forall V2x \in A\_27a. ((V2x = V1t) \Rightarrow (p\ (ap\ V0P\ V2x)))) \Rightarrow (p\ ( \\ & ap\ (c\_2Ebool\_2E\_3F\ A\_27a)\ V0P)))) \end{aligned} \quad (52)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\neg((ap\ c\_2Enum\_2ESUC\ V0n) = c\_2Enum\_2E0))) \quad (53)$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((c\_2Earithmic\_2EZERO = (ap\ c\_2Earithmic\_2EBIT1\ V0n)) \Leftrightarrow False) \wedge \\
& (((ap\ c\_2Earithmic\_2EBIT1\ V0n) = c\_2Earithmic\_2EZERO) \Leftrightarrow \\
& False) \wedge ((c\_2Earithmic\_2EZERO = (ap\ c\_2Earithmic\_2EBIT2 \\
& V0n)) \Leftrightarrow False) \wedge (((ap\ c\_2Earithmic\_2EBIT2\ V0n) = c\_2Earithmic\_2EZERO) \Leftrightarrow \\
& False) \wedge (((ap\ c\_2Earithmic\_2EBIT1\ V0n) = (ap\ c\_2Earithmic\_2EBIT2 \\
& V1m)) \Leftrightarrow False) \wedge (((ap\ c\_2Earithmic\_2EBIT2\ V0n) = (ap\ c\_2Earithmic\_2EBIT1 \\
& V1m)) \Leftrightarrow False) \wedge (((ap\ c\_2Earithmic\_2EBIT1\ V0n) = (ap\ c\_2Earithmic\_2EBIT1 \\
& V1m)) \Leftrightarrow (V0n = V1m)) \wedge (((ap\ c\_2Earithmic\_2EBIT2\ V0n) = (ap\ c\_2Earithmic\_2EBIT2 \\
& V1m)) \Leftrightarrow (V0n = V1m))))))))) \\
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty\_2Enum\_2Enum}). (((p\ (ap\ V0P\ c\_2Earithmic\_2EZERO)) \wedge \\
& ((\forall V1n \in ty\_2Enum\_2Enum. ((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c\_2Earithmic\_2EBIT1 \\
& V1n)))))) \wedge (\forall V2n \in ty\_2Enum\_2Enum. ((p\ (ap\ V0P\ V2n)) \Rightarrow (p\ (ap \\
& V0P\ (ap\ c\_2Earithmic\_2EBIT2\ V2n)))))) \Rightarrow (\forall V3n \in ty\_2Enum\_2Enum. \\
& (p\ (ap\ V0P\ V3n)))))) \\
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0x \in ty\_2Enum\_2Enum. ((ap\ (ap\ c\_2Enumeral\_2Eonecount \\
& c\_2Earithmic\_2EZERO)\ V0x) = V0x) \wedge ((\forall V1n \in ty\_2Enum\_2Enum. \\
& (\forall V2x \in ty\_2Enum\_2Enum. ((ap\ (ap\ c\_2Enumeral\_2Eonecount \\
& (ap\ c\_2Earithmic\_2EBIT1\ V1n))\ V2x) = (ap\ (ap\ c\_2Enumeral\_2Eonecount \\
& V1n)\ (ap\ c\_2Enum\_2ESUC\ V2x)))))) \wedge (\forall V3n \in ty\_2Enum\_2Enum. \\
& (\forall V4x \in ty\_2Enum\_2Enum. ((ap\ (ap\ c\_2Enumeral\_2Eonecount \\
& (ap\ c\_2Earithmic\_2EBIT2\ V3n))\ V4x) = c\_2Earithmic\_2EZERO)))))) \\
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& (((ap\ c\_2Enumeral\_2Eexactlog\ c\_2Earithmic\_2EZERO) = c\_2Earithmic\_2EZERO) \wedge \\
& ((\forall V0n \in ty\_2Enum\_2Enum. ((ap\ c\_2Enumeral\_2Eexactlog\ ( \\
& ap\ c\_2Earithmic\_2EBIT1\ V0n)) = c\_2Earithmic\_2EZERO) \wedge (\forall V1n \in \\
& ty\_2Enum\_2Enum. ((ap\ c\_2Enumeral\_2Eexactlog\ (ap\ c\_2Earithmic\_2EBIT2 \\
& V1n)) = (ap\ (ap\ (c\_2Ebool\_2ELET\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum) \\
& (\lambda V2x \in ty\_2Enum\_2Enum. (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ ty\_2Enum\_2Enum) \\
& (ap\ (ap\ (c\_2Emin\_2E\_3D\ ty\_2Enum\_2Enum)\ V2x)\ c\_2Earithmic\_2EZERO)) \\
& c\_2Earithmic\_2EZERO)\ (ap\ c\_2Earithmic\_2EBIT1\ V2x))))\ (ap \\
& (ap\ c\_2Enumeral\_2Eonecount\ V1n)\ c\_2Earithmic\_2EZERO)))))) \\
\end{aligned} \tag{57}$$



Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1a \in ty\_2Enum\_2Enum. ( \\
& ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap (ap c\_2Enumeral\_2Eoncount \\
& V0n) V1a))) \wedge (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) V0n))) \Rightarrow \\
& (V0n = (ap (ap c\_2Earithmetic\_2E\_2D (ap (ap c\_2Earithmetic\_2EEXP \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) \\
& (ap (ap c\_2Earithmetic\_2E\_2D (ap (ap c\_2Enumeral\_2Eoncount V0n) \\
& V1a)) V1a))) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& c\_2Earithmetic\_2EZERO)))))))))
\end{aligned} \tag{58}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\neg (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) V0n)))) \tag{59}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\neg (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) c\_2Enum\_2E0)))) \tag{60}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) (ap c\_2Enum\_2ESUC V1n))) \Leftrightarrow ( \\
& (V0m = V1n) \vee (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n))))))
\end{aligned} \tag{61}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{62}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{63}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \tag{64}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \tag{65}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{66}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg( \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{67}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{68}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{69}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (( \\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{70}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{71}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{72}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{73}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \tag{74}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{75}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \tag{76}$$

**Theorem 1**

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\ & ((ap\ c\_2Enumeral\_2Exactlog\ V0n) = (ap\ c\_2Earithmetic\_2EBIT1 \\ & V1m)) \Rightarrow (V0n = (ap\ (ap\ c\_2Earithmetic\_2EEXP\ (ap\ c\_2Earithmetic\_2ENUMERAL \\ & (ap\ c\_2Earithmetic\_2EBIT2\ c\_2Earithmetic\_2EZERO)))\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\ & V1m)\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1 \\ & c\_2Earithmetic\_2EZERO)))))))) \end{aligned}$$