

thm\_2Enumeral\_2Enumeral\_\_add  
 (TMc8tTSEvvsYDtL4jjUTE6fZWeu7zhcZ7TV)

October 26, 2020

Let  $c\_2Enum\_2ZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ZERO\_REP \in \omega \quad (1)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (2)$$

Let  $c\_2Enum\_2ABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2ABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (3)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be ( $ap\ c\_2Enum\_2ABS\_num\ c\_2Enum\_2ZERO\_REP$ ).

**Definition 3** We define  $c\_2Earithmetic\_2ZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (5)$$

**Definition 4** We define  $c\_2Ebool\_2ET$  to be ( $ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x)$ ).

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x)))$ .

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2ABS\_num\ m)$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 7** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2EBIT1 n) V0)$

**Definition 8** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2EBIT2\ n)\ V)$

**Definition 9** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E_21\ 2)\ (\lambda V0t\in 2.V0t))$ .

**Definition 10** We define  $c_{\text{2Emin\_3D\_3D\_3E}}$  to be  $\lambda P \in 2.\lambda Q \in 2.\text{inj\_o} (p \ P \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E))$

**Definition 12** We define  $c_{\text{CBool}} : \text{CBool} \rightarrow \text{Type}$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_{\text{CBool}}_2 E_21 2) (\lambda V2t \in$

**Definition 13** We define  $c\_2E\text{Enumeral\_2EiZ}$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

**Definition 14** We define  $c\_2E\text{numeral\_2E}iiSUC$  to be  $\lambda V0n \in ty\_2E\text{num\_2Enum}.(a$

Assume the following.

$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ($

$$\begin{aligned}
& ((ap (ap c_2Earithmetic_2E_2B c_2Enum_2E0) V0m) = V0m) \wedge (((ap ( \\
ap c_2Earithmetic_2E_2B V0m) c_2Enum_2E0) = V0m) \wedge (((ap (ap c_2Earithmetic_2E_2B \\
(ap c_2Enum_2ESUC V0m)) V1n) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B \\
V0m) V1n))) \wedge ((ap (ap c_2Earithmetic_2E_2B V0m) (ap c_2Enum_2ESUC \\
V1n)) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V0m) V1n))))))) \\
\end{aligned} \tag{7}$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B V1n) V0m)))) \quad (8)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
 & \forall V2p \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2B V0m) \\
 & (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p)) = (ap (ap c\_2Earithmetic\_2E\_2B \\
 & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) V2p)))))) \\
 & \quad (9)
 \end{aligned}$$

Assume the following.

*True* (10)

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p \vee V0t)) \Leftrightarrow (p \vee V0t)) \wedge (((p \vee V0t) \wedge True) \Leftrightarrow (p \vee V0t)) \wedge (((False \wedge (p \vee V0t)) \Leftrightarrow False) \wedge (((p \vee V0t) \wedge False) \Leftrightarrow False) \wedge (((p \vee V0t) \wedge (p \vee V0t)) \Leftrightarrow (p \vee V0t))))))) \quad (11)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow \text{True})) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (13)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ((ap c\_2Enum\_2ESUC V0m) = (ap c\_2Enum\_2ESUC V1n)) \Leftrightarrow (V0m = V1n)))) \quad (14)$$

### Theorem 1