

thm_2Enum_2Enumeral_2Enumeral_fact (TM-SRabR6UQAUnHXY4MVa2mJByfFWSSZG7rQ)

October 26, 2020

Let $c_2Enum_2ZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ZERO_REP \in \omega \quad (1)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (2)$$

Let $c_2Enum_2ABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2ABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (3)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2ABS_num\ c_2Enum_2ZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2SUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2SUC_REP \in (\omega^{\omega}) \quad (5)$$

Definition 3 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A. \lambda P \in (2^{A-27a}). (ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))\ (\lambda V0P \in 2.V0P)))$

Definition 5 We define c_2Enum_2SUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2ABS_num\ m)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 6 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EBIT2\ n)\ V)$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 8 We define $c_2Ebool_2E_3F$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\;V0P\;(ap\;(c_2Emin_2E_40\;A)\;V0P))$

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Let $c_2E\text{arithmetc_}2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Definition 11 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 12 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic\ 2EBIT1\ n)\ V)$

Definition 13 We define $c_2Earthmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2E\text{Arithmeti}c_2EFACT : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EFACT \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}) \quad (8)$$

Definition 14 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 15 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21 2) (\lambda V2t \in$

Definition 17 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ (ap\ (ap\ (ap\ (c_2Ebool_2B$

Assume the following.

$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. ($

ap c_2Earithmetic_2

$$(ap\ c_2Enum_2ESUC\ V0m))\ V1n) = (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetc_2E_2B\ V0m)\ V1n))) \wedge ((ap\ (ap\ c_2Earithmetc_2E_2B\ V0m)\ (ap\ c_2Enum_2ESUC\ V1n))) = (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetc_2E_2B\ V0m)\ V1n)))))))$$

(9)

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.((V0m = c_2Enum_2EV) \vee (\exists V1n \in ty_2Enum_2Enum.(V0m = (ap\ c_2Enum_2ESUC\ V1n))))) \quad (10)$$

Assume the following.

$$\begin{aligned} (((ap\ c_2Earithmetic_2EFACT\ c_2Enum_2E0) = (ap\ c_2Earithmetic_2ENUMERAL \\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))) \wedge (\forall V0n \in \\ ty_2Enum_2Enum.((ap\ c_2Earithmetic_2EFACT\ (ap\ c_2Enum_2ESUC\\ V0n)) = (ap\ (ap\ c_2Earithmetic_2E_2A\ (ap\ c_2Enum_2ESUC\ V0n))\ (ap\\ c_2Earithmetic_2EFACT\ V0n)))))) \end{aligned} \quad (11)$$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \\ True)) \quad (13)$$

Assume the following.

$$\begin{aligned} (((ap\ c_2Eprim_rec_2EPRE\ c_2Enum_2E0) = c_2Enum_2E0) \wedge (\forall V0m \in \\ ty_2Enum_2Enum.((ap\ c_2Eprim_rec_2EPRE\ (ap\ c_2Enum_2ESUC\ V0m)) = \\ V0m))) \end{aligned} \quad (14)$$

Theorem 1

$$\begin{aligned} (((ap\ c_2Earithmetic_2EFACT\ c_2Enum_2E0) = (ap\ c_2Earithmetic_2ENUMERAL \\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))) \wedge ((\forall V0n \in \\ ty_2Enum_2Enum.((ap\ c_2Earithmetic_2EFACT\ (ap\ c_2Earithmetic_2ENUMERAL \\ (ap\ c_2Earithmetic_2EBIT1\ V0n)))) = (ap\ (ap\ c_2Earithmetic_2E_2A \\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ V0n)))) \\ (ap\ c_2Earithmetic_2EFACT\ (ap\ c_2Eprim_rec_2EPRE\ (ap\ c_2Earithmetic_2ENUMERAL \\ (ap\ c_2Earithmetic_2EBIT1\ V0n))))))) \wedge (\forall V1n \in ty_2Enum_2Enum. \\ ((ap\ c_2Earithmetic_2EFACT\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\\ c_2Earithmetic_2EBIT2\ V1n)))) = (ap\ (ap\ c_2Earithmetic_2E_2A\ (\\ ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2\ V1n)))) \\ (ap\ c_2Earithmetic_2EFACT\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1 \\ V1n))))))) \end{aligned}$$