

thm_2Enumeral_2Enumeral_funpow (TMQc-cDEq7vrfhWrxJbeULiWVEAVt6fqCQ6D)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1x \in 2.V1x)) (\lambda V2y \in 2.V2y)))$

Definition 4 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (2)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (3)$$

Definition 5 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EABS_num (c_2Enum_2EREP_num m))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 7 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT1 n) V0)$

Definition 8 We define `c_2Earithmetic_2EBIT2` to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EBIT2\ n)\ V)$

Let $c_2E\text{arithmetic}_2E\text{FUNPOW} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{_27a}.nonempty\ A_{_27a} \Rightarrow c_2Earithmetic_2E FUNPOW\ A_{_27a} \in (((A_{_27a}^{A_{_27a}})^{ty_2Enum_2Enum})^{(A_{_27a}^{A_{_27a}})}) \quad (7)$$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p \ (ap \ P \ x)) \ \text{then } (\lambda x.x \in A \wedge p \ \text{of type } \iota \Rightarrow \iota)$.

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\;V0P\;(ap\;(c_2EMin_2E_40$

Definition 11 We define $c_2 \in 2.E_{\min} \cdot 2.E_{\exists D} \cdot 3D \cdot 3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \ P \Rightarrow p \ Q)$ of type ι .

Definition 12 We define $c_{\text{Ebool}} _2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_{\text{Ebool}} _2E_21\ 2)\ (\lambda V2t \in$

Definition 13 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 14 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 15 We define $c._2Ebool_2ECOND$ to be $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

Definition 16 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum.(ap (ap (ap (ap (c_2Ebool_2B$

Assume the following.

$$\begin{aligned} & \forall A.27a.\text{nonempty } A.27a \Rightarrow ((\forall V0f \in (A.27a^{A.27a}).(\forall V1x \in \\ & A.27a.((ap (ap (ap (c.2Earithmetic.2EFUNPOW A.27a) V0f) c.2Enum.2E0) \\ & V1x) = V1x))) \wedge (\forall V2f \in (A.27a^{A.27a}).(\forall V3n \in \text{ty.2Enum.2Enum.} \\ & (\forall V4x \in A.27a.((ap (ap (ap (c.2Earithmetic.2EFUNPOW A.27a) \\ & V2f) (ap c.2Enum.2ESUC V3n)) V4x) = (ap (ap (ap (c.2Earithmetic.2EFUNPOW \\ & A.27a) V2f) V3n) (ap V2f V4x))))))) \end{aligned} \quad (8)$$

Assume the following.

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.((V0m = c_2Enum_2E0) \vee (\exists V1n \in ty_2Enum_2Enum.(V0m = (ap\ c_2Enum_2ESUC\ V1n))))) \quad (10)$$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (12)$$

Assume the following.

$$(((ap\ c_2Eprim_rec_2EPRE\ c_2Enum_2E0) = c_2Enum_2E0) \wedge (\forall V0m \in ty_2Enum_2Enum. ((ap\ c_2Eprim_rec_2EPRE\ (ap\ c_2Enum_2ESUC\ V0m)) = V0m))) \quad (13)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0f \in (A_27a^{A_27a}). (\forall V1x \in \\ & A_27a. (\forall V2n \in ty_2Enum_2Enum. (((ap\ (ap\ (ap\ (c_2Earithmetic_2EFUNPOW \\ & A_27a)\ V0f)\ c_2Enum_2E0)\ V1x) = V1x) \wedge ((ap\ (ap\ (ap\ (c_2Earithmetic_2EFUNPOW \\ & A_27a)\ V0f)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1 \\ & V2n)))\ V1x) = (ap\ (ap\ (ap\ (c_2Earithmetic_2EFUNPOW\ A_27a)\ V0f)\ (\\ & ap\ c_2Eprim_rec_2EPRE\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1 \\ & V2n))))\ (ap\ V0f\ V1x))) \wedge ((ap\ (ap\ (ap\ (c_2Earithmetic_2EFUNPOW\ A_27a)\ \\ & V0f)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2 \\ & V2n)))\ V1x) = (ap\ (ap\ (ap\ (c_2Earithmetic_2EFUNPOW\ A_27a)\ V0f)\ (\\ & ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ V2n))))\ (ap\ V0f\ V1x))))))) \end{aligned}$$