

thm_2Enumeral_2Eonecount__characterisation (TMTa396Q2jfahiiXU7bFZYAAfh2TggXWEZ)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p (ap P x))$ **then** *(the* $(\lambda x.x \in A \wedge p x)$ *of type* $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ *of type* $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A a))))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Definition 4 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) (ap V0P (ap (c_2Emin_2E_40 A a))))))$

Definition 6 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \tag{2}$$

Definition 7 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 8 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ *of type* ι .

Definition 9 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{3}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega^{\omega}}) \quad (4)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega^{\omega}}) \quad (5)$$

Definition 11 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 12 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 14 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 15 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 16 We define $c_2Ebool_2EBOUNDED$ to be $(\lambda V0v \in 2.c_2Ebool_2ET)$.

Definition 17 We define $c_2Emarker_2EAbbrev$ to be $\lambda V0x \in 2.V0x$.

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Definition 18 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 19 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 20 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 21 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enumeral_2Eonecount : \iota$ be given. Assume the following.

$$c_2Enumeral_2Eonecount \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Assume the following.

$$\begin{aligned} & ((\forall V0m \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2D \\ & c_2Enum_2E0) V0m) = c_2Enum_2E0)) \wedge (\forall V1m \in ty_2Enum_2Enum. \\ & (\forall V2n \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2D (\\ & ap c_2Enum_2ESUC V1m)) V2n) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Enum_2Enum) \\ & (ap (ap c_2Eprim_rec_2E_3C V1m) V2n)) c_2Enum_2E0) (ap c_2Enum_2ESUC \\ & (ap (ap c_2Earithmetic_2E_2D V1m) V2n))))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & ((\forall V0m \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2EEXP \\ & V0m) c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\ & c_2Earithmetic_2EZERO)))) \wedge (\forall V1m \in ty_2Enum_2Enum. (\forall V2n \in \\ & ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2EEXP V1m) (ap c_2Enum_2ESUC \\ & V2n)) = (ap (ap c_2Earithmetic_2E_2A V1m) (ap (ap c_2Earithmetic_2EEXP \\ & V1m) V2n)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & ((ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)) = \\ & (ap c_2Enum_2ESUC c_2Enum_2E0)) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & ((ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO)) = \\ & (ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\ & c_2Earithmetic_2EZERO)))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & ((ap (ap c_2Earithmetic_2E_2B c_2Enum_2E0) V0m) = V0m) \wedge (((ap (\\ & ap c_2Earithmetic_2E_2B V0m) c_2Enum_2E0) = V0m) \wedge (((ap (ap c_2Earithmetic_2E_2B \\ & (ap c_2Enum_2ESUC V0m)) V1n) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B \\ & V0m) V1n))) \wedge ((ap (ap c_2Earithmetic_2E_2B V0m) (ap c_2Enum_2ESUC \\ & V1n)) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V0m) V1n)))))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & (ap (ap c_2Earithmetic_2E_2B V0m) V1n) = (ap (ap c_2Earithmetic_2E_2B \\ & V1n) V0m)))) \end{aligned} \quad (16)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.((V0m = c_2Enum_2E0) \vee (\exists V1n \in ty_2Enum_2Enum.(V0m = (ap\ c_2Enum_2ESUC\ V1n)))))) \quad (17)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.((\neg(V0n = c_2Enum_2E0)) \Leftrightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Enum_2E0)\ V0n)))) \quad (18)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.((\neg(p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Enum_2E0)\ V0n))) \Leftrightarrow (V0n = c_2Enum_2E0))) \quad (19)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\neg((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V1n)) \wedge (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V1n)\ V0m)))))) \quad (20)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ V0m)\ (ap\ c_2Enum_2ESUC\ V0m)))) \quad (21)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\neg((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V1n))) \Leftrightarrow (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ V1n)\ V0m)))))) \quad (22)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\neg((p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ V0m)\ V1n))) \Leftrightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V1n)\ V0m)))))) \quad (23)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\neg((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V1n)) \wedge (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ V1n)\ V0m)))))) \quad (24)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V0m) = c_2Enum_2E0) \wedge \\
& (((ap (ap c_2Earithmetic_2E_2A V0m) c_2Enum_2E0) = c_2Enum_2E0) \wedge \\
& ((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0m) = V0m) \wedge \\
& (((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) = V0m) \wedge (\\
& ((ap (ap c_2Earithmetic_2E_2A (ap c_2Enum_2ESUC V0m)) V1n) = (ap \\
& (ap c_2Earithmetic_2E_2B (ap (ap c_2Earithmetic_2E_2A V0m) V1n)) \\
& V1n)) \wedge ((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Enum_2ESUC V1n)) = \\
& (ap (ap c_2Earithmetic_2E_2B V0m) (ap (ap c_2Earithmetic_2E_2A \\
& V0m) V1n))))))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& \forall V2p \in ty_2Enum_2Enum. (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0m) V1n)) \wedge (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p))) \Rightarrow (p (\\
& ap (ap c_2Earithmetic_2E_3C_3D V0m) V2p))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0m) V0m)))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D V0n) V1m)) \wedge (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) V0n))) \Rightarrow (V0n = V1m))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2A (\\
& ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO))) \\
& V0n) = (ap (ap c_2Earithmetic_2E_2B V0n) V0n)))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Enum_2Enum. (\forall V1c \in ty_2Enum_2Enum. (\\
& (ap (ap c_2Earithmetic_2E_2D (ap (ap c_2Earithmetic_2E_2B V0a) \\
& V1c)) V1c) = V0a)))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0c \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2D V0c) \\
& V0c) = c_2Enum_2E0))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& \quad \forall V2p \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2B (ap \\
& (ap c_2Earithmetic_2E_2D V0m) V1n)) V2p) = (ap (ap (ap (c_2Ebool_2ECOND \\
& \quad ty_2Enum_2Enum) (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n)) V2p) \\
& \quad (ap (ap c_2Earithmetic_2E_2D (ap (ap c_2Earithmetic_2E_2B V0m) \\
& \quad \quad V2p)) V1n))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((ap (ap c_2Earithmetic_2EEXP V0n) V1m) = c_2Enum_2E0) \Leftrightarrow ((V0n = \\
& \quad c_2Enum_2E0) \wedge (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V1m))))))
\end{aligned} \tag{33}$$

Assume the following.

$$True \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
& \quad V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))))
\end{aligned} \tag{35}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \tag{36}$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\
& \quad A_27a. (p V0t)) \Leftrightarrow (p V0t)))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
& \quad (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\
& \quad (p V0t)) \Leftrightarrow (p V0t))))))
\end{aligned} \tag{40}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (41)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (42)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (43)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (44)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (45)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (46)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in A_27a.(((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))) \quad (47)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A_27a}).((\forall V2x \in A_27a.((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A_27a.(p (ap V1P V3x))) \vee (p V0Q)))))) \quad (48)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (49)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (50)$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \Rightarrow (51)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A_{.27a}.(\forall V3x_{.27} \in A_{.27a}.(\forall V4y \in A_{.27a}. \\ & (\forall V5y_{.27} \in A_{.27a}.(((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x_{.27})) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y_{.27})))) \Rightarrow ((ap (ap (ap (c_{.2Ebool_{.2ECOND}} A_{.27a}) \\ & V0P) V2x) V4y) = (ap (ap (ap (c_{.2Ebool_{.2ECOND}} A_{.27a}) V1Q) V3x_{.27}) \\ & V5y_{.27}))))))))) \end{aligned} \quad (52)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow ((\forall V0t1 \in A_{.27a}.(\forall V1t2 \in \\ & A_{.27a}.((ap (ap (ap (c_{.2Ebool_{.2ECOND}} A_{.27a}) c_{.2Ebool_{.2ET}} V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{.27a}.(\forall V3t2 \in A_{.27a}.((ap \\ & (ap (ap (c_{.2Ebool_{.2ECOND}} A_{.27a}) c_{.2Ebool_{.2EF}} V2t1) V3t2) = V3t2)))))) \end{aligned} \quad (53)$$

Assume the following.

$$(\forall V0v \in 2.((p (ap c_{.2Ebool_{.2EBOUNDED}} V0v)) \Leftrightarrow True)) \quad (54)$$

Assume the following.

$$(\forall V0n \in ty_{.2Enum_{.2Enum}}.(\neg((ap c_{.2Enum_{.2ESUC}} V0n) = c_{.2Enum_{.2E0})))) \quad (55)$$

Assume the following.

$$\begin{aligned} & (\forall V0P \in (2^{ty_{.2Enum_{.2Enum}}}).(((p (ap V0P c_{.2Earithmetic_{.2EZERO}})) \wedge \\ & ((\forall V1n \in ty_{.2Enum_{.2Enum}}.((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c_{.2Earithmetic_{.2EBIT1}} \\ & V1n)))))) \wedge (\forall V2n \in ty_{.2Enum_{.2Enum}}.((p (ap V0P V2n)) \Rightarrow (p (ap \\ & V0P (ap c_{.2Earithmetic_{.2EBIT2}} V2n)))))) \Rightarrow (\forall V3n \in ty_{.2Enum_{.2Enum}}. \\ & (p (ap V0P V3n)))))) \end{aligned} \quad (56)$$

Assume the following.

$$\begin{aligned} & ((\forall V0x \in ty_{.2Enum_{.2Enum}}.((ap (ap c_{.2Enumeral_{.2Eonecount}} \\ & c_{.2Earithmetic_{.2EZERO}} V0x) = V0x)) \wedge ((\forall V1n \in ty_{.2Enum_{.2Enum}}. \\ & (\forall V2x \in ty_{.2Enum_{.2Enum}}.((ap (ap c_{.2Enumeral_{.2Eonecount}} \\ & (ap c_{.2Earithmetic_{.2EBIT1}} V1n)) V2x) = (ap (ap c_{.2Enumeral_{.2Eonecount}} \\ & V1n) (ap c_{.2Enum_{.2ESUC}} V2x)))))) \wedge (\forall V3n \in ty_{.2Enum_{.2Enum}}. \\ & (\forall V4x \in ty_{.2Enum_{.2Enum}}.((ap (ap c_{.2Enumeral_{.2Eonecount}} \\ & (ap c_{.2Earithmetic_{.2EBIT2}} V3n)) V4x) = c_{.2Earithmetic_{.2EZERO})))))) \end{aligned} \quad (57)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. ((ap\ c_2Enum_2ESUC\ V0m) = (ap\ c_2Enum_2ESUC\ V1n)) \Leftrightarrow (V0m = V1n)))) \quad (58)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\neg(p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ V0n)))) \quad (59)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\neg(p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ c_2Enum_2E0)))) \quad (60)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Enum_2E0)\ (ap\ c_2Enum_2ESUC\ V0n)))) \quad (61)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ (ap\ c_2Enum_2ESUC\ V0n)))) \quad (62)$$

Assume the following.

$$(p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ (ap\ c_2Enum_2ESUC\ V1n))) \Leftrightarrow ((V0m = V1n) \vee (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V1n)))) \quad (63)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (64)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (65)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (66)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (67)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (68)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{69}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{70}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{71}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{72}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{73}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{74}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{75}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \tag{76}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{77}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \tag{78}$$

Theorem 1

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. (\forall V1a \in ty_2Enum_2Enum. (\\ & ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap (ap c_2Enumeral_2Eonecount \\ & V0n) V1a))) \wedge (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V0n))) \Rightarrow \\ & (V0n = (ap (ap c_2Earithmetic_2E_2D (ap (ap c_2Earithmetic_2EEXP \\ & (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO))) \\ & (ap (ap c_2Earithmetic_2E_2D (ap (ap c_2Enumeral_2Eonecount V0n) \\ & V1a)) V1a))) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\ & c_2Earithmetic_2EZERO))))))))) \end{aligned}$$