

# thm\_2Enumeral\_2Etexp\_help\_thm (TM- bQiP5KMDfZaoYqeRo9ckP9MzneyB6BNzC)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{2}$$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{3}$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{4}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{5}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 3** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 4** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x)))$

**Definition 6** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{6}$$

**Definition 7** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.$

**Definition 9** We define  $c\_2Emarker\_2EAC$  to be  $\lambda V0b1 \in 2.\lambda V1b2 \in 2.(ap (ap c\_2Ebool\_2E\_2F\_5C V0b1) V$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (8)$$

**Definition 10** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num$

**Definition 11** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic$

**Definition 12** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic$

Let  $c\_2Enumeral\_2Eexp\_help : \iota$  be given. Assume the following.

$$c\_2Enumeral\_2Eexp\_help \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (9)$$

Assume the following.

$$\begin{aligned} & ((\forall V0m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP \\ V0m) c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\ & c\_2Earithmetic\_2EZERO)))) \wedge (\forall V1m \in ty\_2Enum\_2Enum.(\forall V2n \in \\ ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP V1m) (ap c\_2Enum\_2ESUC \\ V2n)) = (ap (ap c\_2Earithmetic\_2E\_2A V1m) (ap (ap c\_2Earithmetic\_2EEXP \\ V1m) V2n)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & ((ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)) = \\ & (ap c\_2Enum\_2ESUC c\_2Enum\_2E0)) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & ((ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO)) = \\ & (ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\ & c\_2Earithmetic\_2EZERO)))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\ & ((ap (ap c\_2Earithmetic\_2E\_2B c\_2Enum\_2E0) V0m) = V0m) \wedge (((ap ( \\ ap c\_2Earithmetic\_2E\_2B V0m) c\_2Enum\_2E0) = V0m) \wedge (((ap (ap c\_2Earithmetic\_2E\_2B \\ & (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B \\ & V0m) V1n))) \wedge ((ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap c\_2Enum\_2ESUC \\ & V1n)) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad V1n) V0m)))) \\
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \quad \forall V2p \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2B V0m) \\
& (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p)) = (ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) V2p)))) \\
\end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A V0m) c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge \\
& \quad (((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0m) = V0m) \wedge \\
& \quad (((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m) \wedge ( \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)) \\
& \quad V1n)) \wedge ((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Enum\_2ESUC V1n)) = \\
& \quad (ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad \quad V0m) V1n)))))))))) \\
\end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \quad \forall V2p \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2A (ap \\
& (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) V2p) = (ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad (ap (ap c\_2Earithmetic\_2E\_2A V0m) V2p)) (ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad \quad V1n) V2p)))))) \\
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \quad \forall V2p \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2A V2p) \\
& (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) = (ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad (ap (ap c\_2Earithmetic\_2E\_2A V2p) V0m)) (ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad \quad V2p) V1n)))))) \\
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2A ( \\
& ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) \\
& V0n) = (ap (ap c\_2Earithmetic\_2E\_2B V0n) V0n)))
\end{aligned} \tag{19}$$

Assume the following.

$$True \tag{20}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0f \in ((A\_27a^{A\_27a})^{A\_27a}). \\
& ((\forall V1x \in A\_27a. (\forall V2y \in A\_27a. (\forall V3z \in A\_27a. \\
& ((ap (ap V0f V1x) (ap (ap V0f V2y) V3z)) = (ap (ap V0f (ap (ap V0f V1x) \\
& V2y)) V3z)))))) \Rightarrow ((\forall V4x \in A\_27a. (\forall V5y \in A\_27a. ((ap \\
& (ap V0f V4x) V5y) = (ap (ap V0f V5y) V4x)))) \Rightarrow (\forall V6x \in A\_27a. ( \\
& \forall V7y \in A\_27a. (\forall V8z \in A\_27a. ((ap (ap V0f V6x) (ap (ap \\
& V0f V7y) V8z)) = (ap (ap V0f V7y) (ap (ap V0f V6x) V8z))))))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty\_2Enum\_2Enum}). (((p (ap V0P c\_2Enum\_2E0)) \wedge \\
& (\forall V1n \in ty\_2Enum\_2Enum. ((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c\_2Enum\_2ESUC \\
& V1n)))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum. (p (ap V0P V2n))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0acc \in ty\_2Enum\_2Enum. ((ap (ap c\_2Enumeral\_2Eexp\_help \\
& c\_2Enum\_2E0) V0acc) = (ap c\_2Earithmetic\_2EBIT2 V0acc))) \wedge (\forall V1n \in \\
& ty\_2Enum\_2Enum. (\forall V2acc \in ty\_2Enum\_2Enum. ((ap (ap c\_2Enumeral\_2Eexp\_help \\
& (ap c\_2Enum\_2ESUC V1n)) V2acc) = (ap (ap c\_2Enumeral\_2Eexp\_help \\
& V1n) (ap c\_2Earithmetic\_2EBIT1 V2acc))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& ((ap c\_2Enum\_2ESUC V0m) = (ap c\_2Enum\_2ESUC V1n)) \Leftrightarrow (V0m = V1n))))
\end{aligned} \tag{25}$$

**Theorem 1**

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1a \in ty\_2Enum\_2Enum. ( \\ & (ap (ap c\_2Enumeral\_2Eexp\_help V0n) V1a) = (ap (ap c\_2Earithmetic\_2E\_2A \\ & (ap (ap c\_2Earithmetic\_2E\_2B V1a) (ap c\_2Earithmetic\_2ENUMERAL \\ & (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) (ap (ap \\ & c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 \\ & c\_2Earithmetic\_2EZERO))) (ap (ap c\_2Earithmetic\_2E\_2B V0n) ( \\ & ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))))) \end{aligned}$$