

thm\_2Enumeral\_bit\_2EMOD\_2EXP\_MAX  
 (TMas7eVuLXkxM44iYK6haZctq1QYfuZzwSK)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota))$

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y) \text{ of type } \iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A-27a}). (ap V0P (ap (c\_2Emin\_2E\_40 A) a)))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (1)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (2)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (3)$$

**Definition 4** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 5** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (5)$$

**Definition 6** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

**Definition 7** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A-27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})) a) P))$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (6)$$

**Definition 9** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B)\ n)$

**Definition 10** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2EDIV : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (7)$$

**Definition 11** We define  $c\_2Earithmetic\_2EDIV2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2EDIV)\ n)$

Let  $c\_2Earithmetic\_2EEEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (8)$$

Let  $c\_2Earithmetic\_2EMOD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (9)$$

**Definition 12** We define  $c\_2Ebit\_2EMOD\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2EMOD)\ n)$

**Definition 13** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B)\ n)$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (10)$$

**Definition 14** We define  $c\_2Ebit\_2EMOD\_2EXP\_MAX$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.\lambda V1a \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2EMOD)\ n)$

**Definition 15** We define  $c\_2Ebit\_2EDIV\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2EDIV)\ n)$

**Definition 16** We define  $c\_2Ebit\_2EBITS$  to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.\lambda V2s \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2S)\ h)$

**Definition 17** We define  $c\_2Ebit\_2EBIT$  to be  $\lambda V0b \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B)\ n)$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (11)$$

Let  $c\_2Earithmetic\_2EODD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 18** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E_21\ 2)\ (\lambda V0t\ t \in 2.V0t))$ .

**Definition 19** We define  $c_{\text{2Emin\_3D\_3D\_3E}}$  to be  $\lambda P \in 2.\lambda Q \in 2.\text{inj\_o} (p \ P \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 20** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E))$

**Definition 21** We define  $c\_Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 22** We define  $c_2Eprim\_rec_2E\lambda_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 23** We define  $c\_2Earthmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 24** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 25** We define c\_2Earithmetic\_2E\_3E\_3D to be  $\lambda V0m \in tu\_2Enum\_2Enum, \lambda V1n \in tu\_2Enum\_2Enum$

Let  $c \in \mathbb{R}$  and  $\epsilon > 0$  be given. Assume the following.

$c \in \text{2Earithmic\_2E\_2A} \in ((tu \_2Enum \_2Enum)^{ty\_2Enum\_2Enum})$

(13)

**Definition 10** We define  $\text{S}^{\text{max}}_{\text{L}}(A)$  to be the set of all  $x \in \text{S}^{\text{max}}_{\text{L}}(A)$  such that  $(x, x) \in \text{S}^{\text{max}}_{\text{L}}(A)$ .

Let  $\mathcal{E} = \text{Eulerian}(B)$  be given. Assume the following.

$$c\_2E\text{enumeral}\_2E\text{isSUB} \in (((ty\_2E\text{enum}\_2E\text{enum}\_ty\_2E\text{nam}\_2E\text{nam})_{ty\_2E\text{nam}\_2E\text{nam}})^2) \\ (14)$$

**Definition 30** We define  $c_2Ebool\_2ECOND$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a).(\lambda V2t2 \in A.27a).)$

**Definition 31** We define  $c\_2Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ (ap\ (ap\ (ap\ (c\_2Ebool\_2B$

Let  $c\_2E\text{numeral}\_2E\text{exp}\_help : \iota$  be given. Assume the following.

$$c\_2Enumeral\_2Etexp\_help \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (15)$$

Assume the following.

$$((ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT2\ c\_2Earithmetic\_2EZERO)) = \\ (ap\ c\_2Enum\_2ESUC\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\\ c\_2Earithmetic\_2EZERO)))) \quad (16)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & ((ap (ap c\_2Earithmetic\_2E\_2B c\_2Enum\_2E0) V0m) = V0m) \wedge (((ap ( \\
 & ap c\_2Earithmetic\_2E\_2B V0m) c\_2Enum\_2E0) = V0m) \wedge (((ap (ap c\_2Earithmetic\_2E\_2B \\
 & (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B \\
 & V0m) V1n))) \wedge ((ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap c\_2Enum\_2ESUC \\
 & V1n)) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n))))))) \\
 & (17)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B \\
 & V1n) V0m))) \\
 & (18)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & \forall V2p \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2B V0m) \\
 & (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p)) = (ap (ap c\_2Earithmetic\_2E\_2B \\
 & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) V2p)))))) \\
 & (19)
 \end{aligned}$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. ((V0m = c\_2Enum\_2E0) \vee (\exists V1n \in ty\_2Enum\_2Enum. (V0m = (ap c\_2Enum\_2ESUC V1n)))))) \quad (20)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. \\
 & (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V0n)) (ap \\
 & c\_2Enum\_2ESUC V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0n) \\
 & V1m)))))) \\
 & (21)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
 & (ap c\_2Enum\_2ESUC V0m)) V1n)))))) \\
 & (22)
 \end{aligned}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
 c\_2Enum\_2E0) V0n))) \quad (23)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & (\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
 & V1n) V0m)))))) \\
 & (24)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V0m) = c_2Enum_2E0) \wedge \\
& (((ap (ap c_2Earithmetic_2E_2A V0m) c_2Enum_2E0) = c_2Enum_2E0) \wedge \\
& (((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0m) = V0m) \wedge \\
& (((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) = V0m) \wedge \\
& ((ap (ap c_2Earithmetic_2E_2A (ap c_2Enum_2ESUC V0m)) V1n) = (ap \\
& (ap c_2Earithmetic_2E_2B (ap (ap c_2Earithmetic_2E_2A V0m) V1n)) \\
& V1n)) \wedge ((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Enum_2ESUC V1n)) = \\
& (ap (ap c_2Earithmetic_2E_2B V0m) (ap (ap c_2Earithmetic_2E_2A \\
& V0m) V1n))))))) \\
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0m) V1n)) \wedge (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p))) \Rightarrow (p ( \\
& ap (ap c_2Earithmetic_2E_3C_3D V0m) V2p)))))) \\
\end{aligned} \tag{26}$$

Assume the following.

$$(\forall V0c \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic_2E_2D V0c) \\
V0c) = c_2Enum_2E0)) \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap (ap c_2Earithmetic_2EEEXP \\
& (ap c_2Enum_2ESUC V1n)) V0m)))) \\
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap (ap c_2Earithmetic_2E_2B V0m) V1n)) (ap (ap c_2Earithmetic_2E_2B \\
& V0m) V2p))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p)))))) \\
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n)) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap c_2Enum_2ESUC V1n)) V0m)))))) \\
\end{aligned} \tag{30}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. ((ap c\_2Enum\_2ESUC V0n) = (ap (ap c\_2Earithmetic\_2E\_2B (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2ZERO))) V0n))) \quad (31)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap (ap c\_2Earithmetic\_2E\_2D V0m) V1n)) V2p)) \Leftrightarrow ((p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p))) \wedge (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) V2p))))))) \quad (32)$$

Assume the following.

$$(\forall V0k \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2EMOD V0k) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2ZERO))) = c\_2Enum\_2E0)) \quad (33)$$

Assume the following.

$$(\forall V0h \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ((ap (ap (ap c\_2Ebit\_2EBITS V0h) c\_2Enum\_2E0) V1n) = (ap (ap c\_2Earithmetic\_2EMOD V1n) (ap (ap c\_2Earithmetic\_2EEEXP (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2ZERO))) (ap c\_2Enum\_2ESUC V0h))))))) \quad (34)$$

Assume the following.

$$(\forall V0h \in ty\_2Enum\_2Enum. (\forall V1a \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Eprim\_rec\_2E\_3C V1a) (ap (ap c\_2Earithmetic\_2EEEXP (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2ZERO))) (ap c\_2Enum\_2ESUC V0h)))) \Rightarrow ((ap (ap (ap c\_2Ebit\_2EBITS V0h) c\_2Enum\_2E0) V1a) = V1a)))) \quad (35)$$

Assume the following.

$$(\forall V0h \in ty\_2Enum\_2Enum. (\forall V1l \in ty\_2Enum\_2Enum. (\forall V2a \in ty\_2Enum\_2Enum. (\forall V3b \in ty\_2Enum\_2Enum. ((\forall V4x \in ty\_2Enum\_2Enum. (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1l) V4x)) \wedge (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V4x) V0h))) \Rightarrow ((p (ap (ap c\_2Ebit\_2EBIT V4x) V2a)) \Leftrightarrow (p (ap (ap c\_2Ebit\_2EBIT V4x) V3b)))) \Leftrightarrow ((ap (ap (ap c\_2Ebit\_2EBITS V0h) V1l) V2a) = (ap (ap (ap c\_2Ebit\_2EBITS V0h) V1l) V3b))))))) \quad (36)$$

Assume the following.

$$((ap c\_2Ebit\_2EBIT c\_2Enum\_2E0) = c\_2Earithmetic\_2EODD) \quad (37)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1i \in ty\_2Enum\_2Enum. \\
 & (p (ap (ap c\_2Ebit\_2EBIT V0n) (ap (ap c\_2Earithmetic\_2EDIV V1i) \\
 & (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))))))) \Leftrightarrow \\
 & (p (ap (ap c\_2Ebit\_2EBIT (ap c\_2Enum\_2ESUC V0n)) V1i)))) \\
 & (38)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0b \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & (p (ap (ap c\_2Ebit\_2EBIT V0b) (ap (ap c\_2Earithmetic\_2E\_2D (ap ( \\
 & ap c\_2Earithmetic\_2EEEXP (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 \\
 & c\_2Earithmetic\_2EZERO))) V1n)) (ap c\_2Earithmetic\_2ENUMERAL \\
 & (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))))))) \Leftrightarrow (p (ap \\
 & (ap c\_2Eprim\_rec\_2E\_3C V0b) V1n)))) \\
 & (39)
 \end{aligned}$$

Assume the following.

$$True \quad (40)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (41)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (42)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
 & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
 & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \\
 & (43)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\
 & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\
 & (p V0t)) \Leftrightarrow (p V0t)))))) \\
 & (44)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
 & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge \\
 & (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \\
 & (45)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & ((\forall V0t \in 2. ((\neg (\neg (p V0t)) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
 & ((\neg False) \Leftrightarrow True))) \\
 & (46)
 \end{aligned}$$

Assume the following.

$$\forall A_{\text{27a}.nonempty} A_{\text{27a}} \Rightarrow (\forall V0x \in A_{\text{27a}}. ((V0x = V0x) \Leftrightarrow \text{True})) \quad (47)$$

Assume the following.

$$\forall A_{\text{27a}.nonempty} A_{\text{27a}} \Rightarrow (\forall V0x \in A_{\text{27a}}. (\forall V1y \in A_{\text{27a}}. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (48)$$

Assume the following.

$$(\forall V0t \in 2. (((\text{True} \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow \text{True}) \Leftrightarrow (p V0t)) \wedge (((\text{False} \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow \text{False}) \Leftrightarrow (\neg(p V0t))))))) \quad (49)$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}.nonempty} A_{\text{27a}} \Rightarrow & (\forall V0t1 \in A_{\text{27a}}. (\forall V1t2 \in A_{\text{27a}}. (((ap (ap (ap (c_{\text{2Ebool\_2ECOND}} A_{\text{27a}}) c_{\text{2Ebool\_2ET}}) V0t1) \\ & V1t2) = V0t1) \wedge ((ap (ap (ap (c_{\text{2Ebool\_2ECOND}} A_{\text{27a}}) c_{\text{2Ebool\_2EF}}) \\ & V0t1) V1t2) = V1t2)))))) \end{aligned} \quad (50)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C))))))) \quad (51)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(p V0A) \wedge (p V1B)) \Leftrightarrow ((\neg(p V0A) \vee (p V1B)) \vee (\neg(p V1B))))))) \quad (52)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))))) \quad (53)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow \text{False}) \Leftrightarrow ((p V0t) \Leftrightarrow \text{False}))) \quad (54)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))) \quad (55)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Leftrightarrow (p V1t2)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \vee ((\neg(p V0t1)) \wedge (\neg(p V1t2))))))) \quad (56)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\ & 2. (((((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))) \Rightarrow \quad (57) \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27))))))) \end{aligned}$$

Assume the following.

$((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in ty\_2Enum\_2Enum.(\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enumeral\_2EiZ (ap (ap c\_2Earithmetic\_2E\_2B V2n) V3m))))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A V6n) V7m))))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in ty\_2Enum\_2Enum.(\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V10n) V11m))))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP V14n) c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))))))) \wedge ((\forall V15n \in ty\_2Enum\_2Enum.(\forall V16m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) (ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2EEEXP V15n) V16m))))))) \wedge (((ap c\_2Enum\_2ESUC c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum.((ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enum\_2ESUC V17n))))))) \wedge (((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE (ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Eprim\_rec\_2EPRE V18n))))))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0 = (ap c\_2Earithmetic\_2ENUMERAL V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum.((\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m))))))) \wedge ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C V23n) c\_2Enum\_2E0)) \Leftrightarrow False))) \wedge ((\forall V24n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL V24n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) V24n))))))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.((\forall V26m \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C V25n) c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL V26m)))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C V25n) V26m))))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E c\_2Enum\_2E0) V27n)) \Leftrightarrow False))) \wedge ((\forall V28n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E V28n) c\_2Enum\_2E0) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3E c\_2Enum\_2E0) V28n))))))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.((\forall V30m \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C V29n) c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL V30m)))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C V29n) V30m))))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C c\_2Enum\_2E0) V31n)) \Leftrightarrow True))) \wedge ((\forall V32n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C c\_2Enum\_2E0) V32n)) \Leftrightarrow False))) \wedge ((p (ap (ap c\_2Earithmetic\_2E\_3C c\_2Enum\_2E0) V32n)) \Leftrightarrow True)))$

Assume the following.

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) (ap c_2Earithmetic_2EBIT1 \\
& V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& (ap c_2Earithmetic_2EBIT2 V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& V0n) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (\neg(p (ap (ap c_2Eprim_rec_2E_3C V1m) V0n))) \wedge ((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m)))))))))) \\
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D c_2Earithmetic_2EZERO) V0n))) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap c_2Earithmetic_2EBIT2 V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) V0n))) \wedge ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m)))))))))) \\
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& (((ap c_2Eprim_rec_2EPRE c_2Earithmetic_2EZERO) = c_2Earithmetic_2EZERO) \wedge \\
& (((ap c_2Eprim_rec_2EPRE (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)) = \\
& c_2Earithmetic_2EZERO) \wedge ((\forall V0n \in ty\_2Enum\_2Enum. ((ap \\
& c_2Eprim_rec_2EPRE (ap c_2Earithmetic_2EBIT1 (ap c_2Earithmetic_2EBIT1 \\
& V0n))) = (ap c_2Earithmetic_2EBIT2 (ap c_2Eprim_rec_2EPRE (ap \\
& c_2Earithmetic_2EBIT1 V0n)))))) \wedge ((\forall V1n \in ty\_2Enum\_2Enum. \\
& ((ap c_2Eprim_rec_2EPRE (ap c_2Earithmetic_2EBIT1 (ap c_2Earithmetic_2EBIT2 \\
& V1n))) = (ap c_2Earithmetic_2EBIT2 (ap c_2Eprim_rec_2EPRE \\
& (ap c_2Earithmetic_2EBIT1 V1n)))) \wedge (\forall V2n \in ty\_2Enum\_2Enum. ((ap \\
& c_2Eprim_rec_2EPRE (ap c_2Earithmetic_2EBIT2 V2n)) = (ap c_2Earithmetic_2EBIT1 V2n))))))) \\
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Enum\_2Enum. (\forall V1b \in 2. (\forall V2n \in ty\_2Enum\_2Enum. \\
& (\forall V3m \in ty\_2Enum\_2Enum. (((ap (ap (ap c\_2Enumeral\_2EiSUB \\
& V1b) c\_2Earithmetic\_2EZERO) V0x) = c\_2Earithmetic\_2EZERO) \wedge \\
& ((ap (ap (ap c\_2Enumeral\_2EiSUB c\_2Ebool\_2ET) V2n) c\_2Earithmetic\_2EZERO) = \\
& V2n) \wedge (((ap (ap (ap c\_2Enumeral\_2EiSUB c\_2Ebool\_2EF) (ap c\_2Earithmetic\_2EBIT1 \\
& V2n)) c\_2Earithmetic\_2EZERO) = (ap c\_2Enumeral\_2EiDUB V2n)) \wedge \\
& (((ap (ap (ap c\_2Enumeral\_2EiSUB c\_2Ebool\_2ET) (ap c\_2Earithmetic\_2EBIT1 \\
& V2n)) (ap c\_2Earithmetic\_2EBIT1 V3m)) = (ap c\_2Enumeral\_2EiDUB \\
& (ap (ap (ap c\_2Enumeral\_2EiSUB c\_2Ebool\_2ET) V2n) V3m))) \wedge (((ap \\
& (ap (ap c\_2Enumeral\_2EiSUB c\_2Ebool\_2EF) (ap c\_2Earithmetic\_2EBIT1 \\
& V2n)) (ap c\_2Earithmetic\_2EBIT1 V3m)) = (ap c\_2Earithmetic\_2EBIT1 \\
& (ap (ap (ap c\_2Enumeral\_2EiSUB c\_2Ebool\_2EF) V2n) V3m))) \wedge (((ap \\
& (ap (ap c\_2Enumeral\_2EiSUB c\_2Ebool\_2EF) (ap c\_2Earithmetic\_2EBIT1 \\
& V2n)) (ap c\_2Earithmetic\_2EBIT1 V3m)) = (ap c\_2Enumeral\_2EiDUB \\
& (ap (ap (ap c\_2Enumeral\_2EiSUB c\_2Ebool\_2EF) V2n) V3m))) \wedge (((ap \\
& (ap (ap c\_2Enumeral\_2EiSUB c\_2Ebool\_2EF) (ap c\_2Earithmetic\_2EBIT2 \\
& V2n)) c\_2Earithmetic\_2EZERO) = (ap c\_2Earithmetic\_2EBIT1 V2n)) \wedge \\
& (((ap (ap (ap c\_2Enumeral\_2EiSUB c\_2Ebool\_2ET) (ap c\_2Earithmetic\_2EBIT2 \\
& V2n)) (ap c\_2Earithmetic\_2EBIT1 V3m)) = (ap c\_2Earithmetic\_2EBIT1 \\
& (ap (ap (ap c\_2Enumeral\_2EiSUB c\_2Ebool\_2ET) V2n) V3m))) \wedge (((ap \\
& (ap (ap c\_2Enumeral\_2EiSUB c\_2Ebool\_2EF) (ap c\_2Earithmetic\_2EBIT2 \\
& V2n)) (ap c\_2Earithmetic\_2EBIT2 V3m)) = (ap c\_2Enumeral\_2EiDUB \\
& (ap (ap (ap c\_2Enumeral\_2EiSUB c\_2Ebool\_2ET) V2n) V3m))) \wedge (((ap \\
& (ap (ap c\_2Enumeral\_2EiSUB c\_2Ebool\_2EF) (ap c\_2Earithmetic\_2EBIT2 \\
& V2n)) (ap c\_2Earithmetic\_2EBIT2 V3m)) = (ap c\_2Earithmetic\_2EBIT1 \\
& (ap (ap (ap c\_2Enumeral\_2EiSUB c\_2Ebool\_2EF) V2n) V3m))))))))))))))) \\
& (63)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V0n) \\
& V1m)) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Enum\_2Enum) (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& V1m) V0n)) (ap c\_2Earithmetic\_2ENUMERAL (ap (ap (ap c\_2Enumeral\_2EiSUB \\
& c\_2Ebool\_2ET) V0n) V1m))) c\_2Enum\_2E0)))) \\
& (64)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0acc \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& (((ap (ap c_2Enumeral_2Etexp_help c_2Earithmetic_2ZERO) V0acc) = \\
& (ap c_2Earithmetic_2EBIT2 V0acc)) \wedge ((ap (ap c_2Enumeral_2Etexp_help \\
& (ap c_2Earithmetic_2EBIT1 V1n)) V0acc) = (ap (ap c_2Enumeral_2Etexp_help \\
& (ap c_2Eprim_rec_2EPRE (ap c_2Earithmetic_2EBIT1 V1n))) (ap \\
& c_2Earithmetic_2EBIT1 V0acc))) \wedge ((ap (ap c_2Enumeral_2Etexp_help \\
& (ap c_2Earithmetic_2EBIT2 V1n)) V0acc) = (ap (ap c_2Enumeral_2Etexp_help \\
& (ap c_2Earithmetic_2EBIT1 V1n)) (ap c_2Earithmetic_2EBIT1 V0acc)))))) \\
& (65)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (((ap (ap c_2Earithmetic_2EXP \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2ZERO))) \\
& c_2Enum\_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& c_2Earithmetic_2ZERO))) \wedge (((ap (ap c_2Earithmetic_2EXP (ap \\
& c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2ZERO))) \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 V0n))) = \\
& (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Enumeral_2Etexp_help \\
& (ap c_2Eprim_rec_2EPRE (ap c_2Earithmetic_2EBIT1 V0n))) c_2Earithmetic_2ZERO))) \wedge \\
& ((ap (ap c_2Earithmetic_2EXP (ap c_2Earithmetic_2ENUMERAL ( \\
& ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2ZERO))) (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT2 V0n))) = (ap c_2Earithmetic_2ENUMERAL \\
& (ap (ap c_2Enumeral_2Etexp_help (ap c_2Earithmetic_2EBIT1 V0n) \\
& c_2Earithmetic_2ZERO)))))) \\
& (66)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (67)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (68)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \\
& (69)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \\
& (70)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2. ((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False))) \quad (71)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\
 & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
 & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
 & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \\
 \end{aligned} \tag{72}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\
 & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
 & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \\
 \end{aligned} \tag{73}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\
 & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge \\
 & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \\
 \end{aligned} \tag{74}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
 (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \tag{75}$$

### Theorem 1

$$\begin{aligned}
 & ((\forall V0a \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Ebit\_2EMOD\_2EXP\_MAX \\
 & c\_2Enum\_2E0) V0a)) \Leftrightarrow True)) \wedge (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2a \in \\
 & ty\_2Enum\_2Enum. ((p (ap (ap c\_2Ebit\_2EMOD\_2EXP\_MAX (ap c\_2Enum\_2ESUC \\
 & V1n)) V2a)) \Leftrightarrow ((p (ap c\_2Earithmetic\_2EODD V2a)) \wedge (p (ap (ap c\_2Ebit\_2EMOD\_2EXP\_MAX \\
 & V1n) (ap c\_2Earithmetic\_2EDIV2 V2a)))))))))) \\
 \end{aligned}$$