

thm_2Enumeral_bit_2ENUMERAL_SFUNPOW_iDIV2 (TMJfDTvRrq3rNKvMEZhhxqiv7zp4z6Bw5E9)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p (ap\ P\ x))$ **then** *(the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).*

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ A\ 27a\ P))))$

Definition 4 We define $c_2Ecombin_2EK$ to be $\lambda A.\lambda 27a : \iota.\lambda A.\lambda 27b : \iota.(\lambda V0x \in A.\lambda V1y \in A.\lambda V2z \in A.27a.\lambda V3w \in A.27b.V0x \wedge V1y \wedge V2z \wedge V3w \Rightarrow V0x \wedge V1y \wedge V2z \wedge V3w)$

Definition 5 We define $c_2Ecombin_2ES$ to be $\lambda A.\lambda 27a : \iota.\lambda A.\lambda 27b : \iota.\lambda A.\lambda 27c : \iota.(\lambda V0f \in ((A.\lambda 27c^{A-27b})^{A-27a}))$

Definition 6 We define $c_2Ecombin_2EI$ to be $\lambda A.\lambda 27a : \iota.(ap\ (ap\ (c_2Ecombin_2ES\ A.\lambda 27a\ (A.\lambda 27a^{A-27a})\ A.\lambda 27a)))$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \tag{3}$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \tag{4}$$

Definition 7 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 8 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))\ (\lambda V1x \in A.\lambda V2y \in A.27a.V0x \wedge V1x \wedge V2y \Rightarrow V0x \wedge V1x \wedge V2y))))$

Definition 9 We define c_Ebool_2EF to be $(ap (c_Ebool_2E_21\ 2) (\lambda V0t \in 2.V0t))$.

Definition 10 We define $c_Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define $c_Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_Emin_2E_3D_3D_3E V0t) c_Ebool_2E))$

Definition 12 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21\ 2) (\lambda V2t \in 2.V2t)))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (5)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (6)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (7)$$

Definition 13 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num)$

Definition 14 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 15 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 16 We define $c_Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21\ 2) (\lambda V2t \in 2.V2t)))$

Definition 17 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 18 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (8)$$

Definition 19 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 20 We define c_Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.))$

Definition 21 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum.(ap (ap (ap (c_Ebool_2ECOND$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 22 We define $c_2Enumeral_2EiZ$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 23 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (12)$$

Definition 24 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic$

Definition 25 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic$

Definition 26 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 27 We define $c_2Earithmetic_2EDIV2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic$

Definition 28 We define $c_2Enumeral_bit_2EiDIV2$ to be $c_2Earithmetic_2EDIV2$.

Let $c_2Enumeral_bit_2ESFUNPOW : \iota$ be given. Assume the following.

$$c_2Enumeral_bit_2ESFUNPOW \in (((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (13)$$

Let $c_2Enumeral_bit_2EFDUB : \iota$ be given. Assume the following.

$$c_2Enumeral_bit_2EFDUB \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum^{ty_2Enum_2Enum}}) \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \quad ((ap (ap c_2Earithmetic_2E_2B c_2Enum_2E0) V0m) = V0m) \wedge (((ap (\\ & \quad ap c_2Earithmetic_2E_2B V0m) c_2Enum_2E0) = V0m) \wedge (((ap (ap c_2Earithmetic_2E_2B \\ & \quad (ap c_2Enum_2ESUC V0m)) V1n) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B \\ & \quad V0m) V1n))) \wedge ((ap (ap c_2Earithmetic_2E_2B V0m) (ap c_2Enum_2ESUC \\ & \quad V1n)) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V0m) V1n))))))))) \end{aligned} \quad (15)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. ((V0m = c_2Enum_2E0) \vee (\exists V1n \in ty_2Enum_2Enum. (V0m = (ap c_2Enum_2ESUC V1n)))))) \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. (\forall V1k \in ty_2Enum_2Enum. (\\ & \quad \forall V2q \in ty_2Enum_2Enum. ((\exists V3r \in ty_2Enum_2Enum. (\\ & \quad (V1k = (ap (ap c_2Earithmetic_2E_2B (ap (ap c_2Earithmetic_2E_2A \\ & \quad V2q) V0n)) V3r)) \wedge (p (ap (ap c_2Eprim_rec_2E_3C V3r) V0n)))) \Rightarrow (\\ & \quad (ap (ap c_2Earithmetic_2EDIV V1k) V0n) = V2q)))))) \end{aligned} \quad (17)$$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee \neg(p V0t))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow \neg(p V0t))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (\neg(p V0t) \Rightarrow ((p V0t) \Rightarrow False))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2. (\neg(\neg(p V0t)) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (29)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (30)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (\forall V1g \in (A_27b^{A_27a}). ((V0f = V1g) \Leftrightarrow (\forall V2x \in A_27a. ((ap\ V0f\ V2x) = (ap\ V1g\ V2x)))))) \quad (31)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (32)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1)\ V1t2) = V0t1) \wedge ((ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V0t1)\ V1t2) = V1t2)))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B) \vee (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \quad (34)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee \neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \wedge \neg(p\ V1B)))))) \quad (36)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2) \Rightarrow (p\ V2t3)) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (37)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0b \in 2. (\forall V1f \in (A_27b^{A_27a}). (\forall V2g \in (A_27b^{A_27a}). \\
& \quad (\forall V3x \in A_27a. ((ap\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (A_27b^{A_27a}) \\
& \quad V0b)\ V1f)\ V2g)\ V3x) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ V0b)\ (ap \\
& \quad \quad V1f\ V3x))\ (ap\ V2g\ V3x))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (A_27b^{A_27a}). (\forall V1b \in 2. (\forall V2x \in A_27a. \\
& \quad (\forall V3y \in A_27a. ((ap\ V0f\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\
& \quad V1b)\ V2x)\ V3y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ V1b)\ (ap\ V0f \\
& \quad \quad V2x))\ (ap\ V0f\ V3y))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0b \in 2. (\forall V1t1 \in 2. (\forall V2t2 \in 2. ((p\ (ap\ (ap \\
& \quad (ap\ (c_2Ebool_2ECOND\ 2)\ V0b)\ V1t1)\ V2t2)) \Leftrightarrow (((\neg(p\ V0b)) \vee (p\ V1t1)) \wedge \\
& \quad ((p\ V0b) \vee (p\ V2t2))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\
& \quad (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\
& \quad (\forall V5y_27 \in A_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\
& \quad ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\
& \quad V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27) \\
& \quad \quad V5y_27))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0t1 \in A_27a. (\forall V1t2 \in \\
& \quad A_27a. ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1) \\
& \quad V1t2) = V0t1))) \wedge (\forall V2t1 \in A_27a. (\forall V3t2 \in A_27a. ((ap \\
& \quad (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V2t1)\ V3t2) = V3t2)))
\end{aligned} \tag{42}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c_2Ecombin_2EI \\
\quad A_27a)\ V0x) = V0x)) \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty_2Enum_2Enum}). (((p\ (ap\ V0P\ c_2Enum_2E0)) \wedge \\
& \quad (\forall V1n \in ty_2Enum_2Enum. ((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c_2Enum_2ESUC \\
& \quad \quad V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum. (p\ (ap\ V0P\ V2n))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad (ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap \\
& \quad (ap c_2Earithmetic_2E_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge \\
& \quad ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
& \quad V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum. \\
& \quad (\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A (\\
& \quad ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\
& \quad c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2EEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in \\
& \quad ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP V14n) c_2Enum_2E0) = \\
& \quad (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL V15n)) \\
& \quad (ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap (ap c_2Earithmetic_2EEXP V15n) V16m)))))) \wedge ((ap c_2Enum_2ESUC \\
& \quad c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad c_2Earithmetic_2EZERO))) \wedge ((\forall V17n \in ty_2Enum_2Enum.(\\
& \quad (ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Enum_2ESUC V17n)))) \wedge ((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = \\
& \quad c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE \\
& \quad (ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Eprim_rec_2EPRE V18n)))) \wedge ((\forall V19n \in ty_2Enum_2Enum. \\
& \quad (((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum. \\
& \quad (\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL \\
& \quad V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& \quad ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V23n) c_2Enum_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V24n)))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL \\
& \quad V25n)) (ap c_2Earithmetic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E \\
& \quad c_2Enum_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V28n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V28n)))) \wedge ((\forall V29n \in ty_2Enum_2Enum.(\forall V30m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V29n)) (ap c_2Earithmetic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& \quad c_2Enum_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) (ap c_2Earithmetic_2EBIT1 \\
& V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& (ap c_2Earithmetic_2EBIT2 V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& V0n) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (\neg (p (ap (ap c_2Eprim_rec_2E_3C V1m) V0n)))) \wedge ((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))))))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0f \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}). (\forall V1x \in \\
& ty_2Enum_2Enum. ((ap (ap (ap c_2Enumeral_bit_2ESFUNPOW V0f) \\
& c_2Enum_2E0) V1x) = V1x))) \wedge (\forall V2f \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}). \\
& (\forall V3n \in ty_2Enum_2Enum. (\forall V4x \in ty_2Enum_2Enum. (\\
& (ap (ap (ap c_2Enumeral_bit_2ESFUNPOW V2f) (ap c_2Enum_2ESUC \\
& V3n)) V4x) = (ap (ap (c_2Ebool_2ECOND ty_2Enum_2Enum) (ap (ap \\
& (c_2Emin_2E_3D ty_2Enum_2Enum) V4x) c_2Enum_2E0)) c_2Enum_2E0) \\
& (ap (ap (ap c_2Enumeral_bit_2ESFUNPOW V2f) V3n) (ap V2f V4x)))))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0f \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}). ((ap (ap c_2Enumeral_bit_2EFDUB \\
& V0f) c_2Enum_2E0) = c_2Enum_2E0)) \wedge (\forall V1f \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}). \\
& (\forall V2n \in ty_2Enum_2Enum. ((ap (ap c_2Enumeral_bit_2EFDUB \\
& V1f) (ap c_2Enum_2ESUC V2n)) = (ap V1f (ap V1f (ap c_2Enum_2ESUC V2n)))))))
\end{aligned} \tag{48}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{49}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{52}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False))) \quad (53)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))) \end{aligned} \quad (55)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (56)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (57)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (58)$$

Theorem 1

$$\begin{aligned} & ((\forall V0x \in ty_2Enum_2Enum.((ap (ap (ap c_2Enumeral_bit_2ESFUNPOW \\ & c_2Enumeral_bit_2EiDIV2) c_2Enum_2E0) V0x) = V0x)) \wedge ((\forall V1y \in \\ & ty_2Enum_2Enum.((ap (ap (ap c_2Enumeral_bit_2ESFUNPOW c_2Enumeral_bit_2EiDIV2) \\ & V1y) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V2n \in ty_2Enum_2Enum. \\ & (\forall V3x \in ty_2Enum_2Enum.((ap (ap (ap c_2Enumeral_bit_2ESFUNPOW \\ & c_2Enumeral_bit_2EiDIV2) (ap c_2Earithmetic_2ENUMERAL (ap \\ & c_2Earithmetic_2EBIT1 V2n))) V3x) = (ap (ap (ap c_2Enumeral_bit_2ESFUNPOW \\ & (ap c_2Enumeral_bit_2EFDUB c_2Enumeral_bit_2EiDIV2) (ap \\ & c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Enumeral_bit_2EiDIV2 \\ & V3x)))))) \wedge ((\forall V4n \in ty_2Enum_2Enum.(\forall V5x \in ty_2Enum_2Enum. \\ & ((ap (ap (ap c_2Enumeral_bit_2ESFUNPOW c_2Enumeral_bit_2EiDIV2) \\ & (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 V4n))) \\ & V5x) = (ap (ap (ap c_2Enumeral_bit_2ESFUNPOW (ap c_2Enumeral_bit_2EFDUB \\ & c_2Enumeral_bit_2EiDIV2) (ap c_2Earithmetic_2ENUMERAL V4n)) \\ & (ap c_2Enumeral_bit_2EiDIV2 (ap c_2Enumeral_bit_2EiDIV2 V5x)))))))))) \end{aligned}$$