

thm_2Enumeral_bit_2Enumeral_log2
 (TMMu4gwQXV2m3j6MKMWCxmSFYio7Hpyu7kf)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (2)$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \quad (3)$$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. inj_o (t1 = t2))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (6)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num ($

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 12 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 14 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 15 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (7)$$

Definition 16 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP).$

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 18 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum.(ap (ap (ap (c_2Ebool_2E$

Let $c_2Earithmetic_2EEEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (8)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (9)$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (10)$$

Definition 19 We define $c_2Enumeral_2EiiSUC$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap c_2Enum_2ESUC (ap$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (11)$$

Definition 20 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic$

Definition 21 We define $c_2Enumeral_2EiZ$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x.$

Definition 22 We define $c_2E\text{Enumeral_2EiDUB}$ to be $\lambda V0x \in ty_2E\text{num_2Enum}.(ap (ap (c_2E\text{arithmetic_2E}) (c_2E\text{num_2E})) V0x))$

Definition 23 We define $c_2E\text{arithmetic_2EZERO}$ to be $c_2E\text{num_2E}0$.

Definition 24 We define $c_2E\text{arithmetic_2EBIT1}$ to be $\lambda V0n \in ty_2E\text{num_2Enum}.(ap (ap (c_2E\text{arithmetic_2E}) (c_2E\text{bit_2E})) V0n))$

Definition 25 We define $c_2E\text{arithmetic_2ENUMERAL}$ to be $\lambda V0x \in ty_2E\text{num_2Enum}.V0x$.

Let $c_2E\text{logroot_2ELOG} : \iota$ be given. Assume the following.

$$c_2E\text{logroot_2ELOG} \in ((ty_2E\text{num_2Enum}^{ty_2E\text{num_2Enum}})^{ty_2E\text{num_2Enum}}) \quad (12)$$

Definition 26 We define $c_2E\text{bit_2ELOG2}$ to be $(ap c_2E\text{logroot_2ELOG} (ap c_2E\text{arithmetic_2ENUMERAL}))$

Definition 27 We define $c_2E\text{numeral_bit_2EiLOG2}$ to be $\lambda V0n \in ty_2E\text{num_2Enum}.(ap (c_2E\text{bit_2ELOG2}) V0n))$

Assume the following.

$$(\forall V0m \in ty_2E\text{num_2Enum}.((ap (ap (c_2E\text{arithmetic_2E_2B}) V0m) (c_2E\text{num_2E}0)) = V0m)) \quad (13)$$

Assume the following.

$$(\forall V0m \in ty_2E\text{num_2Enum}.(\forall V1n \in ty_2E\text{num_2Enum}.(\\ (\forall V2p \in ty_2E\text{num_2Enum}.((ap (ap (c_2E\text{arithmetic_2E_2B}) V0m) (ap (ap (c_2E\text{arithmetic_2E_2B}) V1n) V2p)) = (ap (ap (c_2E\text{arithmetic_2E_2B}) V1n) (ap (ap (c_2E\text{arithmetic_2E_2B}) V0m) V2p))))))) \quad (14)$$

Assume the following.

$$(\forall V0m \in ty_2E\text{num_2Enum}.(\forall V1n \in ty_2E\text{num_2Enum}.(\\ (\forall V2p \in ty_2E\text{num_2Enum}.((ap (ap (c_2E\text{arithmetic_2E_2A}) (ap (c_2E\text{arithmetic_2ENUMERAL}) (ap (c_2E\text{arithmetic_2EBIT1}) (c_2E\text{arithmetic_2EZERO})))) V0m) = V0m))) \quad (15)$$

Assume the following.

$$(\forall V0m \in ty_2E\text{num_2Enum}.((ap (ap (c_2E\text{arithmetic_2E_2A}) (ap (c_2E\text{arithmetic_2ENUMERAL}) (ap (c_2E\text{arithmetic_2EBIT1}) (c_2E\text{arithmetic_2EZERO})))) V0m) = V0m)) \quad (16)$$

Assume the following.

$$(\forall V0m \in ty_2E\text{num_2Enum}.(\forall V1n \in ty_2E\text{num_2Enum}.(\\ (\forall V2p \in ty_2E\text{num_2Enum}.((ap (ap (c_2E\text{arithmetic_2E_2A}) (ap (c_2E\text{arithmetic_2ENUMERAL}) (ap (c_2E\text{arithmetic_2EBIT1}) (c_2E\text{arithmetic_2EZERO})))) V0m) = V0m))) \quad (17)$$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$\begin{aligned} (((ap\ c_2Enum_2ESUC\ c_2Earithmetic_2EZERO) = (ap\ c_2Earithmetic_2EBIT1 \\ c_2Earithmetic_2EZERO)) \wedge ((\forall V0n \in ty_2Enum_2Enum. ((ap \\ c_2Enum_2ESUC\ (ap\ c_2Earithmetic_2EBIT1\ V0n)) = (ap\ c_2Earithmetic_2EBIT2 \\ V0n))) \wedge (\forall V1n \in ty_2Enum_2Enum. ((ap\ c_2Enum_2ESUC\ (ap\ c_2Earithmetic_2EBIT2 \\ V1n)) = (ap\ c_2Earithmetic_2EBIT1\ (ap\ c_2Enum_2ESUC\ V1n))))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap \\
& (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in \\
ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& (ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL \\
V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enum_2EiZ (ap \\
& (ap c_2Earithmetic_2E_2B V2n) V3m))))))) \wedge ((\forall V4n \in ty_2Enum_2Enum. \\
& ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge \\
& ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum. \\
& ((\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
& ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL \\
V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A \\
V6n) V7m)))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum. \\
& ((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in \\
ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL \\
V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D \\
V10n) V11m)))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\
c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap \\
& (ap c_2Earithmetic_2EEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
(ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in \\
ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP V14n) c_2Enum_2E0) = \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge \\
& ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum. \\
& ((ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL V15n)) \\
(ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL \\
(ap (ap c_2Earithmetic_2EEXP V15n) V16m)))))) \wedge (((ap c_2Enum_2ESUC \\
c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
c_2Earithmetic_2EZERO)))) \wedge ((\forall V17n \in ty_2Enum_2Enum. \\
& (ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL \\
(ap c_2Enum_2ESUC V17n)))) \wedge (((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = \\
c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE \\
(ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL \\
(ap c_2Eprim_rec_2EPRE V18n)))))) \wedge ((\forall V19n \in ty_2Enum_2Enum. \\
& (((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge \\
& ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL \\
V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum. \\
& ((\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL \\
V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
V23n) c_2Enum_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
V24n)))))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL \\
V25n)) (ap c_2Earithmetic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E \\
c_2Enum_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
V28n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
V28n)))))) \wedge ((\forall V29n \in ty_2Enum_2Enum.(\forall V30m \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
V29n)) (ap c_2Earithmetic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
V30m) V29n)))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
c_2Enum_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL \\
V32n)) (ap c_2Earithmetic_2ENUMERAL V32n)))))))
\end{aligned}$$

Assume the following.

Theorem 1

$$((\forall V0n \in ty_2Enum_2Enum. ((ap c_2Ebit_2ELOG2 (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 V0n))) = (ap c_2Enumeral_bit_2EiLOG2 (ap c_2Enumeral_2EiDUB V0n)))) \wedge (\forall V1n \in ty_2Enum_2Enum. ((ap c_2Ebit_2ELOG2 (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 V1n))) = (ap c_2Enumeral_bit_2EiLOG2 (ap c_2Earithmetic_2EBIT1 V1n)))))$$