

thm_2Enumpair_2Enfoldl__thm
(TMQT22XXcfSCP6QCUqvhSysZ4Kv1HM7n9AM)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 4 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (ap\ c_2Enum_2EREP_num\ c_2Enum_2ESUC_REP))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 7 We define $c_2Earithmic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmic_2EBIT1 V0n) V1n)$.

Definition 8 We define $c_2Earithmic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Enumpair_2Etri : \iota$ be given. Assume the following.

$$c_2Enumpair_2Etri \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}) \quad (7)$$

Definition 9 We define $c_2Enumpair_2Enpair$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.V0m$.

Definition 10 We define $c_2Enumpair_2Encons$ to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1t \in ty_2Enum_2Enum.V0h$.

Definition 11 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.V0t1)))$.

Let $c_2Enumpair_2Enlistrec : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Enumpair_2Enlistrec A_27a \in ((A_27a^{ty_2Enum_2Enum})^{((A_27a^{A_27a})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}})^{A_27a} \quad (8)$$

Definition 13 We define $c_2Enumpair_2Enfoldl$ to be $\lambda A_27a : \iota.\lambda V0f \in ((A_27a^{A_27a})^{ty_2Enum_2Enum}).\lambda V$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (10)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0n \in A_27a.(\forall V1f \in ((A_27a^{A_27a})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}).(\forall V2h \in ty_2Enum_2Enum.(\forall V3t \in ty_2Enum_2Enum.(((ap (ap (ap (c_2Enumpair_2Enlistrec A_27a) V0n) V1f) c_2Enum_2E0) = V0n) \wedge ((ap (ap (ap (c_2Enumpair_2Enlistrec A_27a) V0n) V1f) (ap (ap c_2Enumpair_2Encons V2h) V3t)) = (ap (ap (ap V1f V2h) V3t) (ap (ap (ap (c_2Enumpair_2Enlistrec A_27a) V0n) V1f) V3t)))))))))) \quad (11)$$

Theorem 1

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0f \in ((A_27a^{A_27a})^{ty_2Enum_2Enum}).(\forall V1a \in A_27a.(\forall V2h \in ty_2Enum_2Enum.(\forall V3t \in ty_2Enum_2Enum.(((ap (ap (ap (c_2Enumpair_2Enfoldl A_27a) V0f) V1a) c_2Enum_2E0) = V1a) \wedge ((ap (ap (ap (c_2Enumpair_2Enfoldl A_27a) V0f) V1a) (ap (ap c_2Enumpair_2Encons V2h) V3t)) = (ap (ap (ap (c_2Enumpair_2Enfoldl A_27a) V0f) (ap (ap V0f V2h) V1a)) V3t))))))))))$$