

# thm\_2Enumposrep\_2El2n\_\_SNOC\_\_0 (TMEzbAe- owHL1xRJ1kG46aVy21DxCFsi9NGU)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_7E$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})) (\lambda V0t \in 2.V0t)) (\lambda V1t \in 2.V1t))$

**Definition 4** We define  $c\_2Ebool\_2E\_5C$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_5C))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)) (\lambda V3t \in 2.V3t)))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{2}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{3}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{4}$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num (c\_2Enum\_2ESUC\_REP m))$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge P x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c\_Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap V0P (ap (c\_Emin\_2E\_40$

**Definition 11** We define  $c\_Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 12** We define  $c\_Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_Ebool\_2E\_21 2) (\lambda V2t \in$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (5)$$

Let  $c\_2Elist\_2ESNOC : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ESNOC A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (6)$$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $c\_2Earithmetic\_2EMOD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (8)$$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (9)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (10)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (11)$$

**Definition 13** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (12)$$

Let  $c\_2Enumposrep\_2El2n : \iota$  be given. Assume the following.

$$c\_2Enumposrep\_2El2n \in ((ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist ty\_2Enum\_2Enum)})^{ty\_2Enum\_2Enum}) \quad (13)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2B V0m) c\_2Enum\_2E0) = V0m)) \quad (14)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B V1n) V0m)))) \quad (15)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B V1n) V0m)))) \quad (16)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2A V0m) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \quad (17)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2p \in ty\_2Enum\_2Enum. (((ap (ap c\_2Earithmetic\_2E\_2B V0m) V2p) = (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p)) \Leftrightarrow (V0m = V1n)))))) \quad (18)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2p \in ty\_2Enum\_2Enum. (((ap (ap c\_2Earithmetic\_2E\_2A V1n) V0m) = (ap (ap c\_2Earithmetic\_2E\_2A V2p) V0m)) \Leftrightarrow ((V0m = c\_2Enum\_2E0) \vee (V1n = V2p))))) \quad (19)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) V0n)) \Rightarrow ((ap (ap c\_2Earithmetic\_2EMOD c\_2Enum\_2E0) V0n) = c\_2Enum\_2E0))) \quad (20)$$

Assume the following.

$$True \quad (21)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg ( \\ & p V0t)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in \\ & 2.(((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))) \Rightarrow \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist \ A\_27a)}), \\ & (((p (ap \ V0P \ (c\_2Elist\_2ENIL \ A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\ & A\_27a).((p (ap \ V0P \ V1t)) \Rightarrow (\forall V2h \in A\_27a.(p (ap \ V0P \ (ap \ ( \\ & c\_2Elist\_2ECONS \ A\_27a \ V2h) \ V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ & A\_27a).(p (ap \ V0P \ V3l)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty \ A\_27a \Rightarrow ((\forall V0x \in A\_27a.((ap \ (ap \ (c\_2Elist\_2ESNOC \\ & A\_27a) \ V0x) \ (c\_2Elist\_2ENIL \ A\_27a)) = (ap \ (ap \ (c\_2Elist\_2ECONS \\ & A\_27a) \ V0x) \ (c\_2Elist\_2ENIL \ A\_27a)))) \wedge (\forall V1x \in A\_27a.(\forall V2x\_27 \in \\ & A\_27a.(\forall V3l \in (ty\_2Elist\_2Elist \ A\_27a).((ap \ (ap \ (c\_2Elist\_2ESNOC \\ & A\_27a) \ V1x) \ (ap \ (ap \ (c\_2Elist\_2ECONS \ A\_27a) \ V2x\_27) \ V3l)) = (ap \ ( \\ & ap \ (c\_2Elist\_2ECONS \ A\_27a) \ V2x\_27) \ (ap \ (ap \ (c\_2Elist\_2ESNOC \ A\_27a) \\ & V1x) \ V3l)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0b \in ty\_2Enum\_2Enum. ((ap (ap c\_2Enumposrep\_2El2n V0b) \\
& (c\_2Elist\_2ENIL ty\_2Enum\_2Enum)) = c\_2Enum\_2E0)) \wedge (\forall V1b \in \\
& ty\_2Enum\_2Enum. (\forall V2h \in ty\_2Enum\_2Enum. (\forall V3t \in ( \\
& ty\_2Elist\_2Elist ty\_2Enum\_2Enum). ((ap (ap c\_2Enumposrep\_2El2n \\
& V1b) (ap (ap (c\_2Elist\_2ECONS ty\_2Enum\_2Enum) V2h) V3t)) = (ap ( \\
& ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2EMOD V2h) V1b)) \\
& (ap (ap c\_2Earithmetic\_2E\_2A V1b) (ap (ap c\_2Enumposrep\_2El2n \\
& V1b) V3t))))))))))
\end{aligned} \tag{32}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0b \in ty\_2Enum\_2Enum. (\forall V1ls \in (ty\_2Elist\_2Elist \\
& ty\_2Enum\_2Enum). ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) \\
& V0b)) \Rightarrow ((ap (ap c\_2Enumposrep\_2El2n V0b) (ap (ap (c\_2Elist\_2ESNOC \\
& ty\_2Enum\_2Enum) c\_2Enum\_2E0) V1ls)) = (ap (ap c\_2Enumposrep\_2El2n \\
& V0b) V1ls))))))
\end{aligned}$$