

thm_2Enumposrep_2El2n__dropWhile__0 (TMZkji4eBWirv1J3uFevtns6mdUsc33HScD)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A_27a}))))$

Definition 5 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V2t \in 2.V2t)))$

Definition 6 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V0t \in 2.V0t)$.

Definition 7 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V0t)) (\text{c_2Ebool_2EF } V0t)))$

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Elist_2Elist } A0) \quad (1)$$

Let `c_2Elist_2EAPPEND` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \text{c_2Elist_2EAPPEND } A_27a \in (((\text{ty_2Elist_2Elist } A_27a) (\text{ty_2Elist_2Elist } A_27a)) (\text{ty_2Elist_2Elist } A_27a)) \quad (2)$$

Let `c_2Elist_2EREVERSE` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \text{c_2Elist_2EREVERSE } A_27a \in ((\text{ty_2Elist_2Elist } A_27a) (\text{ty_2Elist_2Elist } A_27a)) \quad (3)$$

Definition 8 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V2t \in 2.V2t)))$

Definition 9 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p (\text{ap } P x)))$ of type $\iota \Rightarrow \iota$.

Definition 10 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (4)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (5)$$

Let $c_2Elist_2EdropWhile : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2EdropWhile\ A_27a \in ((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(2^{A_27a})} \quad (6)$$

Let $c_2Elist_2ESNOC : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ESNOC\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (7)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (8)$$

Let $c_2Enumposrep_2El2n : \iota$ be given. Assume the following.

$$c_2Enumposrep_2El2n \in ((ty_2Enum_2Enum)^{(ty_2Elist_2Elist\ ty_2Enum_2Enum)})^{ty_2Enum_2Enum} \quad (9)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (10)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \quad (11)$$

Definition 11 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega)^{ty_2Enum_2Enum} \quad (12)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega)^{\omega} \quad (13)$$

Definition 12 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num$

Definition 13 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 14 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee \neg(p\ V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (19)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (22)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1)\ V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V0t1)\ V1t2) = V1t2)))))) \quad (23)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (24)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{.27} \in 2. (\forall V2y \in 2. (\forall V3y_{.27} \in 2. (((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (25)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow & (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A_{.27a}. (\forall V3x_{.27} \in A_{.27a}. (\forall V4y \in A_{.27a}. \\ & (\forall V5y_{.27} \in A_{.27a}. (((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x_{.27})) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y_{.27})))))) \Rightarrow ((ap (ap (ap (c_{.2E}bool_{.2E}COND A_{.27a}) \\ & V0P) V2x) V4y) = (ap (ap (ap (c_{.2E}bool_{.2E}COND A_{.27a}) V1Q) V3x_{.27} \\ & V5y_{.27})))))))))) \quad (26) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow & (((ap (c_{.2E}list_{.2E}EREVERSE A_{.27a}) \\ & (c_{.2E}list_{.2E}ENIL A_{.27a})) = (c_{.2E}list_{.2E}ENIL A_{.27a})) \wedge (\forall V0h \in \\ & A_{.27a}. (\forall V1t \in (ty_{.2E}list_{.2E}list A_{.27a}). ((ap (c_{.2E}list_{.2E}EREVERSE \\ & A_{.27a}) (ap (ap (c_{.2E}list_{.2E}CONS A_{.27a}) V0h) V1t)) = (ap (ap (c_{.2E}list_{.2E}APPEND \\ & A_{.27a}) (ap (c_{.2E}list_{.2E}EREVERSE A_{.27a}) V1t)) (ap (ap (c_{.2E}list_{.2E}CONS \\ & A_{.27a}) V0h) (c_{.2E}list_{.2E}ENIL A_{.27a})))))) \quad (27) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow & (\forall V0l \in (ty_{.2E}list_{.2E}list \\ & A_{.27a}). ((ap (c_{.2E}list_{.2E}EREVERSE A_{.27a}) (ap (c_{.2E}list_{.2E}EREVERSE \\ & A_{.27a}) V0l)) = V0l)) \quad (28) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow & (\forall V0x \in A_{.27a}. (\forall V1l \in \\ & (ty_{.2E}list_{.2E}list A_{.27a}). ((ap (ap (c_{.2E}list_{.2E}SNOC A_{.27a}) V0x) \\ & V1l) = (ap (ap (c_{.2E}list_{.2E}APPEND A_{.27a}) V1l) (ap (ap (c_{.2E}list_{.2E}CONS \\ & A_{.27a}) V0x) (c_{.2E}list_{.2E}ENIL A_{.27a})))))) \quad (29) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow & (\forall V0x \in A_{.27a}. (\forall V1l \in \\ & (ty_{.2E}list_{.2E}list A_{.27a}). ((ap (c_{.2E}list_{.2E}EREVERSE A_{.27a}) (ap \\ & (ap (c_{.2E}list_{.2E}SNOC A_{.27a}) V0x) V1l)) = (ap (ap (c_{.2E}list_{.2E}CONS \\ & A_{.27a}) V0x) (ap (c_{.2E}list_{.2E}EREVERSE A_{.27a}) V1l)))))) \quad (30) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A.27a)}), \\
& (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A.27a))) \wedge (\forall V1l \in (ty_2Elist_2Elist \\
& \quad A.27a).(p\ (ap\ V0P\ V1l))) \Rightarrow (\forall V2x \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\
& \quad c_2Elist_2ESNOC\ A.27a\ V2x)\ V1l)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\
& \quad A.27a).(p\ (ap\ V0P\ V3l))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0P \in (2^{A.27a}).((ap\ (\\
& \quad ap\ (c_2Elist_2EdropWhile\ A.27a)\ V0P)\ (c_2Elist_2ENIL\ A.27a)) = \\
& \quad (c_2Elist_2ENIL\ A.27a))) \wedge (\forall V1P \in (2^{A.27a}).(\forall V2h \in \\
& \quad A.27a.(\forall V3t \in (ty_2Elist_2Elist\ A.27a).((ap\ (ap\ (c_2Elist_2EdropWhile \\
& \quad A.27a)\ V1P)\ (ap\ (ap\ (c_2Elist_2ECONS\ A.27a)\ V2h)\ V3t)) = (ap\ (ap\ (\\
& \quad ap\ (c_2Ebool_2ECOND\ (ty_2Elist_2Elist\ A.27a)\ (ap\ V1P\ V2h))\ (ap \\
& \quad (ap\ (c_2Elist_2EdropWhile\ A.27a)\ V1P)\ V3t))\ (ap\ (ap\ (c_2Elist_2ECONS \\
& \quad A.27a)\ V2h)\ V3t))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0b \in ty_2Enum_2Enum.(\forall V1ls \in (ty_2Elist_2Elist \\
& \quad ty_2Enum_2Enum)).((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Enum_2E0) \\
& \quad V0b)) \Rightarrow ((ap\ (ap\ c_2Enumposrep_2El2n\ V0b)\ (ap\ (ap\ (c_2Elist_2ESNOC \\
& \quad ty_2Enum_2Enum)\ c_2Enum_2E0)\ V1ls)) = (ap\ (ap\ c_2Enumposrep_2El2n \\
& \quad V0b)\ V1ls))))))
\end{aligned} \tag{33}$$

Theorem 1

$$\begin{aligned}
& (\forall V0b \in ty_2Enum_2Enum.(\forall V1ls \in (ty_2Elist_2Elist \\
& \quad ty_2Enum_2Enum)).((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Enum_2E0) \\
& \quad V0b)) \Rightarrow ((ap\ (ap\ c_2Enumposrep_2El2n\ V0b)\ (ap\ (c_2Elist_2EREVERSE \\
& \quad ty_2Enum_2Enum)\ (ap\ (ap\ (c_2Elist_2EdropWhile\ ty_2Enum_2Enum) \\
& \quad (ap\ (c_2Emin_2E_3D\ ty_2Enum_2Enum)\ c_2Enum_2E0))\ (ap\ (c_2Elist_2EREVERSE \\
& \quad ty_2Enum_2Enum)\ V1ls)))) = (ap\ (ap\ c_2Enumposrep_2El2n\ V0b)\ V1ls))))))
\end{aligned}$$