

thm_2Eoption_2EIF__NONE__EQUALS__OPTION (TMK2LiprEruwnA1eFuzbPwLwLJcahGE9VL7)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p (ap P x))$ **then** *(the* $(\lambda x.x \in A \wedge p x)$ *of type* $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ *of type* $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a) P)))$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (1)$$

Let $c_2Eoption_2EIS_SOME : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2EIS_SOME A_27a \in (2^{(ty_2Eoption_2Eoption A_27a)}) \quad (2)$$

Definition 4 We define $c_2Ebool_2E_2ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $c_2Eoption_2EIS_NONE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2EIS_NONE A_27a \in (2^{(ty_2Eoption_2Eoption A_27a)}) \quad (3)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \quad (4)$$

Definition 5 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone.V0x))$

Definition 6 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}) P) P)))$

Definition 7 We define $c_2Ebool_2E_2EF$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (12)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0b \in 2.(\forall V1t \in A_27a.((ap (ap (ap (c_2Ebool_2ECOND A_27a) V0b) V1t) V1t) = V1t))) \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (18)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0opt \in (ty_2Eoption_2Eoption A_27a).((V0opt = (c_2Eoption_2ENONE A_27a)) \vee (\exists V1x \in A_27a.(V0opt = (ap (c_2Eoption_2ESOME A_27a) V1x)))))) \quad (20)$$

Assume the following.

$$\begin{aligned} \forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ A_27a. (((\text{ap } (\text{c_2Eoption_2ESOME } A_27a) V0x) = (\text{ap } (\text{c_2Eoption_2ESOME} \\ A_27a) V1y)) \Leftrightarrow (V0x = V1y)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} \forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\neg((\text{c_2Eoption_2ENONE} \\ A_27a) = (\text{ap } (\text{c_2Eoption_2ESOME } A_27a) V0x)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} \forall A_27a. \text{nonempty } A_27a \Rightarrow ((\forall V0x \in A_27a. ((p (\text{ap } (\text{c_2Eoption_2EIS_SOME} \\ A_27a) (\text{ap } (\text{c_2Eoption_2ESOME } A_27a) V0x))) \Leftrightarrow \text{True})) \wedge ((p (\text{ap } (\text{c_2Eoption_2EIS_SOME} \\ A_27a) (\text{c_2Eoption_2ENONE } A_27a))) \Leftrightarrow \text{False}))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall A_27a. \text{nonempty } A_27a \Rightarrow ((\forall V0x \in A_27a. ((p (\text{ap } (\text{c_2Eoption_2EIS_NONE} \\ A_27a) (\text{ap } (\text{c_2Eoption_2ESOME } A_27a) V0x))) \Leftrightarrow \text{False})) \wedge ((p (\text{ap } (\\ \text{c_2Eoption_2EIS_NONE } A_27a) (\text{c_2Eoption_2ENONE } A_27a))) \Leftrightarrow \text{True}))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} \forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0P \in 2. (\forall V1x \in A_27a. \\ (\forall V2y \in A_27a. (((\text{ap } (\text{ap } (\text{ap } (\text{c_2Ebool_2ECOND } (\text{ty_2Eoption_2Eoption} \\ A_27a)) V0P) (\text{ap } (\text{c_2Eoption_2ESOME } A_27a) V1x)) (\text{c_2Eoption_2ENONE} \\ A_27a)) = (\text{c_2Eoption_2ENONE } A_27a)) \Leftrightarrow (\neg(p V0P)))) \wedge (((\text{ap } (\text{ap } (\\ \text{ap } (\text{c_2Ebool_2ECOND } (\text{ty_2Eoption_2Eoption } A_27a)) V0P) (\text{c_2Eoption_2ENONE} \\ A_27a)) (\text{ap } (\text{c_2Eoption_2ESOME } A_27a) V1x)) = (\text{c_2Eoption_2ENONE} \\ A_27a)) \Leftrightarrow (p V0P))) \wedge (((\text{ap } (\text{ap } (\text{ap } (\text{c_2Ebool_2ECOND } (\text{ty_2Eoption_2Eoption} \\ A_27a)) V0P) (\text{ap } (\text{c_2Eoption_2ESOME } A_27a) V1x)) (\text{c_2Eoption_2ENONE} \\ A_27a)) = (\text{ap } (\text{c_2Eoption_2ESOME } A_27a) V2y)) \Leftrightarrow ((p V0P) \wedge (V1x = V2y)))) \wedge \\ (((\text{ap } (\text{ap } (\text{ap } (\text{c_2Ebool_2ECOND } (\text{ty_2Eoption_2Eoption } A_27a)) \\ V0P) (\text{c_2Eoption_2ENONE } A_27a)) (\text{ap } (\text{c_2Eoption_2ESOME } A_27a) \\ V1x)) = (\text{ap } (\text{c_2Eoption_2ESOME } A_27a) V2y)) \Leftrightarrow ((\neg(p V0P)) \wedge (V1x = \\ V2y)))))))))) \end{aligned} \quad (25)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (27)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow \\ (((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \end{aligned} \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (31) \end{aligned}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (32)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2.(\forall V1X \in (\\ & ty_2Eoption_2Eoption A_27a).(\forall V2x \in A_27a.(((ap (ap (\\ & ap (c_2Ebool_2ECOND (ty_2Eoption_2Eoption A_27a)) V0P) V1X) (\\ & c_2Eoption_2ENONE A_27a)) = (c_2Eoption_2ENONE A_27a)) \Leftrightarrow ((p V0P) \Rightarrow \\ & (p (ap (c_2Eoption_2EIS_NONE A_27a) V1X)))) \wedge (((ap (ap (ap (c_2Ebool_2ECOND \\ & (ty_2Eoption_2Eoption A_27a)) V0P) (c_2Eoption_2ENONE A_27a)) \\ & V1X) = (c_2Eoption_2ENONE A_27a)) \Leftrightarrow ((p (ap (c_2Eoption_2EIS_SOME \\ & A_27a) V1X)) \Rightarrow (p V0P))) \wedge (((ap (ap (ap (c_2Ebool_2ECOND (ty_2Eoption_2Eoption \\ & A_27a)) V0P) V1X) (c_2Eoption_2ENONE A_27a)) = (ap (c_2Eoption_2ESOME \\ & A_27a) V2x)) \Leftrightarrow ((p V0P) \wedge (V1X = (ap (c_2Eoption_2ESOME A_27a) V2x)))) \wedge \\ & (((ap (ap (ap (c_2Ebool_2ECOND (ty_2Eoption_2Eoption A_27a)) \\ & V0P) (c_2Eoption_2ENONE A_27a)) V1X) = (ap (c_2Eoption_2ESOME \\ & A_27a) V2x)) \Leftrightarrow ((\neg(p V0P)) \wedge (V1X = (ap (c_2Eoption_2ESOME A_27a) \\ & V2x)))))) \end{aligned}$$