

thm_2Eoption_2EOPTION__APPLY__o (TMT1SjFqLb41PGSDUynRqNhiE7Dir45xXUc)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1x \in 2.V1x)) (\lambda V1x \in 2.V1x)))$

Definition 4 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g \in (A_27c^{A_27a}).(ap (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1x \in 2.V1x)) (\lambda V1x \in 2.V1x)) (\lambda V1x \in 2.V1x)) (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p (ap P x))$) of type $\iota \Rightarrow \iota$.

Definition 6 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 (2^{A_27a})) (\lambda V1x \in 2.V1x)) (\lambda V1x \in 2.V1x)))$

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))) (\lambda V2t \in 2.V2t))$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \tag{1}$$

Let $c_2Eoption_2EOPTION_MAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Eoption_2EOPTION_MAP A_27a A_27b \in (((ty_2Eoption_2Eoption A_27b)^{(ty_2Eoption_2Eoption A_27a)})^{(A_27b^{A_27a})}) \tag{2}$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \tag{3}$$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))) (\lambda V2t \in 2.V2t))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (4)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (5)$$

Definition 10 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ V0e)$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (6)$$

Definition 11 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ V0x)$

Definition 12 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone. V0x))$

Definition 13 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2. V0t))$.

Definition 14 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E)\ V0t))$

Definition 15 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ V0e)$

Definition 16 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ (c_2Eoption_2Eoption_ABS\ A_27a))$

Let $c_2Eoption_2EOPTION_APPLY : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2EOPTION_APPLY\ A_27a\ A_27b \in (((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Eoption_2Eoption\ A_27b)})^{(ty_2Eoption_2Eoption\ (A_27a^{A_27b})^{A_27a})}) \quad (7)$$

Assume the following.

$$True \quad (8)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (9)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c.nonempty\ A_27c \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (\forall V1g \in (A_27a^{A_27c}). (\forall V2x \in A_27c. ((ap\ (ap\ (ap\ (c_2Ecombin_2Eo\ A_27c\ A_27b\ A_27a)\ V0f)\ V1g)\ V2x) = (ap\ V0f\ (ap\ V1g\ V2x))))))) \quad (10)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V_{0opt} \in (ty_2Eoption_2Eoption \\ A_{.27a}).((V_{0opt} = (c_2Eoption_2ENONE\ A_{.27a})) \vee (\exists V_{1x} \in A_{.27a}. \\ (V_{0opt} = (ap\ (c_2Eoption_2ESOME\ A_{.27a})\ V_{1x})))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V_{0x} \in A_{.27a}.(\forall V_{1y} \in \\ A_{.27a}.(((ap\ (c_2Eoption_2ESOME\ A_{.27a})\ V_{0x}) = (ap\ (c_2Eoption_2ESOME \\ A_{.27a})\ V_{1y})) \Leftrightarrow (V_{0x} = V_{1y})))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\ (\forall V_{0f} \in (A_{.27b}^{A_{.27a}}).(\forall V_{1x} \in A_{.27a}.((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ A_{.27a}\ A_{.27b})\ V_{0f})\ (ap\ (c_2Eoption_2ESOME\ A_{.27a})\ V_{1x})) = (ap\ (c_2Eoption_2ESOME \\ A_{.27b})\ (ap\ V_{0f}\ V_{1x})))))) \wedge (\forall V_{2f} \in (A_{.27b}^{A_{.27a}}).((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ A_{.27a}\ A_{.27b})\ V_{2f})\ (c_2Eoption_2ENONE\ A_{.27a})) = (c_2Eoption_2ENONE \\ A_{.27b})))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\ (\forall V_{0x} \in (ty_2Eoption_2Eoption\ A_{.27b}).((ap\ (ap\ (c_2Eoption_2EOPTION_APPLY \\ A_{.27a}\ A_{.27b})\ (c_2Eoption_2ENONE\ (A_{.27a}^{A_{.27b}}))\ V_{0x})) = (c_2Eoption_2ENONE \\ A_{.27a}))) \wedge (\forall V_{1f} \in (A_{.27a}^{A_{.27b}}).(\forall V_{2x} \in (ty_2Eoption_2Eoption \\ A_{.27b}).((ap\ (ap\ (c_2Eoption_2EOPTION_APPLY\ A_{.27a}\ A_{.27b})\ (ap \\ (c_2Eoption_2ESOME\ (A_{.27a}^{A_{.27b}})\ V_{1f}))\ V_{2x})) = (ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ A_{.27b}\ A_{.27a})\ V_{1f})\ V_{2x})))))) \end{aligned} \quad (14)$$

Theorem 1

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow \forall A_{.27c}. \\ nonempty\ A_{.27c} \Rightarrow (\forall V_{0f} \in (ty_2Eoption_2Eoption\ (A_{.27c}^{A_{.27b}})). \\ (\forall V_{1g} \in (ty_2Eoption_2Eoption\ (A_{.27b}^{A_{.27a}})).(\forall V_{2x} \in \\ (ty_2Eoption_2Eoption\ A_{.27a}).((ap\ (ap\ (c_2Eoption_2EOPTION_APPLY \\ A_{.27c}\ A_{.27a})\ (ap\ (ap\ (c_2Eoption_2EOPTION_APPLY\ (A_{.27c}^{A_{.27a}}) \\ (A_{.27b}^{A_{.27a}}))\ (ap\ (ap\ (c_2Eoption_2EOPTION_APPLY\ ((A_{.27c}^{A_{.27a}})^{(A_{.27b}^{A_{.27a}})) \\ (A_{.27c}^{A_{.27b}}))\ (ap\ (c_2Eoption_2ESOME\ (((A_{.27c}^{A_{.27a}})^{(A_{.27b}^{A_{.27a}}))^{(A_{.27c}^{A_{.27b}}))} \\ (c_2Ecombin_2Eo\ A_{.27a}\ A_{.27c}\ A_{.27b}))))\ V_{0f}))\ V_{1g}))\ V_{2x})) = (ap\ (ap\ (\\ c_2Eoption_2EOPTION_APPLY\ A_{.27c}\ A_{.27b})\ V_{0f})\ (ap\ (ap\ (c_2Eoption_2EOPTION_APPLY \\ A_{.27b}\ A_{.27a})\ V_{1g})\ V_{2x})))))) \end{aligned}$$